


The Aston Martin 15/98 Speed Model



2-LITRE ASTON MARTIN

“*SPEED MODEL*”

Engine 4-cylinder 78 mm. bore by 102 mm. stroke (Treasury rating 15.09 h.p.); overhead valves and camshaft; combined thermo-syphon and pump water circulation; special dry sump lubrication with two gear-type pumps; vertical magneto ignition with automatic advance; 2 S.U. carburetters; single disc dry plate clutch; central change gearbox, 4 forward speeds, 4.4, 6.11, 8.33, 11.38 to 1 overall ratios;


spiral bevel final drive; internal expanding brakes on all 4 wheels operated hydraulically; 4 friction type adjustable shock absorbers; 5 detachable wire wheels; Dunlop 18 by 5.25 tyres; wheelbase 8ft. 6in., track 4 ft. 6½ in., ground clearance 6½ in., fitted with Scintilla 12-volt dynamo lighting with compensated voltage control, 5 lamps and electric starting set; Speedometer, Revolution Indicator, Clock, Oil Pressure

Gauge, Water Thermometer, Petrol Gauge, Warning Light; Mixture control, hand throttle on dashboard; 2 dash lamps; twin electric horns; stone guard on radiator; 2-seater body with concealed hood and detachable tonneau cover with separate cover for front seats with zip for single seat covering; luggage space behind seats; folding windscreen with glass side shields detachable for use as aero screens.

Price, complete **£775**

Chassis, with tyres **£695**

The Aston Martin 15/98 Short Chassis 2/4 Seater



15/98 h.p. ASTON MARTIN

2/4 SEATER


Engine 4-cylinder 78 mm. bore by 102 mm. stroke (Treasury rating 15.09 h.p.) ; overhead valves and camshaft ; combined thermo-syphon and pump water circulation thermostatically controlled ; vertical magneto ignition with automatic advance ; 2 S.U. carburetters ; single disc dry plate clutch ; central change gearbox, 4 forward speeds synchromesh top, 3rd and 2nd gears, 4.67, 6.4, 9.84, 16.8 to 1 overall ratios ; spiral bevel final drive ; internal expanding brakes on all

4 wheels operated by Girling system ; adjustable friction shock absorbers to front and hydraulic Luvax type with riding control to rear ; 5 detachable wire wheels ; Dunlop 17 by 5.25 tyres ; wheel-base 8 ft. 3 in., track 4 ft. 6½ in. ; fitted with Lucas 12-volt dynamo lighting with compensated voltage control, 5 lamps and electric starting set ; Speedometer, Revolution Counter, Clock, Oil Gauge, Petrol Gauge, Water Thermometer, Warning Light, Mixture Control,

Instrument Panel internally illuminated ; Twin Electric Horns ; 2-Door 2/4 Seater Body with sliding and folding squab front seats ; wide folding type windscreen fitted with dual-purpose Aero side panels and remote motor twin wiper ; concealed hood, separate tonneau covers for rear and for covering either front seat. Cars can be supplied in the following colours :—Red, Green, Black and Grey, with choice of Red, Green, Beige or Grey upholstery.

Price, complete £575

The Aston Martin 15/98 Short Chassis
Drop Head Coupe



15/98 h.p. ASTON MARTIN

DROP HEAD COUPE


Engine 4-cylinder 78 mm. bore by 102 mm. stroke (Treasury rating 15.09 h.p.); overhead valves and camshaft; combined thermo-syphon and pump water circulation thermostatically controlled; vertical magneto ignition with automatic advance; 2 S.U. carburettors; single disc dry plate clutch; central change gearbox, 4 forward speeds synchromesh top, 3rd and 2nd gears, 4.67, 6.4, 9.84, 16.8 to 1 overall ratios; spiral bevel final drive; internal expanding brakes on all

4 wheels operated by Girling system; adjustable friction shock absorbers to front and hydraulic Luvax type with riding control to rear; 5 detachable wire wheels; Dunlop 17 by 5.25 tyres; wheel-base 8 ft. 3 in., track 4 ft. 6½ in.; fitted with Lucas 12-volt dynamo lighting with compensated voltage control, 5 lamps and electric starting set; Speedometer, Revolution Counter, Clock, Oil Gauge, Petrol Gauge, Water Thermometer, Warning Light, Mixture Control,

Instrument Panel internally illuminated; Twin Electric Horns; Jackall hydraulic jacking system. 2-Door Drop Head Coupe Body with External 2 Seater Dickey; sliding and adjustable front seats; winding windows to door; opening windscreen, with twin wipers. Cars can be supplied in the following colours:—Red, Green, Black and Grey, or certain metallic finishes, with choice of Red, Green, Beige or Grey upholstery.

Price, complete £625

The Aston Martin 15/98 Saloon



15/98 h.p. ASTON MARTIN

SALOON


Engine 4-cylinder 78 mm. bore by 102 mm. stroke (Treasury rating 15.09 h.p.); overhead valves and camshaft; combined thermo-syphon and pump water circulation thermostatically controlled; vertical magneto ignition with automatic advance; 2 S.U. carburetters; single disc dry plate clutch; central change gearbox, 4 forward speeds synchromesh top, 3rd and 2nd gears, 4.67, 6.4, 9.84, 16.8 to 1 overall ratios; spiral bevel final drive;

internal expanding brakes on all 4 wheels operated by Girling system; adjustable friction shock absorbers to front and hydraulic Luvax type with riding control to rear; 5 detachable wire wheels; Dunlop 18 by 5.25 tyres; wheelbase 9 ft. 8 in., track 4 ft. 6½ in., ground clearance 6½ in.; fitted with Lucas 12-volt dynamo lighting with compensated voltage control, 5 lamps and electric starting set; Speedometer, Revolution Counter,

Clock, Oil Gauge, Petrol Gauge, Water Thermometer, Warning Light, Mixture Control, Instrument Panel internally illuminated; Twin Electric Horns; Jackall hydraulic jacking system. 4-Door Saloon Body with sliding roof, sliding and adjustable seats; opening windscreen, fitted with remote motor twin wiper, ventilators, sun visors; large luggage boot with patent arrangement for carrying additional luggage when open.

Price, complete £595

The Aston Martin 15/98 Open Four Seater



15/98 h.p. ASTON MARTIN

4-SEATER

Engine 4-cylinder 78 mm. bore by 102 mm. stroke (Treasury rating 15.09 h.p.); overhead valves and camshaft; combined thermo-syphon and pump water circulation thermostatically controlled; vertical magneto ignition with automatic advance; 2 S.U. carburetters; single disc dry plate clutch; central change gearbox, 4 forward speeds synchromesh top, 3rd and 2nd gears, 4.67, 6.4, 9.84, 16.8 to 1 overall ratios; spiral bevel final drive; internal expanding brakes

on all 4 wheels operated by Girling system; adjustable friction shock absorbers to front and hydraulic Luvax type with riding control to rear; 5 detachable wire wheels; Dunlop 18 by 5.25 tyres; wheelbase 9 ft. 8 in., track 4 ft. 6½ in., ground clearance 6½ in.; fitted with Lucas 12-volt dynamo lighting with compensated voltage control, 5 lamps and electric starting set; speedometer, Revolution Counter, Clock, Oil Gauge, Petrol Gauge, Water Thermometer, Warning Light, Mixture Control, Instrument

Panel internally illuminated; Twin Electric Horns; Jackall hydraulic jacking system. 2-Door 4-Seater Body with sliding and folding squab front seats; wide folding type windscreen fitted with remote motor twin wiper; semi-concealed hood with tonneau cover, separate tonneau covers for rear seats and for covering either front seat; complete side curtains housed in rear panel of luggage locker, luggage locker with patent arrangement for carrying additional luggage when open.

Price, complete £575