

---

# CHRYSLER


LIMOUSINE



# Chrysler Limousine

**T**HE CHRYSLER LIMOUSINE is the ultimate in contemporary high-tech comfort. It also establishes benchmarks for limousine affordability and value. Based on a full 131.3-inch wheelbase, Chrysler Limousine has plush accommodations for seven passengers. Its advanced front-wheel drive design maximizes interior room while providing outstanding maneuverability, improved ride and great stability. Smooth, responsive power is on demand in the form of the proven standard 146-horsepower turbocharged 2.2-liter engine with electronic fuel injection. Chrysler Limousine lets you shut out a strident world with a body built for quiet through robotic welding and special sound insulation. A rare feature for any limousine is the 5/50 Protection Plan that backs Chrysler's Limousine. (See back cover for details.) Chrysler Limousine is packed with luxury details that include fast-action air conditioning, front seat AM stereo\*/FM stereo radio, and the rear seat Ultimate Sound System. Experience futuristic automotive luxury for yourself in a Chrysler Limousine soon. The competition is good, we had to be better.

\*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.



**About this catalog.** We have tried to make this catalog as complete as possible. And we hope you will find it useful. However, since the time of printing, some of the information you'll find here may have been updated. Your dealer has details, and you should ask him for current information before ordering.

Some of the equipment shown or described throughout this catalog is available at extra cost.



Chrysler Limousine, shown in Black.



Chrysler Limousine, shown in Black.

**POWER TRAIN CHART<sup>1</sup>**

Engine	Displacement	Bore & Stroke	Compression Ratio	Horsepower	Torque	Transaxle Availability
				SAE Net @ RPM		
4-cylinder OHC: standard	2.2-liter (135 CID) turbocharged electronic fuel injection <sup>2</sup>	3.44" x 3.62"	8.1:1	146 hp @ 5,200 rpm	170 lb-ft @ 3,600 rpm	3-speed automatic (3.02 OTGR): standard

OTGR—Overall top gear ratio. <sup>1</sup>California emissions controls required on all vehicles registered in California; not available otherwise. <sup>2</sup>Turbocharged engine includes bright exhaust tip, dress-up, functional hood louvers, multipoint electronic fuel injection, stainless steel exhaust system and Turbo identification. Premium unleaded fuel recommended for use with 2.2-liter turbo engine. Turbocharged engine not recommended for trailer towing, and such use will invalidate warranty.

**STANDARD & OPTIONAL EQUIPMENT**

Acoustic Package . . . . . S	Floor Mats—Accessory, front and rear: carpeted and color-keyed . . . . . S
Air Conditioning—Bi-level: front and rear outlets . . . . . S	Front-Wheel Drive . . . . . S
Alternator—90-ampere . . . . . S	Fuel Tank—14-gallon . . . . . S
Ash Receivers—One front, two rear . . . . . S	Glass—All exterior windows: tinted . . . . . S
Assist Straps—Rear interior door header, quarter window: color-keyed . . . . . S	Glove Box Lock . . . . . S
Battery—500-ampere: maintenance-free . . . . . S	Head Restraints—Two-way adjustable front; four-way adjustable rear . . . . . S
Brakes—Dual diagonal vented disc front; self-adjusting drum rear: power-assisted . . . . . S	Headlights—Halogen high/low beam: quad . . . . . S
Bumpers—Energy-absorbing: color-keyed soft fascia, with bright bumper protective rub strips and color-keyed bumper guards front and rear . . . . . S	Heater and Defroster—Bi-level ventilation . . . . . S
Carpeting—Passenger compartment: color-keyed . . . . . S	Hood—Counterbalanced . . . . . S
Carpeting—Trunk floor . . . . . S	Hood Ornament—Pentastar: crystalline . . . . . S
Chimes—Warning: headlights on, key in ignition, seat belt warning . . . . . S	Hood Release—Inside . . . . . S
Cigar Lighters—One front, two rear . . . . . S	Horns—Dual-note: electric . . . . . S
Clocks—Front and rear: electronic digital, integral with radios: . . . . . S	Illuminated Entry System—Includes lighted door lock cylinders . . . . . S
Console—Front center armrest . . . . . S	Instrument Panel Cluster—Electronic: includes engine coolant temperature, fuel level, oil pressure and volt gauges with gauge alert; integral trip computer, odometer and speedometer . . . . . S
Console—Rear: compartment . . . . . S	Lamps—Opera, in landau roof top band: electroluminescent . . . . . S
Corrosion Protection—Urethane protective coating on lower body panels; extensive use of galvanized steel . . . . . S	Light Bar—Convenience: includes lights for low fuel warning, low washer fluid and trunk ajar . . . . . S
Deck Lid Release—Control in glove box: power . . . . . S	Lights—Ash receiver; adjustable C-pillar mounted courtesy/reading; backup; dome/reading; front door courtesy light; glove box; interior dome light switches; headlight switch symbol with time delay; ignition switch light with time delay; parking brake warning; rear door courtesy; rear door lock cylinders; rear Glamour Light Module with two center courtesy/reading lights and fade feature; trunk; underhood . . . . . S
Defroster—Rear window: electric . . . . . S	Lock Cover—Deck lid: Pentastar . . . . . S
Divider—Center sliding glass: power . . . . . S	Mirror—Interior, rear-view: day/night . . . . . S
Door Locks—Front and rear controls: power . . . . . S	Mirror—Interior, front passenger visor vanity: illuminated . . . . . S
Electronic Ignition, Voltage Regulator and Fuel Injection . . . . . S	Mirrors—Exterior, dual power-adjustable: bright aero style . . . . . S
Emissions Controls and Testing—California (required on all vehicles registered in California; not available otherwise). E	
Engine—See Power Train Chart	
Exhaust System—Stainless steel . . . . . S	

Moldings—Belt; door frame; drip rail; lower deck lid; sill; vinyl landau roof surround; wheel opening (full); windshield: bright . . . . . S	Storage Pocket—Rear of front passenger seat . . . . . S
Multifunction Steering Column Lever—Controls for automatic speed control; daytime pass/flash feature; deluxe windshield wiper/washer with adjustable intermittent delay; headlight dimmer; turn signals with lane-change feature . . . . . S	Steering—Rack-and-pinion: power-assisted . . . . . S
Nameplate—Bright "Chrysler" on deck lid left side: gold "Chrysler" script on quarter windows . . . . . S	Steering Column—Tilt . . . . . S
Radio—Front: AM stereo <sup>1</sup> /FM stereo with electronic tuning and four speakers; integral digital clock . . . . . S	Steering Wheel—Luxury: leather-wrapped . . . . . S
Radio—Rear: AM stereo <sup>1</sup> /FM stereo, 36-watt Ultimate Sound System with electronic tuning and four speakers; memory scan; up-and-down scan; Dynamic Noise Reduction (DNR) <sup>2</sup> ; cassette player with automatic reverse and metal tape capability; five-band graphic equalizer, joystick balance/fader control; ambience sound control; power antenna; integral digital clock . . . . . S	Stripes—Accent tape: bodyside and hood . . . . . S
Roof—Landau: color-keyed padded vinyl . . . . . S	Suspension—Front: dual-path Iso-Struts with coil springs, linkless anti-sway bar; rear: beam axle with trailing arms, coil springs and premium shock absorbers . . . . . S
Seat—Front left bucket: power . . . . . S	Tailights—With bright accents . . . . . S
Seats—Front low-back bucket with four-way adjustable head restraints; rear pilloved with center armrest and four-way adjustable headrests; rear-facing jump seats: dark blue Corinthian leather . . . . . E	Telephone Installation Provision—Mounting bracket: behind rear seat fold-down armrest . . . . . S
Seats—Front low-back bucket with four-way adjustable head restraints; rear pilloved with center armrest and four-way adjustable headrests; rear-facing jump seats: luxury cloth . . . . . S	Tire—Spare: T125/70D14 compact high pressure, limited service . . . . . S
Speed Control—Automatic . . . . . S	Tires—P185/75R14 steel-belted radial white sidewall (set of four) . . . . . S

S—Standard. E—Extra cost.	Transaxle—See Power Train Chart
<sup>1</sup> Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.	Trunk Dress-up—Includes carpeted covers for jack, quarter panels, spare tire, wheel-housings . . . . . S
<sup>2</sup> DNR (Dynamic Noise Reduction) is a trademark of National Semiconductor Corporation.	Wheel Covers—Deluxe: color-keyed (set of four) . . . . . S
Certain models, packages, and options are subject to specific restrictions, requirements, or late availability. See your dealer for the latest ordering information.	Windows—Front and rear: independent power . . . . . S
	Windshield Wipers/Washers—Deluxe: with variable intermittent wipe feature . . . . . S

**STANDARD SAFETY FEATURES**

• Anti-theft trunk lock • Backup lights • Center high-mounted supplemental stoplight • Combination lap/shoulder belts for the driver and right front passenger; lap belts for all forward-facing passengers • Double ball-joint rearview mirror • Dual braking

**DIMENSIONS, WEIGHT AND CAPACITY**

Length . . . . .	210.7"	Curb Weight (estimated) . . . . .	3,206 lbs
Width . . . . .	68.0"	Passenger Capacity . . . . .	7
Height . . . . .	53.6"	Trunk Capacity . . . . .	15.0 cu ft
Wheelbase . . . . .	131.3"	Fuel Capacity . . . . .	14.0 gal
Turning Diameter (curb to curb) . . . . .	43.2'		



system with separate brake fluid reservoirs in the master cylinder • Dual throttle return springs • Energy-absorbing front seat-backs • Energy-absorbing instrument panel and sun visors • Energy-absorbing steering column and steering wheel • Fade-resistant vented front disc brakes • Front seat head restraints • Glare reduction measures for instrument panel, steering wheel and wipers • Hazard warning flasher system • Headlight and wiper circuit breakers with automatic reset • Ignition and steering column lock • Impact-actuated fuel supply shutdown relay • Inside and outside rearview mirrors • Key left in ignition warning • Nonoverride door locks (except driver's door) • Recessed inside door release handles • Reinforced windshield header and roof • Safety glass • Safety-Rim wheels • Seat belt reminder system • Side door beams • Side marker lights and reflectors • Turn signals with lane-change feature


coverage is extended on power train components, including engine, transaxle, axle and turbocharger—plus outer panel rust-through protection—to five years/50,000 miles, whichever comes first. A deductible may be required. Fleet, lease and export vehicles excluded. See your dealer for details.

**OPTIONAL 5/50 SERVICE CONTRACT COVERAGE**

Chrysler Service Contracts provide you with additional peace of mind protection for your new vehicle. Coverage starts on the specified components after your vehicle's basic warranty expires and continues for five years or 50,000 miles (whichever occurs first) from the original warranty start date. A deductible applies.

Allowances for car rental and towing are also included. Ask your dealer for details. Buckle up for safety.

**1986 LIMOUSINE EXTERIOR COLORS**



NOTE: Due to occasional printing irregularities, the colors shown may vary slightly from actual hues. See your Chrysler dealer for accurate color chips.

Clear Coat finish is standard on every 1986 passenger car built by Chrysler Corporation.

**5/50 PROTECTION PLAN**

Warranty protection is a matter of confidence. And Chrysler Corporation is so sure of the care and precision that go into each Chrysler Limousine that they offer the Five-Year/50,000-Mile Protection Plan. It speaks for itself. Upon expiration of the normal 12-month/12,000-mile new vehicle limited warranty, limited warranty

**CONSIDER LEASING**

In these days of tight money and high interest rates, more consumers are considering leasing as an alternative to buying. Leasing a new Chrysler Limousine usually involves a small security deposit and a first month's lease payment. Monthly payments are usually less than financing a new car purchase. Ask your dealer for details.

All product illustrations and specifications are based on authorized information. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Chrysler Corporation reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models. See your dealer for the latest information.



MOPAR parts are engineered by Chrysler Corporation for use in your new Chrysler Limousine. When replacement is necessary, be sure to specify MOPAR parts. Used by professional mechanics all over the world.

