



1 9 9 7 RANGER




RANGER: THE FOREMOST AUTHORITY ON FUN





RANGER 4x4: ONE VERY TOUGH CUSTOMER









A 6-way power driver's seat is available in SuperCab with the optional sport bucket seats. Above: Ranger XLT SuperCab with 60/40 split bench seat in Medium Prairie Tan. SuperCab has 22.2 cu. ft. behind the front seats (18.3 in models with rear jump seats).

Right: Ranger XLT
SuperCab interior with
optional sport cloth bucket
seats in Medium Prairie Tan.
Some equipment shown is optional.

Below: Pivoting quarter windows and sliding rear window are available on the XLT, STX and Splash SuperCabs.

Whether you're
tall or short, you
can adjust the
height of your
shoulder belt
to your own
comfort needs.







EQUIPPED TO PROTECT YOU

All Ranger models come standard with a rear anti-lock braking system (ABS).

4-wheel anti-lock brakes are optional with XLT, STX and Splash. Both systems help provide steering control while braking under most conditions, even on wet or slippery surfaces.



Every Ranger comes with a standard driver's air bag to supplement the safety belts. A passenger air bag is available that includes a deactivation switch. To help protect the child, the switch should be used whenever a rear-facing child safety seat is secured in the outboard front passenger seating position.



Ford's 4x4 switch-on electric shift transfer case with automatic locking hubs lets you shift "on the fly."

OWERED TO MOVE YOU



The 2.3L 4-cylinder (below) is the standard engine for Ranger 4x2s. The spirited 3.0L SEFI V6 engine (not shown) is the powerplant for all 4x4 models.

The optional 4.0L SEFI single overhead cam V6 (shown below) delivers the ultimate in Ranger performance.

The rugged, V6-powered Ranger XLT 4x4 Is shown here in Bright Red Clearcoat.

POWERTRAIN AVAILABILITY BY TRIM MODEL Regular Cab 4x2 XLT STX S SuperCab 4x2 STX Splash XL STX Splash 2.3L I4/5-Speed Man. S S S S S 2.3L I4/4-Speed Auto. 0 0 0 3.0L V6/5-Speed Man. 0 0 0 0 0 S 3.0L V6/4-Speed Auto. 0 0 0 0 0 0 4.0L V6/5-Speed Man. 0 0 0 0 4.0L V6/5-Speed Auto. 0 0 0 0 Regular Cab 4x4 SuperCab 4x4 XL STX Splash XL XLT STX Splash 3.0L V6/5-Speed Man. S S S S S

S 3.0L V6/4-Speed Auto. 0 0 0 0 0 4.0L V6/5-Speed Man. 0 0 0 0 0 0 4.0L V6/5-Speed Auto. 0 0 0 0 0

ENGINE SPECIFICATIONS

Engine*	Displacement (liters/cubic inches)	Bore x Stroke	Compression Ratio	Horsepower (SAE net)	Torque, lbs./ft. (SAE net)
2.3-liter SEFI I-4	2.3/140	3.78 x 3.13	9.4:1	112 @ 4,800 rpm	135 @ 2,400 rpm
3.0-liter SEFI V-6	3.0/182	3.50 x 3.14	9.3:1	147 @ 5,000 rpm	162 @ 3,250 rpm
4.0-liter SEFI V-6	4.0/245	3.95 x 3.32	9.0:1	160 @ 4,200 rpm	220 @ 3,000 rpm

^{*}All engines have Sequential Electronic Fuel Injection (SEFI).



Designed to efficiently handle the power of the 4.0L V6, a new 5-speed automatic transmission is available for 1997. An exclusive in light trucks, its five forward speeds improve performance.

DEALER ACCESSORIES FOR YOUR RANGER



The sport hood cover adds style while helping to protect your Ranger's paint finish.



You can add this quick-release tailgate lock to Ranger's long list of convenience features.



The tubular rear bumper not only adds sporty stylling flair but also has heavy-duty construction.



Great factor options, too

The power windows option has a



"one-touch-down" feature for the convenience of the driver.



Speed control has a feature to let you increase or decrease your spee in increments of one mile per hour.



Fog lamps are availa
XLT and STX 4x4 mod

well as on the XL



The optional CD changer lets you sell up to six di

Preferred Equipment Packages

Ranger XL



Notable XL Standard Features

- · Dual foldaway mirrors right-hand convex
- · Tinted glass

Court decided discon

- Easily removable tailgate

- Driver-side air bag
- Illuminated entry system
- · A cigarette lighter and two 12-volt
- Interval windshield wipers
- · Front dome light

Ranger XLT



864A (Reg. Cab)/853A (SuperCab)

- XLT Group (see pages 13-14)
 Electronic AM/FM stereo radio/cassette
- · Power steering (standard on SuperCab)

867A* (Reg.Cab/856A*(SuperCab)

MEASI IDEMENTS /EVTEDIOD/INITEDIOD

XLT Group (see pages 13-14)

- power points

Electronic AM/FM stereo radio/

- cassette/premium sound Power steering (standard on SuperCab)
- Power mirrors
- Power window/lock group Speed control and leather-wrapped tilt
- Passenger-side air bag
- Remote keyless entry with anti-theft
- Tachometer (4x2)

*Package items may not be deleted.

Ranger STX 4x4



865A (Reg. Cab)/854A (SuperCab) Sport cloth bucket seats with floor console

- Rear jump seat (SuperCab) Electronic AM/FM stereo radio/cassette
- Speed control and leather-wrapped tilt
- Fog lamps P235/75R15SL OWL all-terrain tires
- Luxury aluminum wheels
- · Sliding rear window

868A* (Reg. Cab)/857A* (SuperCab) Sport cloth bucket seats with floor console

- Rear jump seat (SuperCab) Electronic AM/FM stereo radio/cassette/ premium sound
- Air conditioning
- Power mirrors
- Power window/lock group Speed control and leather-wrapped tilt
- Fog lamps
- Passenger-side air bag
- Remote keyless entry with anti-theft P235/75R15SL OWL all-terrain tires
- Luxury aluminum wheels
- Sliding rear window

*Package items may not be deleted.

Ranger Splash



866A (Reg. Cab)/855A (SuperCab)

Splash Group: sliding rear window with tinted glass (privacy glass with SuperCab); bodyside protection moldings; rear jump seat (SuperCab)

· Electronic AM/FM stereo radio/cassette

Wheelbase	Cab Length	Box Length (at Cargo Floor)	Box Width (maximum)
107.9" Regular Cab	104.3°	71,8"	54.4"
113.9" Regular Cab	104.3"	83.8"	54.4"
125" SuperCab	121.0°	71.8"	54.4"
Load Height at Cargo Floor (Empty) 4x2/4x4	Front Tread 4x2/4x4	Rear Tread 4x2/4x4	Axle Clearance 4x2/4x4
26.7"/29.5"	56.6"/58.3"	57.3"	6.2"/7.5"
26.8"/29.4"	56.6"/58.3"	57.3"	6.2"/7.5"
25.8"/28.3"	56.6"/58.3"	57.3"	6.2"/7.5"
Cargo Compartment*		Regular Cab	SuperCab
Pickup box depth		16.4"	16.4"
Cargo volume — cu. ft. (no	allowance for w	heelhouses)	
Short wheelbase		37.4	
Long wheelbase		43.5	37.4

	4x2	4x4
GVW Rating (max.)	4,700 lbs.	4,980 lbs.
Shock absorbers	Gas-pressurized; opt. HD	Std. HD gas-pressurized
Front stabilizer bar	Std.	Std.
Rear stabilizer bar	Opt.*	Std.
Power brakes with rear anti-lock	Std.	Std.
Power brakes with 4-wheel anti-l	ock Opt.	Opt,
4x4 front hubs	-	Std. automatic locking Opt. manual locking**
4x4 transfer case	+	Std. switch-on electric shift Opt. 2-speed manual shift
Fuel capacity	Std. 17 gals. Opt. 20 gals.†	Std. 17 gals. Opt. 20 gals.*
Power steering Std. on	STX, Splash; opt. on XL, XL	

^{*}Available for XL and XLT with Handling Package. Included with Solash. **With manual transmission only. *With 113.9" wheelbase and 3.0- or 4.0-liter V6 engine; standard with STX 4x4.

Automatic	Axle Ratio	GCWR Max.	Regula 4x2	r Cab 4x4	Supe 4x2	rCab 4x4
2.3L SEFI 14	3.73	5,500	2,300		-	
3.0L SEFI V6	3.45	7,000	3,700	-	-	-
	3.73	7,500	4,000	3,900	4,000	3,600
	4.10	8,000	-	4,400	-	4,100
4.0L SEFI V6	3.08	6,000	2,700	_	2,400	-
	3.27	7,500		3,800	=	3,600
	3.55	9,500	6,000	-	5,900	
	3.73	9,500		5,800	_	5,600

PAYLOAD PACKAGE SELECTOR* Regular Cab Package No. Payload **GVWR** Tires (Min.) 4x2 SWB #1 Std. 1,250 lbs. 4,220 lbs. P195/70Rx14SL 4x2 SWB #2 Opt. 1,650 lbs. 4,680 lbs. P215/70Rx14SL 4x2 LWB 1,250 lbs. #1 Std. 4,260 lbs. P195/70Rx14SL 4x2 LWB #2 Opt. 1,650 lbs. 4,700 lbs. P215/70Rx14SL 4x4 SWB #1 Std 1.250 lbs 4,660 lbs. P215/75Rx15SL 4x4 SWB #2 Opt. 1,550 lbs. 4,960 lbs. P215/75Rx15SL 4x4 LWB #1 Std. 1,250 lbs. P215/75Rx15SL 4,680 lbs. 4x4 LWB #2 Opt. 1,550 lbs. 4,980 lbs. P215/75Rx15SL SuperCab 1,250 lbs. 4x2 #1 Std. 4,500 lbs. P195/70Rx14SL 4x2 #2 Opt. 1,550 lbs. 4,880 lbs. P215/70Rx14SL 4x4 #1 Std. 4,920 lbs. 1,250 lbs. P215/75Rx15SL #2 Opt. 1,450 lbs. 5,100 lbs. P215/75Rx15SL

* Ranger Styleside model information provided. See your Ford Dealer for Splash model information.

SWB = short wheelbase (107.9" Regular Cab). LWB = long wheelbase (113.9" Regular Cab). Payload is the maximum allowable weight of people, cargo, and body equipment and is reduced by the weight of optional equipment.

RANGER SUPERCAB SPECIFICATIONS

	4x2	4x4
GVW Rating (max.)	4,880 lbs.	5,160 lbs.
Shock absorbers	Gas-pressurized; opt. HD	Std. HD gas-pressurized
Front stabilizer bar	Std.	Std.
Rear stabilizer bar	Opt.*	Std.
Power brakes with rear anti-lock	Std.	Std.
Power brakes with 4-wheel anti-lo	ock Opt.	Opt.
4x4 front hubs		Std. automatic locking
		Opt. manual locking**
4x4 transfer case	**	Std. switch-on electric shift Opt. 2-speed manual shift
Fuel capacity	20.5 gals.	20.5 gals.
Power steering	Std.	Std.

^{*}Available for XL and XLT with Handling Package. Included with Splash. **With manual trans. only.

STVLESIDE MAXIMUM TRAHER WEIGHTS*

Manual	Axle Ratio	GCWR Max.	Regula 4x2	r Cab 4x4	Supe 4x2	rCab 4x4	
2.3L SEFI 14	3.73	4,800	1,600		1,300	-	
	4.10	4,800	++	1,300	-	-	
3.0L SEFIV6	3.45	5,000	1,800		1,500	44	
	3.73	6,000	2,800	2,400	2,500	2,100	
4.0L SEFI V6	3.08	5,000	1,700	_	1,500	-	-
	3.27	6,000	-	2,000		2,000	
	3.55	7,000	3,700	-	3,400		
	3.73	7.000	-	3.400		3.000	61

See your dealer for trailer towing weights for Splash model and for Styleside models with the Splash

Note: Package content is subject to change.						
P = Included in package S = Standard O = Optional	VI	\$21	ıT	CTV	14.4	C.1. 1
GROUP FEATURES	XL 861A	864A	867A*	STX 865A	4x4 868A*	Splash 866A
NLT Group: tape stripe; P225/70R14SL OWL all-season tires (4x2);				00071		000/
P235.75R15SL OWL all-terrain tires (4x4); deep-dish cast aluminum wheels;						
sliding rear window with tinted glass		р	Р	-	-	-
Group: air conditioning; speed control and leather-wrapped tilt wheel;						
tachometer (standard with 4x4); remote keyless entry with anti-theft; power window/lock group; power mirrors; electronic AM/FM stereo radio with cassette						
player, premium sound system, digital clock			Р		n	
STX Group: speed control and leather-wrapped tilt steering wheel; luxury aluminum		-	r	***************************************	Р	
wheels; P235/75R15SL OWL all-terrain tires; fog lamps; sliding rear window				Р	P	
Splash Group: sliding rear window with tinted glass; bodyside protection molding					- F	
SEATING					_	1
3-passenger vinyl bench seat	S				*************	********
60 40 cloth "captain" split bench seat with floor consolette	0	S	S	S	S	
Sport cloth bucket seats with floor console			0	P	P P	0
STEREO SYSTEMS		*****************		1	1	
Radio credit option – deletes standard AM/FM radio (1)	S				_	***************************************
Electronic AM/FM stereo radio with digital clock (standard with 4x4)	0	S		S		<u> </u>
Electronic AM/FM stereo radio with cassette player and digital clock	0	P		P		
Electronic AM/FM stereo radio with cassette, premium sound system and digital clock		0	Р	Ö	Р	0
Single-CD player with digital clock		Ō		Ö		0
Multi-disc CD changer		_	0		0	0
COMFORT/CONVENIENCE						
Air conditioning (includes super engine cooling)	0	0	Р	0	Р	0
Power mirrors		0	P	0	P	S
Power window/lock group	_	0	<u>.</u> Р	0	P	0
Speed control and tilt steering wheel (leather-wrapped in STX)	F <u></u> 5	0	P	P	Р	0
Sliding rear window with tinted glass	-	P	P	P	P	P
3-point height-adjustable lap/shoulder safety belts for outboard seating positions	S	S	S	S	S	S
APPEARANCE/PROTECTION				****************	**************	********
Fog lamps (with V6 engine only)	_	0	0	Р	Р	
Bodyside protection moldings		0	0	0	0	Р
Deluxe two-tone paint	_	0	0		-	
Tape stripe not included (deletes STX tape stripe)	_	-		0	0	
Flareside box (108-in. wheelbase). Not available with 4.0-liter engine	0	0	0	-	÷	_
PERFORMANCE/SAFETY (see page 9 for powertrains)						
Passenger air bag to supplement the safety belts (with deactivation switch)	0	0	Р	0	Р	О
4-wheel anti-lock brakes		0	0	0	0	0
Remote keyless entry with anti-theft	_	O	Р	0	Р	0
Power steering — standard on 4x4	O	Р	Р	S	S	S
Tachometer — standard on 4x4	8-8	0	Р	S	S	0
Performance axle — for V6 engine	0	O	0	0	0	0
Handling package — standard on 4x4 (2)	0	O	0	S	S	_
Payload package #2 (standard on 4x4 XLT, STX)	0	O	Ο	S	S	0
TIRES AND WHEELS	Kanadan an a	ALAN WALLANDA LINA.				
P195/70R14SL BSW all-season — 4x2	S	S	S			
P215/70R14SL BSW all-season — 4x2 ⁽³⁾	0					-
P225/70R14SL OWL all-season — 4x2	0	P	Р		_	_
P235/60R15SL BSW all-season — 4x2 (4)		0	0			S
P235/75R15SL OWL all-terrain — 4x4	0	Р	Р	P	P	S
P215/75R15SL OWL all-terrain — 4x4 P265/75R15SL OWL all-terrain — 4x4	S	S	S	S	S	
	<u> </u>	O	0	0	0	
Argent styled steel wheels with bright hub caps — 4x2/4x4 Full face steel wheels — 4x2/4x4	S		-			
Deep-dish cast aluminum wheels (standard with Splash 4x4) — 4x2/4x4	0	S	S	S	S	
Full face chrome wheels — 4x2	0	P	P	-	_	S
I UII IACC CHIOTHE WHEETS — 4XZ	-	O	0		_	S

^{*} Features designated as "P" may not be deleted from the Preferred Equipment Package. (1) Available with 2.3L engine only; standard on 4x2 only. (2) Rear stabilizer bar (front is standard) and heavy-duty shock absorbers. (3) Includes features in the handling package. (4) Unique shock absorbers, springs and stabilizer bars.


Note: Package content is subject to change.							MA STA
= Included in package S = Standard O = Optional	XL	XI	LT	STX	4x4	Splash	Ext
GROUP FEATURES	850A	853A	856A*	854A	857A*	855A	• Aer
LT Group: tape stripe; P225/70R14SL OWL all-season tires (4x2);							1
P235/75R15SL OWL all-terrain tires (4x4); sliding rear window/							• Gri
privacy glass; rear jump seat; deep-dish cast aluminum wheels		Р	Р	-	-		(XI
uxury Group: air conditioning; speed control/leather-wrapped tilt							ing ke
wheel; tachometer (standard with 4x4); remote keyless entry							1
with anti-theft; power window/lock group; power mirrors;							• Fro
electronic AM/FM stereo radio with cassette player, premium							bri
sound system, digital clock		_	Р	-	Р	_]
TX Group: speed control and leather-wrapped tilt steering wheel;							• Re bri
luxury aluminum wheels; P235/75R15SL OWL all-terrain tires;							1
rear jump seat; fog lamps; sliding rear window	÷	-	+	Р	Р		• Mi
plash Group: sliding rear window with privacy glass;							col
ear jump seat; bodyside protection moldings		_	-	-	-	Р	
SEATING							• Tin
0/40 cloth "captain" split bench seat with floor consolette	S	S	S	S	S	S	• Eas
port cloth bucket seats with floor console	-	0	0	Р	Р	0	
-way power driver's sport bucket seat	=	-1	0	-	0	0	• Ca
lear jump seat	0	P	Р	Р	Р	Р	1
STEREO SYSTEMS							• Ca
adio credit option — deletes standard AM radio (1)	S	-		_	——————————————————————————————————————	-	Spl
lectronic AM/FM stereo radio with digital clock (standard with 4x4)	0	S	S	S	S	S	1 • W
lectronic AM/FM stereo radio with cassette player and digital clock	0	Р	-	Р	_	Р	exc
lectronic AMFM stereo radio with cassette player, premium sound							
ystem and digital clock	_	0	Р	0	Р	0	• ML
ingle-CD player with digital clock	-	0	**	0	_	0	1
Aulti-disc CD changer	-		0	_	0	0	• Hi
COMFORT/CONVENIENCE	************	****************					
ir conditioning (includes super engine cooling)	0	0	Р	0	P	0	Inte
ower mirrors		Ö	P	0	P	S	1
ower window/lock group	-	0		0	P	0	• D
peed control and tilt steering wheel (leather-wrapped in STX)		Ö	P	P	P	0	_ th
liding rear window with privacy glass		P	P	P	Р	Р	• La
ivoting quarter windows with privacy glass		Ö	0	0	Ö	0	sh
APPEARANCE/PROTECTION							se
og lamps (with V6 engine only)		0	0	Р	Р		
odyside protection moldings		0	0	0	0	<u>-</u> Р	• Fu
Peluxe two-tone paint		0	0		*****	Marariference e	an
ape stripe not included (deletes STX tape stripe)			-0	 O	0		- 00
lareside box (not available with 4.0-liter engine)	0	0	0	U	<u> </u>		• 1111
PERFORMANCE/SAFETY (see page 9 for powertrains)		U	0	-		-	
assenger air bag to supplement safety belts (with deactivation switch)			D		p		• A
assenger air bag to supplement safety beits (with deactivation switch, -wheel anti-lock brakes		0	<u>Р</u>	0	P	0	12
emote keyless entry with anti-theft	-	0	A CARLO STATE OF THE STATE OF T	0	O	0	
achometer — standard on 4x4	-	0	P	<u>O</u>	P	0	• In
		0	P	<u>S</u>	S	0	• Ta
erformance axle — for V6 engine	0	0	0	0	0	<u>O</u>	- 1a
landling package — standard on 4x4 (2)	0	0	0	S	S	-	• C
ayload package #2	О	0	0	0	0	0	he
TIRES AND WHEELS		NO ANNA SANA SANA SANA SANA SANA SANA SA					
195/70R14SL BSW all-season — 4x2	S	S	S	_	-		• Flo
215/70R14SL BSW all-season — 4x2 (3)	0			-	-		in
225/70R14SL OWL all-season — 4x2	0	Р	Р	_	_	-] ca
235/60R15SL BSW all-season — 4x2 (4)	-	0	0		-	S	• H
215/75R15SL OWL all-terrain — 4x4	S	S	S	S	S		Re
235/75R15SL OWL all-terrain — 4x4	0	Р	Р	Р	Р	S	so
265/75R15SL OWL all-terrain — 4x4	-	O	О	O	0	-	gr.
rgent styled steel wheels with bright hub caps — 4x2/4x4	S		1		-	=	Šī
ull face steel wheels — 4x2/4x4	0	S	S	S	S	-	
Deep-dish cast aluminum wheels (std on Splash 4x4) — 4x2/4x4	0	Р	Р		_	S	The state of the s
ull face chrome wheels — 4x2	-	O	O		_	S	
							4

dard) and heavy-duty shock absorbers. (3) Includes handling package features. (4) Unique shock absorbers, springs and stabilizer bars.

RD RANGER **FEATURES**

- headlamps
- d with painted molding nted with bright moldor-keyed with colorg (Splash)
- painted (XL, STX), olor-keyed (Splash)
- nper: painted (XL, STX), olor-keyed (Splash)
- foldaway-RH convex; ower (Spĺash)
- ble tailgate
- ht (XLT, STX, Splash)
- ver (XLT, STX and labs)
- ig flares (4x4 models
- cept Splash 4x2)
- enter stop lamp
- ng to supplement elts
- ght-adjustable Its for outboard tions
- rature, oil pressure er gauges; trip
- entry system
- ighter and two er accessories outlets
- dshield wipers
- (standard with 4x4)
- hts: map light plus on warning chime
- ng: black vinyl with (L), color-keyed STX, Splash)
- color-keyed (XL), color-keyed with ation and passenger (XL SuperCab, XLT,

Ranger Colors



EXTERIOR PAINT AND TRIM COLORS

178	3/1		07	
XL,	XI	١.	-	I X

AL, ALI, SIA				
-		Interior 7	Frim Colo	rs
Exterior Paint Colors	Royal Blue*	Willow Green*	Medium Graphite	Medium Prairie Tan
Cayman Green Clearcoat Metallic				
Light Prairie Tan Clearcoat Metallic				-
Bright Red Clearcoat				
Toreador Red Clearcoat Metallic				E
Sapphire Blue Clearcoat Metallic				
Portofino Blue Clearcoat Metallic				
Dark Blue Clearcoat Metallic				
Medium Willow Green Clearcoat Metallic				
Charcoal Grey Clearcoat Metallic			Ü	
Black Clearcoat		■ †		
Silver Clearcoat Metallic		"	8	
Oxford White Clearcoat			В	i i
and XLT only. † STX only. Note: See your dealer for del	uxe two-to	ne color combi	inations availabl	e for Ranger XLT.

🖦 see your dealer about availability of colors for Ranger XL and XLT models with the flareside box option.

Splash

	Interior Trim Colo		
Exterior Paint Colors	Medium Graphite	Medium Prairie Tan	
Canary Yellow Clearcoat			
Toreador Red Clearcoat Metallic			
Sapphire Blue Clearcoat Metallic			
Black Clearcoat			



neel with might hub cap (4x4)

Argent bright hub Full face (4x2)

Full face wheel with steel wheel steel wheel (4x4)

Cast aluminum deep-dish wheel

Full face chrome wheel

Luxury aluminum wheel

Ownership Experience



ROADSIDE ASSISTANCE PROGRAM

Every new Ford includes the assurance of a 24-hour emergency Roadside Assistance Program provided during the 3-year/36,000-mile bumper-to-bumper warranty. Ask your dealer for complete details on this program which includes such services as fuel delivery, tire change, jump start, or even help when you're locked out of your truck.





Ford Credit offers a wide variety of financing and leasing programs to qualified buyers which can be arranged right at the

dealership. Ask your Ford Dealer for all the facts.



Optional Ford Extended Service Plans go beyond the basic 3-year/36,000-mile warranty.

Ask your dealer for complete details on the optional plans and for a copy of the limited warranty.



Using your Ford Citibank VISA® or MasterCard® could earn you hundreds, even thousands of dollars from Ford toward the purchase or lease of a new

Ford, Lincoln or Mercury product. To apply or get more information, call 1-800-374-7777. Or visit a Ford or Lincoln-Mercury Dealer, or a branch of Citibank.

DEALER-INSTALLED ACCESSORIES

Your Ford Dealer offers a variety of quality Ford-brand accessories that meet or exceed our strict specifications.

PRODUCT CHANGES AND OPTIONS AVAILABILITY

Following publication of the catalog, certain changes in standard equipment, options, prices and the like, or product delays, may have occurred which would not be included in these pages. Your Ford Dealer is your best source for up-to-date information.

Ford Division reserves the right to change product specifications at any time without incurring obligations.

Options shown or described are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

For more information, visit our Web site at http://www.ford.com



BUILDING A COMPLETE LINE-UP OF QUALITY CARS AND TRUCKS

