
# 1980 Jeep CJ Series





4.2 litre Six Energy-absorbing steering column Heavy-duty ladder-type 4-speed manual Part-time Fuel tank-(258 CID)\* transmission, 4-wheel drive with standard fully with 2.62:1 (lockable) skid plate frame low range gear reduction; Dana 300 synchronized transfer case Massive Electronic \*No charge option ignition system suspension rated at 2200 kg GVW in certain countries-(requires Front freeno points or Front wheeling hubs Rear drum

see your dealer for details.

condenser)

disc brakes

(optional)

(optional)

brakes

# Special Models and Options

The 1980 CI Series: The latest development of the legendary Jeep\* vehicles-born, tested and proved in the stress of World War II. Today's CJ's retain all the traditional toughness, durability and capability associated with Jeep for nearly 40 years, but are refined and adapted for the needs of the '80's.

Jeep CI's offer the widest range of engines in the industry-and a 50% improvement in fuel economy over last year. There's a 2.5 litre petrol, a 2.4 litre diesel, a 4.2 litre Six and a 5.0 litre V-8. When combined with the Jeep 4-wheel drive system, you have the world's finest 4-WD drivetrain, capable of handling almost any on/off-road situation.

There's comfort too. Power steering and brakes, automatic transmission, air conditioning, AM radio, carpeting, hard tops, soft tops, soft tops with steel doors plus more are available. New this year is the top-of-the-line Laredo model (shown on cover) adding to the Renegade and Golden Eagle styling options. Jeep CJ has it all... from skid plates and winches to carpets and chrome wheels.

For nearly 40 years, Jeep has been an acknowledged leader in 4-wheel drive vehicles. The 1980 CJ's are engineered and built in the rugged tradition of their illustrious predecessors, but with comfort and style demanded by their owners today. Jeep CJ's-at home in every type of terrain, environment and social setting throughout the world.

## RENEGADE

Available on CI-5 and CI-7. Includes all equipment from base model plus the following:

#### Exterior

- 8" white painted styled steel wheels (20.3 cm)
- 9 x 15 Tracker A/T outline white-letter tires (5)
- Wheellip extensions
- Roll bar
- Spare wheel lock
- Blue or orange hood and lower side tape striping

#### Interior

- Blue or tan denim vinyl high back buckets (front), low back (rear)
- Color-keyed interior
- Decor Group
- Convenience Group

#### GOLDEN EAGLE

Available on CJ-5 and CJ-7. Includes all equipment from base model plus the following:

#### Exterior

- "Bronze-Tone" glass (with hardtop)
- 15 x 8 styled wheels—painted gold with a black accent stripe
- 9 x 15 Tracker A/T outline white-letter tires (5)
- Gold, black and white Eagle decal
- Gold, black and white pin striping on bodyside and front fender
- "Golden Eagle" name on hood side black lettering edged in gold
- Gold stripe on grille panel
- Pin striping on door and bodyside (with hardtop)
- Roll bar
- Spare wheel lock
- Special tan hardtop or tan denim vinyl soft top
- Wheellip extensions

#### Interior

- Convenience Group
- Decor Group
- Full carpeting—dark, desert tan
- Tachometer and clock
- Tan interior, including tan denim. vinyl high back front bucket and rear bench seats

#### LAREDO

New for 1980. Available on CI-5 and CI-7. Includes all equipment from base model plus the following:

#### Exterior

- Chrome front bumper, chrome outside rearview mirror heads and arms, chrome body side steps, chrome rear bumperettes, chrome swing-away spare tire carrier latch and stop (carrier itself is black)
- 8" chrome styled steel wheels (5) with chrome-plated hub covers (4)
- Wheellip extensions
- 9R x 15 Wrangler outline white-letter
- Black rocker panel moldings
- Hood insulation
- "Laredo" silver and black nameplate
- Tan soft top or tan hardtop with "Bronze-Tone" tinted glass (rear quarter windows and tailgate window), or black hardtop with "Grey-Tone" tinted glass
- Silver/grey or gold/brown striping on hood, wheel openings, above rocker moldings
- Boll bar

#### Interior

- High-back bucket seats (front). bench (rear) in black and silver or beige and brown
- Color-keyed interior, with full carpeting
- Black leather-wrapped steering
- Black or tan leather-wrapped passenger assist grip
- Black or tan padded instrument panel
- Pinstriping on instrument panel with "Laredo" nameplate
- Console
- Convenience Group: includes underhood light, day/night rearview mirror, courtesy lights
- Tachometer
- Clock
- Front stabilizer bar.
- Steering damper

# OPTIONS

## Handling and Performance

- Automatic transmission with part-time 4-wheel drive (CJ-7 with 6 or 8-cyl.) (na-4-cyl. petrol or diesel)
- Diesel 4-cylinder engine (2.4 litre)†
- 5.0 litre (304 CID) 2-barrel V-8
- Power front disc brakes (CJ-5/6/7 LHD petrol models)
- Front stabilizer bar (required with hardtops) (included on Laredo model)
- Power steering (required with air conditioning) (petrol models)
- Steering damper (included on Laredo model)
- Free wheeling hubs (required in U.S. territories)
- Rear Trac-Lok® differential

# Exterior and Appearance

- Vinyl "Safari" soft top in white or black (CJ-5/6/7)
- Denim soft top in blue or tan (CJ-5/7)
- Fiberglas hardtop in white or black (CJ-7, requires front stabilizer bar)
- Fiberglas hardtop in tan with "Bronze-Tone" quarter and tailgate window glass (Renegade with tan trim only, CJ-7)
- Deluxe full metal cab (CJ-5/6, requires) front stabilizer bar)
- "Moon Roof" (CJ-7, requires hardtop)
- Chrome styled steel wheels (included on Laredo model)
- Rear bumperettes
- Locking gas cap

# Interior and Convenience

- Decor Group: includes rocker panel protection moldings, padded instrument panel, instrument panel overlay and Soft-feel" sports steering wheel
- Convenience Group: includes day/night rearview mirror, outside passenger mirror, courtesy lights, underhood light

Air conditioning (available—LHD Six and V-8 models)

- "Soft-feel" sports steering wheel
- Padded instrument panel Removable carpeting
- Center console
- Longitudinal rear seats (CJ-5/6)
- Rear seat, forward facing
- Heater and defroster
- Outside passenger mirror (included in Convenience Group)
- Tachometer and rally clock
- Tilt steering wheel
- AM radio
- Roll bar (CJ-5/7)
- Spare tire lock

\* 1980 4-cyl. diesel vs. 1979 6-cyl. petrol, with manual 4-speed transmission (in Corporate tests)

# Heavy-Duty Equipment

- Heavy-duty cooling
   Cold Climate Group
   4150 lb/1880 kg GVW package
   4850 lb/2200 kg GVW package
   Heavy-duty shocks—front and rear
- Draw bar
- · Pintle hook with locking pin

# TRAILER TOWING

Trailer towing packages are available to enable your leep CJ to tow trailers up to 1590 kg. Your dealer has a list of required and recommended equipment. He can help ensure that your CJ is in compliance with all local trailering regulations and requirements.


+See CJ diesel brochure for complete specifications and details.

















1 Renegade model interior 2 CJ-7 hardtop without rear windows 3 Soft top with metal doors

4 Electric winch 5 Wrangler radial tire with chrome styled wheels 6 4-cylinder diesel

7 Laredo model interior

8 Removable moon roof

# Colors, Trims and Tire Options

## **EXTERIOR COLORS**

	Special Models			
Standard Exterior Colors	Golden Eagle	Renegade	Laredo	
Available on all models except special models noted at right		Stripe Colors	Stripe Colors	
Olympic White		Blue or Orange	Gold & Brown	
Classic Black		Blue or Orange	Silver & Grey	
Smoke Grey Metallic*	na	Blue	na	
Medium Teal Blue*	na	Blue	na	
Navy Blue*	na	Orange or Blue	Silver & Grey	
Dark Green Metallic*		Orange	na	
Cameo Tan*		Orange	Gold & Brown	
Alpaca Brown Metallic		Orange	na	
Saxon Yellow		Orange or Blue	Gold & Brown	
Caramel*		Orange	na	
Dark Brown Metallic*		Orange	Gold & Brown	
Cardinal Red*	na	Orange	na	
Russet Metallic	•	Orange	na	
Bordeaux Metallic		Orange	Silver & Grey	

<sup>\*</sup>New color for 1980.

### TIRE OPTIONS

Suburbanite X-Grip (rain and snow) H78 x 15B tubeless blackwall (std.), whitewall (opt.); H78 x 15B and H78 x 15D tubed blackwall (opt.)

Custom Polysteel (radial) HR78 x 15B steel-belted highway, whitewall (opt.)

All-Weather F-32 (ice and snow radial) HR78 x 15C steel-belted, whitewall (opt.)

Tracker A/T (all-terrain) 9 x 15B outline white-letter tubeless (opt.) (included on Renegade and Golden Eagle models)


Wrangler (radial) 9R x 15B steel-belted tubeless, outline white-letter (opt.) (included on Laredo model)





Denim Vinyl-opt CJ-5/7







# **Specifications**

# CI STANDARD FEATURES

#### Exterior

Bumper—front, painted

 Lights—head, parking, tail and stop, backup, directional signals, side safety markers and 4-way hazard flashers

■ Mirror—outside, driver's side

 Rear-mounted spare with fixed back panel (CJ-5)

 Side-mounted spare with movable tailgate (CJ-6)

 Swing-away tire carrier with movable tailgate (CI-7)

#### Interior

· Ashtray-front

Cigar lighter

■ Gauges — oil, ammeter, temperature, fuel

■ Mirror — 20.3 cm inside rearview

■ Padded sun visors

Passenger safety rail

■ Seats — bucket seats (front)

#### Functional

■ Air cleaner - cellulose-fiber

■ Alternator — 12-volt, 37-amp.

■ Battery - 12-volt (55-380 cold crank)

 Brakes, service — self-adjusting with split hydraulic system and warning

light

 Brake, parking—foot-lever actuated with warning light, operates on rear wheels (left hand drive)

 Brake, parking—hand-lever actuated, located between front bucket seats, operates on rear wheels (right hand drive)

 Coolant (engine) — permanent type with hi-temperature thermostat (50/50 mixture) ■ Electronic ignition system (Six and V-8); high-energy ignition (4-cyl. petrol)

■ Exhaust system—singlé

 Fuel filters—tank and in line at carburetor

Fuel tank skid plate

■ Horn-single

■ Oil filter—full-flow

Shocks—front and rear

 Steering column — energy-absorbing with anti-theft ignition

 Tools—scissor-type jack, combined wheel wrench and jack handle

 Washers—electric and 2-speed electric wipers

# CI SPECIFICATIONS

Axle, front Full-floating, open end;

Gross axle weight rating: 998 kg

rear GAWR 1225 kg

Brakes Manual front disc, rear drum

(front power disc brakes optional)

Clutch 26.5 cm diameter (6-cylinder and V-8);

23.2 cm diameter (4-cylinder)

Engine Standard - 25 litre (151 CID) 4-cylinder petrol 2-barrel

8.2.1 compression ratio

4.2 litre (258 CID) 2-barrel 6-cylinder no charge option

8.0:1 compression ratio

Optional-5.0 litre (304 CID) V-8 2-barrel

8.4:1 compression ratio

2 4 litre (145 CID) 4-cylinder diesel, 20:1 compression ratio

Fuel tank 56.7 litre capacity; skid plate std.

Gross vehicle weight 1700 kg (1880 and 2200 kg optional)

Springs, front 4 leaf 32.4 KiloNewtons/meter rate standard 4 leaf 35.6 KiloNewtons/meter rate standard,

5 leaf 35.6 KiloNewtons/meter rate standard (hardtop)

Steering Recirculating ball standard 24:1 ratio: Constant ratio power optional 175:1 ratio

Tires Five H78 x 15B blackwall Suburbanite X-Grip,

tubeless, std.

Transfer case 2-speed Dana 300 manual; includes low range (2.62:1),

high range (1.00-1), and neutral

Transmission Full synchromesh 4-speed floor shift (manual), standard;
Optional—automatic with part-time 4-wheel drive

(CJ-7 with 6-cylinder or V-8)

Wheels Five 38.1 x 15.2 cm, 5-bolt, 13.9 cm circle std.;

optional wheels-38:1 x 20:3 cm, 5-bolt, 13:9 cm circle

Windshield 4954 sq. cm total glass area

# Contimotors unless otherwise noted

(Centimeters unix	ess otherwise noted)				
CI-S	CJ-6	1	Cl4		
_	34	_		24	
212	263		237-		
367-	403	402		389	
Exterior		CJ-5	CJ-6	CJ-7	
Length		367	402	389	
Wheelbase		212	263	237	
Max. body width		152	152	152	
Max. overall width		152	174	152	
Height		172	172	172	
Tread (front/rear)		131/127	131/127 60/80	131/127 60/92	
Overhang (front/rear)		60/95 21	21	21	
Min. ground clearance Tailgate opening width		91	91	88	
Curb to curb turning diameter (meters)		10.39	11.46	11.58	
	imig danished (morere)			STATE OF STATE OF	
Interior			AND THE RES	100	
Head room	(soft top)	101	105	103	
	(hardtop, front/rear)	104/104	105/104	101/101	
Leg room	(max front)	96 77	99	99 89	
Library	(min. rear)	141	141	137	
Hip room	(front) (rear)	91	91	91	
Shoulder room	(front)	141	141	137	
DIROUNDER TOOTH	(rear)	141	141	143	
Cargo volume	(m²)	0.29	0.43	0.39	
Payload capacity		572	540	545	
The second secon					

This folder does not constitute an offer or commitment to sell. In order that product improvements may be made at any time, specifications and other data are subject to change without notice. Some of the Jeep CI's shown and described in this brochure have optional equipment, available at extra cost. See your authorized Jeep dealer for prices and model availability for this optional equipment. In order to conform to local regulations, your Jeep\* vehicle may differ slightly from those shown in this brochure.

Jeep, CJ, Laredo, Golden Eagle and Renegade\* are trademarks of Jeep Corporation. JEEP CORPORATION, 27777 Franklin Rd., Southfield, Michigan 48034 U.S.A., Telex No. 023-1255, Cable Code AMCENTRINT. 80-JP-1E Litho in U.S.A.

