













YOUR MAZDA TRUCK PUTS YOU AHEAD OF THE CROWD.

THE MAZDA DRIVER'S ASSURANCE PLAN WILL KEEP YOU THERE. Look at it this way:

We want your every drive in the Mazda Truck to be just as exhilarating as your first. That's why we engineered our unique and comprehensive Mazda Driver's Assurance Plan just as thoroughly as we designed the Truck. With it, you'll have the deep level of confidence that comes with a total level of care.

The Three Parts Of Our Plan:

Under our Plan, your time and peace of mind come first. Starting the moment you take the key, your new Mazda Truck is covered by our 36-month/50,000-mile "bumper-to-bumper" limited warranty. While the Truck is under warranty, you're automatically enrolled in our 24-hour Emergency Roadside Assistance program. It's designed to get you going and minimize any inconvenience if the unexpected happens while you're on the road. And if your Mazda Truck is in for a warranty repair, the Mazda Service Transportation Solution can typically make sure you have another vehicle to drive.

These are just the basics of the Mazda Driver's Assurance Plan. For complete details, see your Mazda Dealer, or log on to MazdaUSA.com.

ADD YOUR PERSONAL TOUCH WITH GENUINE MAZDA ACCESSORIES.



Dealer prior to or at initial vehicle retail delivery, carry the same new-vehicle limited warranty as the Mazda Truck.

- Bed-rail caps (shown below)
- Bed extender (shown below)
- Side step tubes shown below far left)
- All-weather floor mats
- Carpeted floor mats
- Bedliner (shown below)
- Auto-dimming mirrors, w/compass or w/compass and temperature gauge

- Fog lights
- Front mask
- Hood wind deflector
- Soft tonneau cover
- Retractable tie-down hooks
- Tie-down loops
- Trailer hitch
- Wheel locks
- Tailgate lock
- Spare-tire lock
- Engine block heater
- Touch-up paint















Exterior Color

Mystic Black Clearcoat

Light Cypress Metallic

Desert Sand Metallic

Performance Red Clearcoat

Deep Galaxy Blue Metallic

Platinum Frost Metallic

B3000 Dual Sport 4x2 B4000 Dual Sport 4x2

Trim Level

B2300 4x2

B3000 4x4

B4000 4x4



Base w/SE-5 Pkg.

COLOR COMBINATIONS & TRIM LEVELS

Gray

Regular Cab

Dual Sport, 4x4, Base w/SE-5 Pkg.

Interior Colors

Gray



Gray Vinyl Base

Gray

Gray

Gray

Cab Plus 4

4x4 w/Bright Trim / 4x4 w/Body-Color Trim











CREATING YOUR OWN ZOOM-ZOOM IS AS EASY AS CLICK-CLICK.

Put together your dream Mazda Truck from the comfort of your home and with the speed of the Internet. Just hit our interactive Web site, click on "Build Your Own," and follow the on-screen prompts to choose your vehicle, color and options. We'll show you what it looks like, what the suggested retail price is, and refer you directly to your nearest Mazda Dealer. It's the fast way to set up your Mazda Truck. Just the way you want it.

Go to www.MazdaUSA.com





ENGINE SPECIFICATIONS

	B2300:	B3000:		
Engine size/type	2.3-liter in-line 4-cylinder	3.0-liter V6		
Valvetrain	DOHC 16-valve	OHV 12-valve		
Bore and stroke	3.45 x 3.70	3.50 x 3.14		
Ignition system	Electronic distributorless	Electronic distributorles		
Fuel injection	Electronic multiport	Electronic multiport		
Horsepower, SAE Net	135 @ 5050 rpm	147 @ 5050 rpm		
Torque, SAE Net lb-ft	153 @ 3750 rpm	179 @ 3500 rpm		
EPA estimated fuel economy, city/hwy mpg	4x2 Manual 24/28 4x2 Automatic 21/25	4x2 Manual 19/22 4x2 Automatic 17/22		
	B4000:	4x4 Manual 18/21 4x4 Automatic 16/19		
Engine size/type	4.0-liter V6			
Valvetrain	SOHC 12-valve			
Bore and stroke	3.95 x 3.32			
Ignition system	Electronic distributorless			
Fuel injection	Electronic multiport			
Horsepower, SAE Net	207 @ 5250 rpm			
Torque, SAE Net lb-ft	238 @ 3000 rpm			
EPA estimated fuel economy, city/hwy mpg	4x2 Manual 17/22 4x2 Automatic 17/21			
	4x4 Manual 16/19 4x4 Automatic 15/18			

2002 MAZDA TRUCK

	Ma	Automatic	
Transmission Ratios	2.3L/3.0L	4.0L	2.3L/3.0L/4.0L
1st gear	3.72	3.40	2.47
2nd gear	2.20	2.05	1.85
3rd gear	1.50	1.31	1.47
4th gear	1.00	1.00	1.00
5th gear	0.79	0.79	0.75
Transfer Case Ratios (4x4)			
Low	2.48	2.48	2.48
High	1.00	1.00	1.00

	Reg	ular Cab	Cab Plus/Cab Plus 4		
Steering	Base 4x2	Dual Sport 4x2	Dual Sport 4x2	4x4	
Ratio	22.0:1	21.5:1	18.7:1	18.7:1	
Turning circle (curb-to-curb, ft)	37.7	39.1	43.0	43.0	
Brakes (inches)					
Ventilated front discs	10.3	11.3	11.3	11.3	
Rear drums	9.0	10.0	10.0	10.0	
Fuel Capacity (gallons)					
	16.5	16.5	19.5	19.5	
Base Curb Weight (lb)					
Total	3001	3304	3480	3648	

	Reg	ular Cab	Cab Plus/Cab Plus 4		
Exterior Dimensions (inches)	Base 4x2	Dual Sport 4x2	Dual Sport 4x2	4x4	
Wheelbase	111.6	111.6	125.7	125.9	
Overall length	187.5	187.7	201.7	202.9	
Height (empty)	64.9	67.6	67.5	67.5	
Width	69.4	70.3	70.3	70.3	
Front track	58.6	58.6	58.6	58.6	
Rear track	57.3	57.3	57.3	57.3	
Bed length	71.8	71.8	71.8	71.8	
Bed depth	16.5	16.5	16.5	16.5	
Bed width	52.0	52.0	52.0	52.0	
between wheelhouses	40.4	40.4	40.4	40.4	
Ground clearance at rear axle	6.7	7.3	7.3	7.9	
Approach angle (minimum)	21°	28°	28°	28°	
Departure angle (minimum)	15°	20°	20°	20°	

Interior Dimensions (inches)	Regular Cab	Cab Plus/Cab Plus 4
Front headroom	39.2	39.2
Rear headroom	_	35.6
Front legroom	42.4	42.2
Rear legroom	_	40.3
Front shoulder room	54.5	53.8
Rear shoulder room	_	15.3

TOWING SPECIFICATIONS

Payload/Trailer Weights (lb)			Regu	lar Cab	Cab Plus/Cab Plus 4		
			Axle Ratio	Maximum Payload/GVWR	Maximum Trailer Wt./GCWR	Maximum Payload/GVWR	Maximum Trailer Wt./GCWR
B2300	4x2	M5	3.73	1260/4320	1640/4800	_	_
		A5	4.10	1260/4320	2240/5500	_	_
B3000	4x2	M5	3.73	1260/4540	2540/6000	1260/4920	2340/6000
		A5	3.73	1260/4540	4000/7500	1260/4920	3800/7500
	4x4	M5	4.10	_	_	1260/5080	2160/6000
		A5	4.10	_	_	1260/5080	3620/7500
B4000	4x2	M5	3.55	_	_	1260/4920	3280/7000
		A5	3.55	_	_	1260/4920	5740/9500
	4x4	M5	4.10	_	_	1260/5080	3040/7000
		A5	4.10	_	_	1260/5080	5500/9500

GVWR = Gross Vehicle Weight Rating; GCWR = Gross Combined Weight Rating M5 = 5-speed manual; A5 = 5-speed automatic

Payload: Payload weights shown are maximums and must be reduced by the weight of any passengers or optional equipment. Trailer Weight: Trailer weights shown are maximums and must be reduced by the weight of any passengers, cargo, hitch, or optional equipment in the towing vehicle. The following equipment may also be required: load-carrying hitch for trailers under 2,000 lb and load-equalizing hitch for trailers over 2,000 lb. Towing a trailer will have an effect on the vehicle's handling, braking, durability, performance, and driving economy. For specific information on recommended or required equipment, see your Mazda Dealer. Hitches are available through manufacturers other than Mazda.

FEATURES AND SPECIFICATIONS

	Regular Cab		Cab Plus/Cab Plus 4	
Mechanical Features	Base 4x2	Dual Sport 4x2	Dual Sport 4x2	4x4
135-hp 2.3L DOHC 16-valve 4-cylinder engine	B2300	_	_	_
■ 147-hp 3.0L OHV 12-valve V6 engine	_	B3000	B3000	B3000
207-hp 4.0L SOHC 12-valve V6 engine	_	_	B4000	B4000
5-speed manual transmission	S	S	S	S
Shift-on-the-fly 4WD system with dual-range transfer case	_	_	_	S
Underbody skid plates for fuel tank and transfer case	_	_	_	B4000
Fully boxed front frame rails	S	S	S	S
Front independent double-wishbone suspension with coil springs, stabilizer bar; rear leaf-spring suspension	S	_	_	_
Raised front independent double-wishbone suspension with torsion-bar springs, stabilizer bar; rear leaf-spring suspension with stabilizer bar (Regular Cab only)	_	S	S	S
Rack-and-pinion steering with engine-speed-sensing variable assist	S	S	S	S
Power-assisted front disc/rear drum brakes with 4-wheel Anti-lock Brake System (ABS)	S	S	S	S
Limited-slip rear differential	_	_	B4000	B4000
and P225/70R15 all-season tires 15-inch alloy wheels with bright center caps		S	S	
15-inch steel wheels with bright center caps and P225/70R15 all-season tires	S	_	_	_
and P235/75R15 raised-black-letter all-terrain tires				S
16-inch alloy wheels with bright center caps and P245/75R16 outline-white-letter all-terrain tires	_	_	_	3
Front bumper, rear step bumper and grille	Black	Body-color	Body-color	Bright o
Wheel-arch moldings	_	Body-color	Body-color	Black or Body-colo
Black front and rear mud guards	S	S	S	S
Class III frame-mounted trailer-hitch receiver	А	А	A (B3000) S (B4000)	A (B3000 S (B4000
Dual black side-view mirrors (aero-style on Dual Sport, 4x4)	S	S	S	S
2-speed windshield wipers with variable-intermittent setting	S	S	S	S
Solar-control tinted glass	S	S	S	S
Sliding rear window	S	S	S	S
Dark-tint privacy glass on rear window and rear quarter windows	_	_	S	S
Cargo-bed light	_	_	_	S
Front fog lights	Α	S	S	S

	Regular Cab		Cab Plus/Cab Plus 4	
Interior Features	Base 4x2	Dual Sport 4x2	Dual Sport 4x2	4x4
▶ Dual 2nd-generation front air bags*	S	S	S	S
Passenger-side air bag deactivation switch*	S	S	S	S
3-point outboard front safety belts with pretensioners and height-adjustable shoulder anchors; center lap belt	S	S	S	S
60/40 split-bench seat with vinyl upholstery; vinyl floor covering	S	_	_	_
60/40 split-bench seat with cloth upholstery; full cut-pile carpeting	Р	S	S	S
Fold-down rear vinyl jump seats with lap belts	_	_	S	S
Fold-down center armrest with storage compartment and cup holder	Р	S	S	S
Door-mounted map pockets; cloth-covered sun visors; passenger's vanity mirror	_	S	S	S
Passenger's-side A-pillar-mounted passenger-assist grip	_	S	S	S
Map lights	_	_	_	S
Carpeted floor mats	P/A	А	А	S
All-weather floor mats (black rubber)	А	S	S	А
Floor consolette with dual cup holders	S	S	S	S
Antitheft engine immobilizer	S	S	S	S
Cigarette lighter, plus separate dash-mounted 12-volt power outlet	S	S	S	S
Tachometer; voltmeter; engine coolant temperature and oil-pressure gauges	S	S	S	S
CFC-free air conditioning	O/P	S	S	S
AM/FM stereo with two speakers and digital clock	S	_	_	_
■ AM/FM/CD stereo w/four speakers and digital clock Options and Option Packages	Р	S	S	S
S 5-speed automatic transmission	0	0	0	0
Convenience Package: Bedliner; bed extender; leather-wrapped tilt steering wheel; cruise control with steering-wheel-mounted controls	0†	0	0	0
Power Package (requires Convenience Pkg.): Power mirrors; power windows w/1-touch-down driver's window; power door locks; remote keyless entry with two transmitters	O†	0	0	0
SE-5 Package: 15-inch styled steel wheels; air conditioning; AM/FM/CD stereo; 60/40 cloth split-bench seat; carpeted floor/mats	0	_	_	_
Off-Road Package (requires Convenience Pkg. and Platinum Frost Metallic paint with body-color trim): 15-inch alloy wheels with 31 x 10.5R15 outline-white-letter tires; bucket seats with full-length center console; AM/FM/CD/MP3 stereo; auto-dimming rearview mirror w/compass and outside-temperature display; side step tubes; bed-rail caps	_	_	_	O (B4000)

* Always wear your safety belt and deactivate passenger-side air bag when using a rear-facing child safety seat. † Requires SE-5 Package.

www.MazdaUSA.com Wherever you see this symbol, you can get the whole story on our interactive Web site.

Product Changes and Options Availability: Following publication of this brochure, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included in these pages. Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

