






When it comes to exhilarating 4x4 versatility and towing capacity, Mazda's top of the line is the B4000 4x4 SE Cab Plus 4-Door. Its gutsy 4.0-liter V6 generates a hardworking 207 hp, 238 lb-ft of torque plus all the muscle you need to tow up to 5600 lbs. You also get an ultra-efficient, electronically controlled 5-speed automatic. Plus the ability to shift on the fly into 4x4 mode (up to 45 mph). Sealing the deal are striking 16-inch alloys surrounded by hefty P255/70R16 all-terrain tires. Fog lights. A protective bedliner. Even a frame-mounted trailer-hitch receiver. For a lot more fun at work—or at play—a Mazda B4000 keeps all your options wide open.

For 2007, the Mazda B-Series offers a choice of three versatile, fun-to-drive performers; two cab configurations; and power for any purpose. For sheer value and rugged reliability, there's the Mazda B2300 SE-5 featuring a responsive, yet fuel-efficient, 2.3-liter engine that makes 143 hp and 154 lb-ft of torque. Its well-equipped cab includes: An AM/FM/CD stereo. Air conditioning. Cruise control. Even a tilt steering wheel. Plus exterior features like a chrome grille and bumpers as well as 15-inch alloys. Next up is the multi-talented Mazda B3000, in both Regular Cab (Dual Sport) and Cab Plus 4-Door models. The B3000 Dual

Sport Cab Plus 4-Door, for example, delivers spirited V6 power via a 3.0-liter engine that churns out 148 hp and 180 lb-ft of torque. Not to mention an impressive package of standard features. Like an AM/FM/CD stereo. Power windows, mirrors and door locks. Gleaming 15-inch alloys with P235/75R15 all-terrain tires. And, like all Mazda Trucks, the safety and peace of mind of 4-wheel ABS.






B2300 SE-5 REGULAR CAB



B4000 SE CAB PLUS 4-DOOR 4X4





A. Available on both the B4000 4x4 SE Cab Plus 4-Door and the B3000 Dual Sport Cab Plus 4-Door are handsomely upholstered front bucket seats plus a multifunction center console. B. This dash-mounted control knob found on all Mazda 4x4 trucks lets you shift into 4x4 mode on the fly (up to 45 mph) whenever the terrain turns tough. C. Under the hood of the Mazda B4000, you'll find a powerful 4.0-liter V6 engine with 207 hp and 238 lb-ft of torque. D. Standard on all Mazda B-Series Cab Plus 4-Door Trucks is a pair of versatile, foldaway rear jump seats.



For 2007, the Mazda B-Series offers a choice of three versatile, fun-to-drive performers; two cab configurations; and power for any purpose. For sheer value and rugged reliability, there's the Mazda B2300 SE-5 featuring a responsive, yet fuel-efficient, 2.3-liter engine that makes 143 hp and 154 lb-ft of torque. Its well-equipped cab includes: An AM/FM/CD stereo. Air conditioning. Cruise control. Even a tilt steering wheel. Plus exterior features like a chrome grille and bumpers as well as 15-inch alloys. Next up is the multi-talented Mazda B3000, in both Regular Cab (Dual Sport) and Cab Plus 4-Door models. The B3000 Dual

Sport Cab Plus 4-Door, for example, delivers spirited V6 power via a 3.0-liter engine that churns out 148 hp and 180 lb-ft of torque. Not to mention an impressive package of standard features. Like an AM/FM/CD stereo. Power windows, mirrors and door locks. Gleaming 15-inch alloys with P235/75R15 all-terrain tires. And, like all Mazda Trucks, the safety and peace of mind of 4-wheel ABS.



2007 MAZDA B-Series Truck **SPECIFICATIONS** & FEATURES

| S-SERIES TRUCK SPECIFICAT | IONS | | | | | |
|--|-------------------------------|----------------------|----------------------------|-------------------------------|-----------------------|--|
| NGINE SPECIFICATIONS | B2300 | | B3000 | B4 | 4000 | |
| ngine size/type | 2.3-liter 4-cylinde | er 3 | .0-liter V6 | 4.0-liter V6 | | |
| /alvetrain | DOHC 16-valve | OH | OHV 12-valve SOH | | OHC 12-valve | |
| ore and stroke | 3.45 x 3.70 | 3 | .50 x 3.14 | 3.95 | x 3.35 | |
| gnition system | Electronic distributorless | | lectronic tributorless | Electronic distributorless | | |
| uel injection | Electronic multiport | | Electronic multiport | | ctronic Itiport | |
| lorsepower, SAE net | 143 @ 5250 rpm | | @ 5200 rpm | | 5250 rpn | |
| orque, SAE net lb-ft | 154 @ 3750 rpm | | @ 3900 rpm | 238 @ 3000 rpi | | |
| PA estimated fuel conomy, city/hwy mpg | 4x2 Manual 24/29 | | k2 Manual 18/23 | 4x4 Manual 16/19 | | |
| , , , , | 4x2 Automatic 22/26 | 4x2 | 2 Automatic 18/22 | | utomatic 6/20 | |
| | B2300 Base 4x2 | B3000 Base 4x2 | B3000 Dual Sport 4x2 | B3000 Dual Sport 4x2 | B400 Base/9 4x4 | |
| XTERIOR DIMENSIONS (in) | Reg. Cab | Cab Plus 4 | Reg. Cab | Cab Plus 4 | Cab Plu | |
| Vheelbase | 111.6 | 125.9 | 111.6 | 125.9 | 125. | |
| Overall length | 187.5 | 201.7 | 187.7 | 202.9 | 202. | |
| leight (empty) | 64.9 | 64.8 | 67.6 | 67.5 | 67.5 | |
| Vidth | 69.4 | 69.4 | 70.3 | 70.3 | 70.3 | |
| rack, front | 58.6 | 58.6 | 58.6 | 58.6 | 58.6 | |
| rack, rear | 57.3 | 57.3 | 57.3 | 57.3 | 57.3 | |
| Cargo bed length | 71.8 | 71.8 | 71.8 | 71.8 | 71.8 | |
| Cargo bed depth | 16.5 | 16.5 | 16.5 | 16.5 | 16.5 | |
| Cargo bed width, maximum (at floor) | 52.0 | 52.0 | 52.0 | 52.0 | 52.0 | |
| Cargo bed width, between wheelhouses | 40.4 | 40.4 | 40.4 | 40.4 | 40.4 | |
| Ground clearance (at rear axle) | 6.7 | 7.3 | 7.3 | 7.3 | 7.9 | |
| Approach angle (minimum) | 21° | 21° | 28° | 28° | 28° | |
| | 15° | 15° | 20° | 20° | 20° | |
| Departure angle (minimum) | | | 20 | Cab Plus 4 | 20 | |
| NTERIOR DIMENSIONS (in) ront headroom | ı | Regular Cab 39.2 | | 39.2 | | |
| lear headroom | | J J J . Z | | 35.6 | | |
| | | | | | | |
| ront legroom | | 42.4 | | 42.2 | | |
| lear legroom | | | | 40.3 | | |
| ront shoulder room | | 54.5 | | 53.8 | | |
| tear shoulder room | | _ | | 15.3 | | |
| RANSMISSION RATIOS | Manual B2300/B3000 | | Manual B4000 | | omatic Ingines | |
| st gear | 3.72 | | 3.40 | | 2.47 | |
| nd gear | 2.20 | | 2.05 | | .85 | |
| rd gear | 1.50 | | 1.31 | | 1.47 | |
| th gear | 1.00 | | 1.00 | | .00 | |
| ith gear | 0.79 | | 0.79 | |).75 | |
| ransfer case ratios (4x4) | | | | | | |
| OW | _ | | 2.48 | | 2.48 | |
| ligh | _ | | 1.00 | | .00 | |
| | B2300 Base | B3000 Base | B3000 Dual Sport | B3000 | B400 Base/ | |
| TEERING | 4x2 Reg. Cab | 4x2 Cab Plus 4 | 4x2 Reg. Cab | 4x2 Cab Plus 4 | 4x4 Cab Plu | |
| atio | 22.0:1 | 18.7:1 | 21.5:1 | 18.7:1 | 18.7: | |
| urning circle (curb-to-curb, ft) | 37.7 | 43.0 | 39.1 | 43.0 | 43.0 | |
| <u> </u> | 31.1 | 43.0 | 39.1 | 43.0 | 43.0 | |
| SRAKES (in) | 10.2 | 10.3 | 10.3 | 10.2 | 44.7 | |
| 'entilated front discs | 10.3 | 10.3 | 10.3 | 10.3 | 11.3 | |
| lear drums | 9.0 | 10.0 | 9.0 | 10.0 | 10.0 | |
| FUEL CAPACITY (gallons) | 16.5 | 19.5 | 16.5 | 19.5 | 19.5 | |
| BASE CURB WEIGHT (lb) | 2999 | 3305 | 3297 | 3421 | 3662 | |
| | | | | | | |

B-SERIES TRUCK MECHANICAL FEATURES Base Base SE Dual

| MECHANICAL FEATURES | 4x2 | 4x4 | 4x4 | Sport |
|---|-------|-------|-------|-------|
| 2.3L DOHC 16-valve 4-cylinder engine with 143 hp | B2300 | - | - | - |
| 3.0L OHV 12-valve V6 engine with 148 hp | B3000 | - | - | B3000 |
| ■ 4.0L SOHC 12-valve V6 engine with 207 hp | - | B4000 | B4000 | - |
| S 5-speed manual overdrive transmission | S | S | - | S |
| S-speed automatic overdrive transmission | 0 | 0 | S | 0 |
| Shift-on-the-fly 4WD system/dual-range transfer case | - | S | S | - |
| Underbody skid plates for fuel tank and transfer case | - | - | S | - |
| Front independent double-wishbone suspension | S | - | - | - |
| Raised front independent double-wishbone suspension | - | S | S | S |
| Power-assisted rack-and-pinion steering | S | S | S | S |
| □ 4-wheel Anti-lock Brake System (ABS) | S | S | S | S |
| Limited-slip rear differential | - | - | S | - |

B-SERIES TRUCK EQUIPMENT & FEATURES

| EXTERIOR FEATURES | Base 4x2 | Base 4x4 | SE 4x4 | Dual Sport |
|---|-------------|-------------|-----------|---------------|
| 15-inch styled steel wheels; P225/70R15 all-season tires | S | - | - | - |
| 15-inch styled steel wheels; P235/75R15 all-terrain tires | - | S | - | - |
| 15-inch alloy wheels; P225/70R15 all-season tires | P(B2300)/A | - | - | - |
| 15-inch alloy wheels; P235/75R15 all-terrain tires | - | - | - | S |
| ■ 16-inch alloy wheels; P255/70R16 all-terrain tires | - | - | S | - |
| Black bumpers and grille | S | S | - | - |
| Bright bumpers and grille | P(B2300) | - | S | - |
| Body-color bumpers and grille | - | - | O(n/c) | S |
| Black wheel-arch moldings | - | S | S | - |
| Body-color wheel-arch moldings | - | - | O(n/c) | S |
| Black front and rear mud guards | S | S | S | S |
| Bedliner | O/A | O/A | S | S |
| Class III frame-mounted trailer-hitch receiver | А | А | S | А |
| Dual black manual remote mirrors | S | S | - | _ |
| Dual black power remote mirrors | - | - | S | S |
| Solar-controlled tinted glass | S | S | S | S |
| Sliding rear window with privacy-tint glass | - | - | S | S |
| Halogen fog lights | А | А | S | S |
| Front tow hooks | - | - | S | - |

B-SERIES TRUCK EQUIPMENT & FEATURES

| B-SERIES TRUCK EQUIPMENT & FEATURES | | | | |
|---|------------------------|-------------|-----------|---------------|
| INTERIOR FEATURES | Base 4x2 | Base 4x4 | SE 4x4 | Dual Sport |
| ™ Dual front air bags* | S | S | S | S |
| ■ Passenger-side air bag* deactivation switch | S | S | S | S |
| Tire-Pressure Monitoring System (TPMS) | S | S | S | S |
| 3-point outboard front safety belts with pretensioners and height-adjustable shoulder-belt anchors; center lap belt | S | S | S | S |
| 3 60/40 split-bench seat with cloth upholstery; vinyl floor covering | S(B2300) | - | - | - |
| 3 60/40 split-bench seat with cloth upholstery; full cut-pile carpeting | P(B2300) S(B3000) | S | S | S |
| Fold-down rear vinyl jump seats with lap belts | S(B3000) | S | S | S(CP4) |
| Fold-down center armrest with storage compartment | S | S | S | S |
| Power windows | - | - | S | S |
| Power door locks with two-stage unlocking | - | - | S | S |
| Remote keyless entry system | - | - | S | S |
| Door-mounted map pockets | - | - | S | S |
| Cloth-covered sun visors | S | S | S | S |
| Passenger's vanity mirror | - | - | S | - |
| A-pillar-mounted passenger-assist grips | S | S | S | S |
| Floor console with dual cup holders | S | S | S | S |
| Storage bin with 12-volt power outlet | S | S | S | S |
| Cruise control with steering-wheel-mounted controls | P(B2300) | - | S | S |
| Tachometer and engine coolant temperature gauge | S | S | S | S |
| Black gauges with silver rings | S | S | - | - |
| Silver gauges with silver rings | - | - | S | S |
| Carbon-fiber-look center dash trim | S | S | S | S |
| Tilt steering wheel (leather-wrapped on SE) | P(B2300) | - | S | S |
| CFC-free air conditioning | O/P(B2300) S(B3000) | S | S | S |
| AM/FM stereo with 2 speakers and digital clock | S | S | - | - |
| AM/FM/CD stereo with 4 speakers and digital clock | P(B2300) | - | S | S |
| Audio input jack | S | S | S | S |

B-SERIES TRUCK BODY STYLE AND MODEL AVAILABILITY

| MODEL AVAILABILITY | Regular Cab | Cab Plus 4 |
|---------------------|-------------|------------|
| B2300 Base | • | - |
| B3000 Base | - | • |
| B3000 Dual Sport | • | • |
| B4000 4x4 Base & SE | _ | • |

•: Available —: Not available

CP4: Cab Plus 4 S: Standard O: Optional P: Package option A: Dealer-available accessory n/c: No charge

MazdaUSA.com

Wherever you see this symbol, you can get the whole story on our interactive Web site.

2007 MAZDA B-Series Truck OPTIONS / COLOR & TRIM

B-SERIES TRUCK OPTIONS AND OPTION PACKAGES

| OPTION PACKAGES | 4x2 | 4x4 | 5E 4x4 | Sport |
|---|----------|-----|-----------|-------|
| SE-5 Package: 15-inch alloy wheels; chrome bumpers and grille; tilt steering wheel; full carpeting; carpet floor mats; CFC-free air conditioning; AM/FM/CD stereo; cruise control | O(B2300) | - | - | - |
| 5-speed automatic overdrive transmission | 0 | 0 | S | 0 |
| Monochromatic (body-color) trim | - | - | O(n/c) | S |
| Bed extender | O/A | O/A | O/A | O/A |
| Bedliner | O/A | O/A | S | S |
| Folding storage box | O/A | O/A | O/A | O/A |
| Tonneau cover | O/A | O/A | O/A | O/A |
| Bed-rail caps, black or silver | O/A | O/A | O/A | O/A |

B-SERIES TRUCK OPTIONS AND OPTION PACKAGES

| OPTION PACKAGES | Base 4x2 | Base 4x4 | SE 4x4 | Dual Sport |
|---|------------------------|-------------|-----------|---------------|
| Side step tubes, black or silver | O/A | O/A | O/A | O/A |
| Bucket seats with center console | - | - | 0 | O(CP4) |
| Carpet floor mats | P/A | S | S | Α |
| All-weather floor mats | А | А | А | S |
| CFC-free air conditioning | O/P(B2300) S(B3000) | S | S | S |
| Compass and outside-temperature auto-dimming mirror | O/A | O/A | O/A | O/A |
| Compass auto-dimming mirror | O/A | O/A | O/A | O/A |
| Door-edge quards, color-keved | O/A | O/A | O/A | O/A |

PAYLOAD/TRAILER WEIGHTS (LB)

| | | | Axle Ratio | Maximum Payload/GVWR | Maximum Trailer Wt./GCWR | Maximum Payload/GVWR | Maximum Trailer Wt./GCWR |
|-------|-----|----|-------------------|-------------------------|-----------------------------|-------------------------|-----------------------------|
| B2300 | 4x2 | M5 | 3.73 | 1260/4380 | 1580/4800 | - | - |
| | | A5 | 4.10 | 1260/4380 | 2260/5500 | - | - |
| B3000 | 4x2 | M5 | 3.73 | - | _ | 1680/5020 | 2480/6000 |
| | | M5 | 4.10 [†] | 1260/4680 | 2520/6000 | 1260/4920 | 2360/6000 |
| | | A5 | 3.73 | - | _ | 1680/5020 | 2420/6000 |
| | | A5 | 4.10 [†] | 1260/4680 | 2480/6000 | 1260/4920 | 2320/6000 |
| B4000 | 4x4 | M5 | 4.10 | _ | _ | 1260/5140 | 3100/7000 |
| | | A5 | 4.10 | _ | _ | 1260/5140 | 5600/9500 |

REGULAR CAB









CAB PLUS 4























SE GRAY CLOTH



BASE/DUAL SPORT GRAY CLOTH

veights shown are maximums and must be reduced by the weight of any passengers, cargo, hitch or optional equipment in the towing vehicle. The following equipment may also be required: load-carrying hitch for trailers under 2000 lb and load-equalizing hitch for trailers over 2000 lb. Towing a trailer will have an effect on the vehicle's handling, braking, durability, performance and driving economy. For specific information on recommended

or product delays may have occurred which would not be included in these pages. Your Mazda dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options shown or described in this brochure are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

7755 Irvine Center Drive, Irvine, CA 92618 ◆ 800-639-1000 ◆ © 2006 Mazda Motor of America Inc. ◆ MazdaUSA.com ◆ Printed in U.S.A. 9/06 (70M)

Genuine Mazda Accessories:

The real deal.

Part of the joy of owning a new Mazda B-Series Truck is personalizing it. And the best way to enhance its appearance or performance is with Genuine Mazda Accessories. Better yet, all Genuine Mazda Accessories installed by your Mazda dealer, prior to or at initial vehicle retail delivery, carry the same new-vehicle limited warranty as your new Mazda. See your dealer for details.

- Front Mask
- Retractable Tie-Down Loops
- Trailer Hitch
- Hood Bug Deflector
- Soft Tonneau Cover
- All-Weather Floor Mats
- Windshield Sunscreen
- First Aid Kit
- Door-Edge Guards
- Roadside Assistance Kit
- Bed-Rail Caps
- Wheel Locks
- Bed Extender
- Tailgate Lock

- Touch-Up Paint
- Carpet Floor Mats
- Bedliner
- Fog Lights
- Alloy Wheels





A. Side Step Tubes make it easier to get in or out of the cab. Available in pairs, in black (shown) or silver. B. Folding Storage Box is lockable, to provide secure storage for small items and tools. Its cover folds open, letting you utilize the full length of the cargo bed. C. Compass and Outside-Temperature Auto-Dimming Mirror replaces the standard rearview mirror and automatically dims to reduce glare from the headlights of cars behind you. Its bright LED display shows compass and outside-temperature readings.



Please remember to properly secure all cargo.



A top priority is your peace of mind. We want your new Mazda B-Series Truck to be a source of pride, exhilaration and peace of mind for years to come. Which is why every new 2007 Mazda vehicle is covered by all of the following: A 3-year/36,000-mile* "bumper-to-bumper" limited warranty. A 3-year/36,000-mile, 24/7 Emergency Roadside Assistance program. • A 5-year/60,000-mile* limited powertrain warranty. For details, please see your Mazda dealer, visit MazdaUSA.com or call toll-free 800-639-1000. * Whichever comes first.

Make the ultimate cyberspace pit stop. For more motorized fun of the virtual variety, Web surf yourself straight over to MazdaUSA.com and add it to your list of favorites. You can scope out all the new Mazdas—even compare them to the competition. Download photos, vehicle specs and MSRPs. Order brochures. Score seasonal incentives and special services offers. Pick up handy maintenance tips. Get updates on driving technology, tuning and motorsports in the MAZDASPEED area. Interactively "build" the Mazda B-Series Truck of your dreams and trick it out with your favorite accessories. Request a quote. Even locate a Mazda dealer. It's the quick and easy way to bring yourself totally up to speed.

Financing made simple. Whether you're interested in buying or leasing a new Mazda, Mazda American Credit (MAC) is committed to helping make Mazda American Credit.. the financing process a convenient, hassle-free and satisfying experience. Put our first-class customer service to the test. Simply ask your Mazda dealer to explain which MAC purchase or lease plan best meets your needs. Or visit MazdaCredit.com for more information.