

Innovation that excites

2014 **NV[®] CARGO NV200° COMPACT CARGO**

ABOUT THIS PDF

Keep an eye out for this play button to watch video

 \mathbb{C} Links are "clickable"

THERE'S EVEN MORE TO DISCOVER ABOUT NCV

Introducing the all-new iPad[®] NCV Showroom App. Featuring in-depth product presentations, videos, full specifications and more. Now available on the App Store. Be sure to download it today!





NISSAN Commercial Vehicles

WOULDN'T IT BE COOL IF_ **YOUR COMMERCIAL VEHICLE WAS A**



OVER BOODON MILES AND 7,000 QUALITY AND DURABILITY TESTS!

Fanatical? Maybe. But when it comes to making the toughest commercial vehicles you can buy, we go the extra distance for you. And it's no Sunday drive, either. We simulate years of corrosion where we soak a vehicle with salt, bake it, and pound it around a test track. We wreak havoc with suspension and body components by driving through potholes, dips, and over 4x4 beams. Special chambers crank up the heat to 144 degrees and humidity to 95% to break down seals and fry up interiors.

We even have machines that can simulate nearly any road in the world, and we run our vehicles on them non-stop for 12 hours, 24 hours, or even more. Do we really need to go to such extremes, just to make a Nissan Commercial Vehicle the best you've ever owned? Every day, you depend on your vehicle to do your job. That's the motivation for us to do ours.

The Nissan Arizona Testing Center. Think your drive is tough? Welcome to one of the most challenging places on earth. We test day and night, in scorching heat, freezing cold, on high-speed ovals, and in torturous road conditions. But the results are worth it – the most rugged commercial vehicles you can buy.

Click here to see how far we go to create a vehicle you can trust. Or go to bit.ly/cargodqr



NV® CARGO HIGH ROOF THE STANDOUT THAT LETS YOU STAND TALL.

Cargo-carrying flexibility and interior room are the reasons you buy a van. The NV[®] Cargo High Roof maximizes your opportunities with a huge 323 cubic feet of cargo capacity, stand-up room for someone 6'3" tall, and floor space that can carry up to two 40" x 48" pallets!

HE

Every NV[®] Cargo model also pays big dividends when loading, with low step-in heights all around, a large sliding side door, and forklift-friendly rear doors that swing 243[°] wide and stay open thanks to powerful magnets. Once you're inside you'll appreciate big items like an upfit-friendly design that lets you customize your NV[®] Cargo to your needs, and smart touches like available rear cargo door storage.

Cargo shown for display purposes only. Nissan recommends that all loose items be secured when transported. Cargo and load capacity limited by weight and distribution. Do not place sharp objects or store objects in the front of the overhead compartment that exceed height of shelving lip. See Owner's Manual for details.



NISSAN UPFIT ENGINEERING INNOVATION THAT YOU CAN BUILD ON.





234 CU. FI. Cargo Capacity¹

With Nissan Upfit Engineering, NV[®] Cargo has been designed to let you create a commercial vehicle that works especially hard for the unique needs of your business. Unlike most vans, the NV[®] Cargo starts with a unique flat-wall interior design. This maximizes all-important floor space, plus opens up room at the top of the cargo-containment system. Add in integrated reinforced cargo-mounting points that ensure upfitting is easy and durable, and impressive interior space and you'll find the U.S.-built NV[®] Cargo is an ideal canvas for upfitters – and your own ingenuity.¹





Up to ten roof mounting points help keep racks securely fastened. Three available cargo lights make it easy to find what you need.



¹Cargo shown for display purposes only. Nissan recommends that all loose items be secured when transported. Cargo and load capacity limited by weight and distribution.



Six floor-mounted D-ring tie-downs rated to 1,124 lbs.



Available rear door storage compartment.



Available 120-volt outlet is easily accessible when you're outside.



Magnets hold the cargo doors securely in their fully open position.



HVAC SERVICES

NV® CARGO STANDARD ROOF. A BIG WORK AREA EVEN IN THE TIGHTEST SPACES.

With NV[®] Cargo Standard Roof, you've got easy access to the work site, with a truck-like design that improves visibility and maneuverability, and a roof height that fits easily into an eight-foot-tall garage. Once you're there, you've got rear doors that open up to 243° and stay open thanks to magnetic door stops. You've also got an easy-sliding side door that opens nearly 3.5 feet wide. And with step-in heights under 20 inches front and rear, you've got easy access to 234 cubic feet of cargo space.' Easy to get there. Easy to get what you need. That's a standard every commercial vehicle should be held to.

EXIT


NV[®] CARG

A MOBILE OFFICE THAT KNOWS HOW TO GET WORK DONE.

Your van is your office. And with long days on the road, you need a workspace that's as comfortable as it is smart. And unlike many competitors, NV[®] Cargo's truck-like design places the engine out front, giving plenty of leg room and foot space for driver and passenger. When you're ready to get down to business, you have class-exclusives like an available multitasking center console and a standard fold-down front passenger seat to create a convenient work desk.¹ And with wear- and spill-resistant seats, while you're working hard today, you'll be looking good for years to come.

SSAN

¹ Ward's Light Vehicle Market Segmentation. 2014 NV[®] Cargo vs. 2014 Large Van Class. ²Cargo shown for display purposes only. Nissan recommends that all loose items be secured when transported. Cargo and load capacity limited by weight and distribution. Do not place sharp objects or store objects in the front of the overhead compartment that exceed height of shelving lip. See Owner's Manual for details. ³Never program while driving. GPS mapping may not be detailed in all areas or reflect current road regulations. "Required SiriusXM® Satellite Radio, NavTraffic® and NavWeather® subscriptions sold separately after trial period. Installation costs, one-time activation fee, other fees and taxes will apply. NavTraffic® available in select markets. Services available only to those 18 or older in the 48 contiguous states and D.C. Fees and programming subject to change. Subscriptions governed by Customer Agreement available at siriusxm.com. @2013 Sirius XM Radio Inc. Sirius, XM[®] and all related marks and logos are trademarks of Sirius XM Radio Inc. ⁵Parking aid/convenience feature. Cannot completely eliminate blind spots or warn of moving objects. May not detect every object. Always check surroundings before moving vehicle. Not a substitute for proper backing procedures. Always turn to check what is behind you before backing up. ⁶The Rear Sonar System is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. May not detect every object behind you.





Vinyl wear patches on lower and upper storage. bolsters.

Under-seat driver's



High Roof models feature durable overhead storage compartments to keep things within easy reach when you need them.²

NV[®] Cargo's available center console is a major multitasker, with room for a laptop computer and hanging files. The console also features a cover that slides, creating a convenient work desk.



Available 12-V and 120-V power outlets in center console.



Available navigation with NavTraffic.^{®3,4}



Available RearView Monitor.⁵



Available Rear Sonar senses objects up to six feet away.6



POWER TO CHOOSE

NV[®] Cargo gives you two powerful choices to suit your needs. The 24-valve, 4.0-L V6 features an advanced Continuously Variable Valve Timing Control System that delivers seamless power with optimum fuel efficiency. Step up to the 5.6-L V8 and you'll find an aluminum block with a forged crankshaft and cast-iron cylinder liners for maximum strength. Both engines feature specially coated piston skirts and microfinishing of key components to help reduce friction for smooth response and less wear and tear. Backed up by a rugged 5-speed automatic transmission, NV[®] Cargo is built for the long haul – and just about anything you need to bring along.



261 horsepower / 281 lb-ft of torque NV[®] Cargo: up to 7,000-lb. towing capacity¹



317 horsepower / 385 lb-ft of torque NV[®] Cargo: up to 9,500-lb. towing capacity²

¹Requires accessory tow hitch receiver. See Nissan Towing Guide and Owner's Manual for proper use. ³Air bags are only a supplemental restraint system; always wear your seat belt. Do not use rear-facing child restraints in this vehicle. All children 12 and under should be properly secured in child restraints, booster seats, or seat belts, according to their size. Air bags will only inflate in certain accidents. See Owner's Manual for details. ⁴Ward's Light Vehicle Market Segmentation. 2014 NV[®] Cargo vs. 2014 Large Van Class. ⁵VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely.

ENGINEERED TO PROTECT

When a collision is unavoidable, advanced technology helps minimize injury and keep you safe. Nissan's Zone Body construction further strengthens that line of defense, helping to absorb impact and protect everyone on board.

Six Air Bags³

- (2) Dual-stage supplemental front air bags³
- (2) Available seat-mounted driver and passenger side-impact supplemental air bags³
- (2) Available roof-mounted curtain side-impact air bags with rollover sensor for front outboard occupant head protection³

EQUIPPED TO RESPOND

Whether you need to hit the brakes hard or maneuver around an unexpected obstacle, the largest brakes in its class⁴ and these standard technologies help you respond in a potentially harmful situation.



- Vehicle Dynamic Control⁵
- Traction Control System (TCS)
- Anti-lock Braking System
- Brake Override Technology
- Brake Assist



NV200° COMPACT CARGO

Introducing the Nissan NV200° Compact Cargo, the right-size commercial vehicle for your business. It's got over 122 cubic feet of cargo space that's easily accessed by wide-opening 40/60 rear doors and a sliding door on each side. You can even fit a 40" x 48" pallet.' The cabin offers impressive comfort and security, with loads of thoughtful features that make it a convenient mobile office. It's the perfect size for getting around even the most crowded cities and fitting into tight parking spots and low garages, while its best-in-class 24 MPG city^{2,3} and advanced CVT transmission help deliver a low cost of ownership. Nissan NV200° Compact Cargo.

¹Cargo shown for display purposes only. Nissan recommends that all loose items be secured when transported. Cargo and load capacity limited by weight and distribution. ²Ward's Small Van Market Segmentation. 2014 NV200* Compact Cargo vs. 2014 competitors. ³2014 EPA Fuel Economy Estimate 24 MPG city. Actual mileage may vary with driving conditions — use for comparison only.



NISSAN UPFIT ENGINEERING INNOVATION THAT YOU CAN BUILD ON.



With Nissan Upfit Engineering, NV200[®] Compact Cargo has been designed to let you create a commercial vehicle that is

available inch is ready to work - it can easily carry a 40" x 48" pallet. And with integrated reinforced cargo-mounting points


small on the outside, but creates lots of room on the inside. From flat wheel wells to a fold-down passenger seat, every

and integrated roof-mounting points, the NV200[®] Compact Cargo is an upfitter-friendly base to build your business on.¹

122 CU. FT. Cargo Capacity¹



Dual sliding side doors provide easy access in tight situations.



¹Cargo shown for display purposes only. Nissan recommends that all loose items be secured when transported. Cargo and load capacity limited by weight and distribution. Heavy loading of the van with cargo, especially on the roof, will affect handling and stability of the vehicle.



Fold-down passenger seat helps make room for long items.



Six available floor-mounted D-ring tie-downs rated to 1,124 lbs.



Flat wheel wells.



40/60 180° opening rear doors.



SAVES DOLLARS. TURNS ON A DIME.

With NV200[°] Compact Cargo's 2.0-L 4-cylinder and efficient Xtronic CVT[°] transmission, you get a smooth and powerful drive while keeping a watchful eye on the bottom line, with a best-in-class city rating of 24 MPG.[°] Add in responsive handling and excellent outward visibility, and NV200[°] Compact Cargo is as good at maneuvering in crowded urban environments as it is at avoiding big fuel bills.

36.7[']TURNING DIAMETER

NV200^{*}'s incredibly tight turning diameter helps you negotiate narrow streets and tight parking structures while letting you place the vehicle as close as possible to your drop-off locations.

BUILT FOR THE DAY-TO-DAY AND THE LONG HAUL.

Wear-resistant patches

ADVANCED TECHNOLOGY FOR INCREASED PRODUCTIVITY.

Thoughtful design of NV200[®] Compact Cargo's cabin makes it a better space for drivers and a smarter place to work. The driver sits high, with excellent outside visibility. And when it's time to get down to business, the NV200[®] Compact Cargo converts easily into your mobile office. The fold-down passenger seat creates a work desk, while smart storage and power outlets are all within easy reach. To help you work efficiently on the road, the available Technology Package features a convenient RearView Monitor,¹ NissanConnect[™] with Navigation,^{2,3} and a suite of high-tech features easily accessed through a 5.8" touch-screen.






system³

NAVIGATION³

Recessed dashboard tray

- Real-time traffic updates help keep you clear of traffic jams⁴
- 3-D perspective
- Points of interest, including ATMs, restaurants and gas stations²

¹Parking aid/convenience feature. Cannot completely eliminate blind spots or wan of moving objects. May not detect every object. Always check surroundings before moving vehicle. Not a substitute for proper backing procedures. Always turn to check what is behind you before backing up. ²⁰Driving is serious business. Only use NissanConnect¹¹⁶ services when safe to do so. Subscription Agreement required. Compatible smartphone required. Not all app features are available for all models. Some apps have late availability. May require dealer service visit or software upgrade to activate. Never program while driving. GPS mapping may not be detailed in all areas. Cellular network, apps, and services, including Google[®] services, are provided by independent companies not within Nissan's control and may require subscription and owner consent to activate. Should provider terminate/restrict service, service may be terminated without notice or liability to Nissan and/or its agents. Nissan not responsible for any equipment or app replacement/upgrades, or associated costs, that may be required for continued operation. Terms and conditions of Subscription Agreement apply. 36-month trial period starts on vehicle sale date; subsequently a paid subscription is required at the then current rate (except Pandora[®]). Standard text rates and/or data usage may apply. See retailer and check **www.NissanUSA.com/connect** for details. ^aNever program while driving. GPS mapping may not be detailed in all areas or reflect current road regulations. Statellite Radio, NavTraffic[®] available in select markets. Services available only to those 18 or older in the 48 contiguous states and D.C. Fees and programming subject to change. Subscription governed by Customer Agreement available at **striusxm.com.** <u>@2014 Strius XM</u> % and all related marks and logos are trademarks of Strius XM % Radio Inc. Strius & WM[®] and all goos are trademarks of strius twine activation to all there so full attention. Only use phone or other communication devices



Deep cup holders

Fold-down passenger seat

Under-seat sliding drawer



GOOGLE® SEND TO CAR^{2,3}

 Send an address to your NV200[®] Compact Cargo from any computer^{2,3}

 When you start the vehicle the directions will be delivered and loaded into the navigation



REARVIEW MONITOR¹

- Helps negotiate tight parking situations
- Helps driver place vehicle close to unloading points

TEXT MESSAGE	b⊠ m ∎T⊒ 12:00
L Bob Smith	01.03.2012
Are you on your way??	
Are you on your way??	

TEXT-TO-SPEECH

- Receive and respond to text messages without ever touching your phone⁵
- Driver can hear text messages read to them and answer with pre-loaded responses, all via voice recognition⁶



GENUINE NISSAN ACCESSORIES.

Every Genuine Nissan Accessory is custom-fit, customdesigned and durability-tested. Each one is backed by Nissan's 3-year/36,000-mile (whichever occurs first) limited warranty and can be financed when installed by dealer at time of purchase.¹ See your Nissan dealer for more information on accessories, or log on to parts.NissanUSA.com

NV[®] Cargo Accessories

- A. Interior Wall Panels
- B. Weight-distributing Hitch Ball Mount, Class IV²
- C. All-season Floor Mats
- D. In-mirror RearView Monitor³

NV200[®] Compact Cargo Accessories

- E. Rear Bumper Protector
- F. Body Side Moldings
- G. Side-window Deflectors
- H. All-season Floor Mats

Additional Accessories:

- Splash Guards
- Body Side Moldings
- Side-window Deflectors
- Portable Cargo Organizer (NV200[®] Compact Cargo Only)
- Cargo Hooks Kit (NV200[®] Compact Cargo Only)
- Hood Protector (NV[®] Cargo Only)
- Towing Accessories (NV[®] Cargo Only)²
- Telescoping Tow Mirrors (NV[®] Cargo Only)²
- Shelving Support Brackets (NV[®] Cargo Only)
- Auto-dimming Rearview Mirror (NV[®] Cargo Only)
- And More

¹Covered by Nissan's Limited Warranty on Genuine Nissan Accessories for the longer of 12 months/ 12,000 miles (whichever occurs first) or the remaining period under the 3-year/36,000-mile (whichever occurs first) Nissan New Vehicle Limited Warranty. Terms and conditions apply. See Warranty Information Booklet for details. ²See Nissan Towing Guide and Owner's Manual for proper use. ³Parking aid/convenience feature. Cannot completely eliminate blind spots or warn of moving objects. May not detect every object. Always check surroundings before moving vehicle. Not a substitute for proper backing procedures. Always turn to check what is behind you before backing up.

WORK SMARTER AND HARDER.



Nissan NV3500[®] HD SV Cargo Standard Roof with Appearance Package shown in Brilliant Silver with Hood Protector, Telescoping Tow Mirrors, Tow Hooks, Side-window Deflectors, Body Side Moldings, and Splash Guards.

Click here to see short videos of Genuine Nissan Accessories in action. Or go to bit.ly/cargogna



NV[®] CARGO: CHOOSE FROM ONE OF 5 COMPLIMENTARY INCENTIVES¹

With the Nissan Commercial Vehicles Incentive Program, qualifying NV® Cargo buyers can enhance their purchase with one of five exciting choices to help them get down to business.



1. Complimentary Utility Package

Package offers a cargo partition and a 3-bar utility rack (utility rack on Standard Roof models, interior ladder keeper on High Roof models) built by Adrian Steel.

MSRP:² (Standard Roof) \$1,850 Customer Responsibility: \$0 MSRP:² (High Roof) \$1,860 Customer Responsibility: \$0



2. Complimentary EZ Load Ladder Rack Package Offered exclusively on Standard Roof models, this package offers a cargo partition and EZ Load Ladder Rack built by Adrian Steel.

MSRP:² \$1,950 Customer Responsibility: \$0



3. Complimentary Cargo Management System System offers a cargo, a four-hook bar with bracket, and three 44" wide Adrian Steel® AD Series shelving units. MSRP:² (Standard Roof) \$2,160 Customer Responsibility: \$0 MSRP:² (High Roof) \$2,270 Customer Responsibility: \$0



4. Complimentary NCV Graphics Package^{1, 2} Package includes 70 square feet of custom-designed, professionally installed graphics by 3M.® MSRP:² \$1,300 Customer Responsibility: \$0

Design Your Space

Go to our website and you can configure and price the upfit of your NV[®] Cargo.

Design the Exterior

Upload your logo to our website and see what your new NV[®] Cargo could look like.

NV[®] CARGO VOCATIONAL UPGRADE PACKAGES¹

Six additional upgrade packages are offered for both Standard Roof (SR) and High Roof (SR) models as an alternative to the complimentary offerings. The packages are offered at a significant discount to the customer. Customer participation will vary based on package selected.

1. General Service Package

SR/HR MSRP:² \$3,075/3,165 - Customer Resp Package offers a cargo partition, three 44" wide AD Series shelving units, six drawers and parts

2. Electrical Contractor Package

SR/HR MSRP:² \$3,800/3,890 - Customer Respo Package offers a cargo partition, three 44" wide AD Series shelving units, eight drawers and parts wire reel holder, and literature rack.

3. Security Package

SR/HR MSRP:² \$3,465/3,555 - Customer Resp Package includes a cargo partition, three 44" wid AD Series shelving units, seven drawers and par and literature rack.

NV® CARGO GRAPHICS UPGRADES^{1,2}

Nissan Commercial Vehicles offers additional upgrade packages at a significant discount to the customer. Customer participation will vary based on package selected.

MSRP:² \$1,875	MSRP: ² \$2,537	MSRP: ² \$3,150	MSRP: ² \$3,575	MSRP: ² \$4,688	MSRP: ² \$5,206
Customer	Customer	Customer	Customer	Customer	Customer
Responsibility:	Responsibility:	Responsibility:	Responsibility:	Responsibility:	Responsibility:
\$825	\$1,523	\$2,170	\$2,665	\$3,813	\$4,349
				0	





¹The Commercial Incentive Packages are products designed, manufactured, tested and installed by an independent supplier, Adrian Steel® Company or 3M[®] specifically for NV® Cargo vans. Adrian Steel® Company and 3M[®] products are not covered by the Nissan New Vehicle Limited Warranty. Nissan is not responsible for the safety or quality of the installation or alterations made by Adrian Steel® Company or 3M[®] to your NV® Cargo vans. See your local dealer for details. The wraps application is a nongenuine Nissan affiliate product available through 3M, inc. Nissan does not warranty NCV Graphics Package; instead, warranty is provided by 3M,[®] Inc. Offer valid for 2013 or 2014 model-year Nissan NV[®] Cargo vans. Please see your local NCV dealer for more details on the Commercial Incentive Program. ²Vehicle Graphics Packages do not cover roof of vehicle. To find your local NCV dealer, reference the dealer locator at www.NissanCommercialVehicles.com. 2MSRP excludes tax. Retailer sets actual price. Adrian Steel® is a registered trademark of Adrian Steel Company. 3M® is a registered trademark of 3M Company.

5. Commercial Cash Incentive

This option allows eligible customers to take advantage of a cash incentive. See your local Nissan Commercial Vehicles Dealer for complete guidelines surrounding the cash-incentive amounts and eligibility requirements.

onsibility: \$625 Adrian Steel® bin system.	4. Cable Package SR/HR MSRP: ² \$2,970/3,060 – Customer Responsibility: \$549 Package offers a cargo partition, three 44" wide Adrian Steel [®] AD Series shelving units, seven drawers, and 4-hook bar.
onsibility: \$1,121 a Adrian Steel® s bin systems,	 5. HVAC Package SR/LR MSRP:² \$3,625/3,715 - Customer Responsibility: \$992 Package includes a cargo partition, three 44" wide Adrian Steel[®] AD Series shelving units, ten drawers and parts bin system, three tank racks, and literature rack.
onsibility: \$882 de Adrian Steel® rts bin system,	 6. Locksmith Package SR/LR MSRP:² \$4,925/5,495 – Customer Responsibility: \$1,900/2,400 Package includes a cargo partition, drawer and cabinet module, workbench, and literature rack from the Adrian Steel[®] AD Series.

NV200[®] COMPACT CARGO: CHOOSE FROM ONE OF 7 COMPLIMENTARY INCENTIVES¹

The Nissan Commercial Vehicle Incentive Program makes it easy for qualifying NV200® Compact Cargo buyers to enhance their purchase by taking advantage of one of seven exciting complimentary choices.





- 1. Base AD Series Package Includes one AD Series shelf and steel partition MSRP:² \$900 Customer Responsibility: \$0
- 2. Base AD Series Package Includes one AD Series shelf and wire partition MSRP:² \$710 Customer Responsibility: \$0



3. Base HD Series Package Includes one HD Series shelf and steel partition MSRP:² \$950 Customer Responsibility: \$0



4. Base HD Series Package Includes one HD Series shelf and wire partition MSRP:² \$760 Customer Responsibility: \$0



5. Complimentary Utility Package 2-bar ladder rack and wire partition MSRP:² \$810 Customer Responsibility: \$0



6. Complimentary NCV Graphics Package² Package includes 40 square feet of custom-designed, professionally installed graphics by 3M. MSRP:² \$750 Customer Responsibility: \$0

NV200[®] COMPACT CARGO UPGRADE PACKAGES¹

Nissan Commercial Vehicles is now offering five additional upgrade packages as an alternative to the seven complimentary offerings. The new packages will be offered at a discount to the customer. Customer participation will vary based on package selected.

1. Dual AD Series Package

Includes two 32" AD Series shelf and steel partition MSRP:² \$1,410 – Customer Responsibility: \$400

2. Triple AD Series Package

Adds one 28" AD Series shelf and steel partition MSRP:² \$1,785 – Customer Responsibility: \$650

3. Dual HD Series Package

Includes two 32" HD Series shelf and steel partition MSRP:² \$1,490 – Customer Responsibility: \$450

4. Triple HD Series Package

Adds one 28" HD Series shelf and steel partition MSRP:² \$1,970 – Customer Responsibility: \$750

NV200[®] COMPACT CARGO **GRAPHICS PACKAGE UPGRADES**^{1,2}

Nissan Commercial Vehicles offers upgrade packages at a significant discount to the customer. Participation will vary based on the package selected.

Design the Exterior

Upload your logo to our website and see how good your new vehicle could look.

200 Square Feet MSRP:² \$2,600 Customer Responsibility: \$2,080



7. Commercial Cash Incentive

This option allows eligible customers to take advantage of a cash incentive. See your local Nissan Commercial Vehicles Dealer for complete guidelines surrounding the cash-incentive amounts and eligibility requirements.

1The Commercial Incentive Packages are products designed, manufactured, tested and installed by an independent supplier, Adrian Steel® Company or 3M,® specifically for NV200® Compact Cargo vans. Adrian Steel® Company and 3M[®] products are not covered by the Nissan New Vehicle Limited Warranty. Nissan is not responsible for the safety or quality of the installation or alterations made by the Nissan New Vehicle Limited Warranty. Nissan is not responsible for the safety or quality of the installation or alterations made by drains. Steel[®] Company or 3M[®] to your NV200[®] Compact Cargo van. See your local dealer for details. The wraps application is a nongenuine Nissan affiliate product available through 3M, Inc. Nissan does not warranty NCV Graphics Package; instead, warranty is provided by 3M, Inc. Offer valid for 2013 or 2014 model-year Nissan NV200[®] Cargo vans. Please see your local NCV dealer for more details on the Commercial Incentive Program. To find your local NCV dealer, reference the dealer locator at www.NissanCommercialVehicles.com. ²MSRP excludes tax. Retailer sets actual price. 3M[®] is a registered trademark of 3M Company. ³Vehicle Graphics Packages do not cover roof of vehicle. Adrian Steel® is a registered trademark of Adrian Steel Company. 3M® is a registered trademark of 3M Company.



5. Grip Lock Ladder Rack Package Includes double grip lock ladder rack and steel partition MSRP:² \$1,600 – Customer Responsibility: \$600

100 Square Feet MSRP:² \$1,500 Customer Responsibility: \$900



315 Square Feet MSRP:² \$3,859 Customer Responsibility: \$3,369





NV[®] CARGO TRIM BUILD

NV200[®] COMPACT CARGO TRIM BUILD

NV1500 [®] S	CLUDES:	NV1500 [®] SV	ADDS:
front/rear = 17" Steel whee seats with vinyl wear patche cargo area = 57 Total integ exterior roof rack-mounting	 5-speed automatic transmission = 14" Brakes ls with 245/70R17 tires = Water-repellent cloth s on bolsters = Six floor-mounted D-rings in rated reinforced cargo-mounting points = Ten points = Pre-wiring for electrical upfitting = Vehicle Dynamic Control (VDC) 	 Hardboard interior car windows and door locks 	7" Styled steel wheels • Rear cargo floor protector go panels • Dual power outside mirrors • Power s • Five assist grips (four on S models) • Steering s • MP3/WMA CD playback capability • Four System
NV2500 [®] HD S	ADDS:	NV2500 [®] HD S	ADDS:
outside mirrors • Driver's u area work lights • Rear doo High Roof model with full-v	load increase over NV1500 [®] S ¹ • Dual power nder-seat storage tray • Two additional cargo or storage pocket • HD badging • Optional width overhead console and eight exterior roof tional 5.6-liter DOHC V8 engine with standard	center console with 12-	00 [®] HD S contents • Multi-functional lockable volt and 120-volt outlets • Additional 120-volt rea • Two cup holders • Delete driver's and
NV3500 [®] HD S	ADDS:	NV3500 [®] HD S	ADDS:
	Payload increase over 2500 HD S ² = 5.6-liter ear ratio of 3.54:1 = 245/75R17 all-season uipment ¹	console with 12-volt and	00 [®] HD S contents • Multi-functional lockable center 120-volt outlets • Additional 120-volt power outlet holders • Delete driver's and passenger's armrests
S AND SV KEV AVAL	LABLE PACKAGES. SV Technology Package	SV Appearance Package	S Power Basic Package S Vinyl Seat Package

S AND SV KEY AVAILABLE PACKAGES: SV Technology Package, SV Appearance Package, S Power Basic Package, S Vinyl Seat Package, Rear Door Glass Package, Sliding Door Glass Package, Side and Curtain Air Bags Package

¹When using load index 94 (1,477 lb) tires. Use of other tires may reduce capacity.

FABRIC AND PAINT SELECTIONS



Vinyl and Gray Cloth



Super Black KH3

Glacier White QAK



Red Alert A20

Graphite Blue RAQ



Midnight Garnet NAB



Brilliant Silver K23

NV200[®] S INCLUDES:

2.0-liter DOHC 4-cylinder engine • Xtronic CVT[®] (Continuously Variable Transmission) • 11.0"/9.0" Brakes front/rear • 15" Steel wheels with 185/60R15 all-season tires • Black exterior trim • Six exterior roof rack-mounting points • Gray cloth seating with vinyl bolster wear patches • Fold-down passenger's seat with seatback tray table • 40/60 Split rear cargo doors • 180° Maximum opening range for rear cargo doors • Mobile Office Style center console with storage = Two cup holders = Upper dashboard storage bin = Passenger's under-seat slide-out storage tray = 12-volt DC power outlet = Rear cargo light * 20 Interior integrated reinforced cargo-mounting points * Rear cargo floor protector * AM/FM/CD audio system * Pre-wiring for telematics upfitting * Six standard air bags • Vehicle Dynamic Control (VDC)

KEY AVAILABLE PACKAGES:

Cruise Control Package
 Rear Door Glass Package
 Bluetooth® Hands-free Phone System Package

NV200[®] SV ADDS:


NV200® S contents = Power heated outside mirrors = Six floor-mounted D-rings in cargo area = Power door locks with auto-locking feature = Remote keyless entry • Cruise control with steering wheel-mounted controls • Additional 12-volt DC power outlet in center console

KEY AVAILABLE PACKAGES: Technology Package • Rear Door Glass Package • Bluetooth® Hands-free Phone System Package Exterior Appearance Package

NV200[®] SV EXTERIOR APPEARANCE PACKAGE

Chrome grille • Body-color front and rear bumpers • Body-color outside mirrors • 5-split spoke wheel covers

FABRIC AND PAINT SELECTIONS



Gray Cloth



Super Black KH3



The Bluetooth[®] word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Nissan is under license.

Blue Onyx B23





Red Brick NAC



Fresh Powder QM1



Brilliant Silver K23

NV200[®] COMPACT CARGO SPECIFICATIONS

Engine	S	SV
MR20DE – 2.0 liter DOHC 16-valve 4-cylinder engine		
Horsepower – 131 hp @ 5,200 rpm		
Torque – 139 lb-ft @ 4,800 rpm		
Emissions – 50-state emissions		
Continuously Variable Valve Timing Control System (CVTCS)		
Nissan Direct Ignition System		
Electronic drive-by-wire throttle		
Alternator (110 amps)		

Drivetrain

Xtronic CVT[®] (Continuously Variable Transmission)

Brakes	
11.1" Front vented disc brakes	
9.0" Rear drum brakes	
4-wheel Anti-lock Braking System (ABS)	
Electronic Brake force Distribution (EBD)	
Brake Assist	

Suspension/Steering	
Independent strut front suspension	
Multi-leaf rear suspension with solid axle	
Front stabilizer bar	
Engine-speed-sensitive electric power steering	

Chassis/Body	
15" x 5.5" steel wheels	
15" x 5.5" steel wheels with split 5-spoke silver wheel covers	E
185/60R15 all-season tires	

Exterior Features	
Black bumpers	
Black door handles and outside mirrors	
Body-color bumpers	E
Body-color outside mirrors	E
Silver-painted grille	

Standard

T Part of SV Technology Package

^B Part of Bluetooth[®] Hands-free Phone System Package

R Part of Rear Door Glass Package C Part of S Cruise Control Package E Part of SV Exterior Appearance Package

Exterior Features (continued)	S	SV
Chrome grille		E
Dual power heated outside mirrors		
Six roof rack-mounting points		
40/60 Split rear cargo doors		
180° Maximum opening range for rear cargo doors		
Sliding side door on both driver's and passenger's sides		
Rear window defroster	R	R
Halogen headlights		
Daytime Running Lights (DRL)		
Rear privacy glass	R	R

Comfort/Convenience		
NissanConnect [™] with Navigation with 5.8" QVGA		
color touch-screen monitor		Т
Nissan Voice Recognition for audio and navigation		Т
NavTraffic [®] and NavWeather [®] with 3-month trial subscription		
provided by SiriusXM ¹		Т
POIs powered by Google [®] and Google [®] Send to Car		Т
Hands-free text messaging assistant		Т
Bluetooth [®] Hands-free Phone System	в	ВТ
Air conditioning		
20 Integrated reinforced cargo-mounting points for custom shelving		
Six floor-mounted D-rings in cargo area		
Pre-wiring for telematics upfitting		
Driver's and passenger's dual overhead map lights		
Cargo area work light		
Interior cargo panels		
Interior rearview mirror	R	R
Rear cargo floor protector		
One assist grip		
Remote keyless entry (deletes front passenger door key cylinder)		
Power windows with driver's one-touch auto-down with auto-reverse		
Power door locks with auto-locking feature		
Cruise control with steering wheel-mounted controls	С	
Variable intermittent windshield wipers		
Multi-functional trip computer		

Comfo Mobile Upper c Passen

Front-do Two cup 12-volt Two 12-RearVie

Gray clo

Driver's 6-way n 4-way n Fold-do

Audio/Entertainment

AM/FM Radio D MP3/W Auxiliary USB co other Two spe SiriusXI Pandora Streami

Safety/Security Nissan Advanced Air Bag System (AABS) with dual-stage supplemental front air bags with seat belt and occupantclassification sensors Driver's and passenger's seat-mounted side-impact supplemental air bags

¹Required SiriusXM[®] Satellite Radio, NavTraffic[®] and NavWeather[®] subscriptions sold separately after trial period. Installation costs, one-time activation fee, other fees and D.C. Fees and programming subject to change. Subscriptions governed by Customer Agreement available in select markets. Services available in select markets. Services available in select markets. Services available in the 48 contiguous states and D.C. Fees and taxes will apply. NavTraffic[®] and Sirius XM Radio Inc. Sirius [®] XM[®] and all related marks and logos are trademarks of Sirius XM Radio Inc. The Bluetooth[®] word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license. Google[®] is a registered trademark of Apple, Inc. All rights reserved. iPod not included. Pandora[®] is a registered trademark of Pandora Media.

	S	SV
ort/Convenience (continued)		51
Office Style center console with file folder and laptop storage		
dashboard storage bin		
nger's under-seat slide-out storage tray		
loor map pockets		
ip holders		
DC power outlet		
2-volt DC power outlets		
ew Monitor		Т

Seating/Appointments

loth seats with reinforced wear patches on outer bolsters	
s seat armrest	
manual adjustable driver's seat with manual lumbar	
manual passenger's seat	
own passenger's seat with seatback tray table	

I/CD audio system		
Data System (RDS)	в	ВТ
VMA CD playback capability	в	ВТ
ry audio input jack		
onnection port for iPod [®] interface and		Т
r compatible devices		
peakers		
M [®] Satellite Radio with 3-month trial subscription ¹		 Т
ra® radio compatibility		 Т
ning audio via Bluetooth [®] wireless technology		T

NV200[®] COMPACT CARGO SPECIFICATIONS (CONTINUED)

Safety/Security (continued)	S	SV
Roof-mounted curtain side-impact air bags for front outboard		
occupant head protection (includes rollover sensor)		
Vehicle Dynamic Control (VDC) with Traction Control System (TCS)		
3-point ALR/ELR passenger seat belt system (ELR for driver)		
Front seat belts with pretensioners and load limiters		
Zone Body construction with front and rear crumple zones		
Energy-absorbing steering column		
Tire Pressure Monitoring System (TPMS)		
Nissan Vehicle Immobilizer System		

PACKAGES

SV Technology Package

NissanConnect[™] with Navigation with 5.8" QVGA color touch-screen monitor • Nissan Voice Recognition for audio and navigation • Bluetooth[®] Hands-free Phone System • NavTraffic® and NavWeather®1 • POIs powered by Google® and Google® Send to Car • Pandora® radio compatibility • Streaming audio via Bluetooth® wireless technology - Hands-free text messaging assistant - SiriusXM® Satellite Radio¹ • MP3 playback capability • USB connection port for iPod® and other compatible devices • RearView Monitor

c Bluetooth®	Hands-free Phone System Package
	lands-free Phone System • MP3 playback capability

Rear Door Glass Package

Rear door windows with privacy glass - Interior rearview mirror - Rear window defroster

C S Cruise Control Package

Cruise control with illuminated steering wheel-mounted controls

SV Exterior Appearance Package

Body-color front and rear bumpers • Body-color outside mirrors • Split 5-spoke silver wheel covers • Chrome grille

DIMENSIONS/CAPACITIES/WEIGHTS/MPG

Dverall length186.3I.4.5Dverall length73.7I.4.6Dverall length73.7I.4.6Dread length73.7I.4.6Track width (ront)60.0II.4.7Star door opening width27.0III.4.7Star door opening width49.9III.4.7Star door opening width49.9III.4.7Star door opening width19.2III.4.77Curb weight (ront)14.8Step-in height (ront)14.8Step-in height (rort)19.2Cargo area liftover height21.1Angle of departure (degrees)24.8Turning diameter (ft.)36.7Interfor Dimensions – InchesEagro wolke (x. ft.)55.8Iotal inform (x. ft.)54.8Aaximum cargo width54.8Aaximum cargo ing high that wheelhouse floor48.0Iotal inform (x. ft.)54.8Iotal inform (x. ft.)	Exterior Dimensions – Inches		Capacities		
Derail length186.3Fuel tank (gals)14.5Derail width68.1Engine oil (qs.)4.6Derail width (front)60.0Weights – Lbs.Tack width (front)59.8Weights – Lbs.Soliding side doors opening width270 4.751 Sar door opening width49.9Maximum payload ² 1,500Step-in height (front)14.8 3.258 $3,260$ Step-in height (front)14.7 $2.42/25/24$ $24/25/24$ Lifetor Dimensions – Inches 4.17 2.6 Largo outome (cu. ft.)55.6 3.258 Shoulder room51.3 3.258 Shoulder room52.8 3.260 Stap interior volume (cu. ft.)55.6Stal interior volume (cu. ft.)55.8Stal interior volume (cu. ft.)54.8Stargo width at wheelhouse floor48.0Aaximum cargo width54.8Stargo width at wheelhouse floor48.0Stargo width at wheelhouse floor54.8Star	Wheelbase	115.2	Seating capacity		2
Derail width66.1Engine oil $(qts.)$ 4.6Derail height73.7	Overall length	186.3			14.5
Diverall height 73.7 Track width (ront) 60.0 Siding side doors opening width 270 Siding side doors opening width 270 Siding side doors opening height 45.8 Sar door opening height 45.8 Sar door opening height 48.8 Sibep-in height (front) 14.8 Sibep-in height (front) 14.8 Sibep-in height (frear) 19.2 Cargo area liftover height 21.1 Angle of approach (degrees) 17.3 Angle of approach (degrees) 24.8 Turning diameter (ft.) 36.7 Interior Dimensions - Inches Head room 42.6 tip room 51.3 Shoulder room 54.1 Cargo volume (cu. ft.) 122.7 EPA interior passenger volume (cu. ft.) 178.3 Aaximum cargo length with passenger seat folded down 116.3 Aaximum cargo length at wheelhouse floor 48.0	Overall width	68.1	•		4.6
Mark Moth (Ven)000Jinding side doors opening width270Silding side doors opening width270Silding side doors opening width45.8Sear door opening height48.8Step-in height (reat)14.8Step-in height (reat)19.2Cargo area liftover height21.1Angle of approach (degrees)17.3Angle of approach (degrees)24.8furning diameter (ft.)36.7Interior Dimensions - Inches24.26Head room41.7e.g room42.6tip room54.1Cargo volume (cu, ft.)122.7EPA interior passenger volume (cu, ft.)55.6Total interior volume (cu, ft.)178.3Aaximum cargo length82.8Aaximum cargo length82.8Aaximum cargo length with passenger seat folded down116.3Aaximum cargo length with taken belokue floor54.8Cargo width54.8Cargo width ta wheelhouse floor48.0Station cargo length with taken belokue floor54.8Cargo width at wheelhouse floor48.0Station cargo length with assenger seat folded down116.3Aaximum cargo length with taken belokue floor48.0Station cargo length with assenger seat folded down54.8Cargo width at wheelhouse floor48.0Station cargo length with assenger seat folded down54.8Cargo width at wheelhouse floor48.0Station cargo length with assenger seat folded down54.8Cargo width at	Overall height	73.7			
Sliding side doors opening width 270 Sliding side doors opening height 45.8 Rear door opening height 49.9 Rear door opening height 49.9 Rear door opening height 48.8 Step-in height (front) 14.8 Step-in height (rear) 19.2 Zargo area liftware height 21.1 Angle of approach (degrees) 17.3 Angle of departure (degrees) 24.8 Urning diameter (ft.) 36.7 Interior Dimensions - Inches Head room 41.7 Leag room 42.6 tip room 51.3 Shoulder room 51.3 Shoulder room 51.3 Shoulder room 54.1 Cargo volume (cu. ft.) 122.7 EPA interior passenger volume (cu. ft.) 178.3 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo length th tweelhouse floor 48.0	Track width (front)	60.0	Weights – Lbs.		
Sliding side doors opening height 45.8 Step in height 49.9 Maximum payload ² 1,500 1,477 Maximum payload ² 1,500	Track width (rear)	59.8	GVWR		4,751
Rear door opening width 49.9 Rear door opening width 49.9 Rear door opening height 48.8 Step-in height (front) 14.8 Step-in height (rear) 19.2 Cargo area liftover height 21.1 Angle of approach (degrees) 17.3 Angle of departure (degrees) 24.8 Urning diameter (ft.) 36.7 Head room 41.7 e.gr oom 42.6 tip room 51.3 Shoulder room 54.1 Cargo oulume (cu. ft.) 122.7 EPA interior volume (cu. ft.) 55.6 Total interior volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length 82.8 Maximum cargo length 82.8 Cargo width at wheelhouse floor 48.0	Sliding side doors opening width	27.0			
Rear door opening height48.8Step-in height (front)14.8Step-in height (front)19.2Cargo areal liftover height21.1Angle of approach (degrees)17.3Angle of departure (degrees)24.8Turning diameter (ft.)36.7Interior Dimensions - InchesHead room41.7Head room41.7e.g room42.6dip room51.3Shoulder room54.1Cargo volume (cu. ft.)55.6Total interior volume (cu. ft.)55.6Total interior volume (cu. ft.)178.3Aaximum cargo length82.8Aaximum cargo length54.8Cargo width at wheelhouse floor48.027.0 in27.0 in	Sliding side doors opening height	45.8		S	SV
Step-in height (front)14.8Step-in height (rea)19.2Cargo area liftover height21.1Angle of porach (degrees)17.3Angle of departure (degrees)24.8furning diameter (ft.)36.7Interior Dimensions - InchesHead room41.7e.g room42.6dip room51.3Shoulder room54.1Cargo Dimensions - InchesTexa in the room55.6Total interior passenger volume (cu. ft.)55.6Total interior volume (cu. ft.)178.3Aaximum cargo length82.8Aaximum cargo length82.8Aaximum cargo length54.8Cargo width at wheelhouse floor48.0201027.0 in	Rear door opening width	49.9	Maximum payload ²	1,500	1,477
Shep-in height (rear)19.2Cargo area liftover height21.1Angle of approach (degrees)17.3Angle of departure (degrees)24.8Lintring diameter (ft.)36.7Interior Dimensions - InchesHead room41.7eg room42.6tip room51.3Shoulder room54.1Cargo Dimensions - InchesCargo Dimensions - InchesChargo polymen (cu. ft.)122.7EPA interior passenger volume (cu. ft.)178.3Maximum cargo length with passenger seat folded down116.3Maximum cargo length with passenger seat folded down116.3Maximum cargo width at wheelhouse floor48.02014 EPA Fuel Economy Estimates2014 EPA Fuel Economy EstimatesCity/highway/combined MPGSStoulder room51.3Shoulder room54.1Cargo volume (cu. ft.)178.3Maximum cargo length with passenger seat folded down116.3Maximum cargo width at wheelhouse floor48.0Cargo width at wheelhouse floor48.0	Rear door opening height	48.8	Curb weight	3,258	3,260
Cargo area liftover height 21.1 Angle of approach (degrees) 17.3 Angle of departure (degrees) 24.8 Funning diameter (ft.) 36.7 Interior Dimensions – Inches Head room 41.7 e.g room 42.6 tip room 51.3 Shoulder room 54.1 Interior passenger volume (cu. ft.) TPA interior passenger volume (cu. ft.) 122.7 FPA interior passenger volume (cu. ft.) 122.7 FPA interior passenger seat folded down 116.3 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width at wheelhouse floor 54.8 Cargo width at wheelhouse floor 48.0	Step-in height (front)	14.8			
Angle of approach (degrees) 17.3 Angle of approach (degrees) 24.8 furning diameter (ft.) 36.7 Interior Dimensions - Inches Head room 41.7 e.g room 42.6 dip room 51.3 Shoulder room 54.1 Cargo Dimensions - Inches Cargo Dimensions - Inches 122.7 EPA interior passenger volume (cu. ft.) 122.7 EPA interior volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width at wheelhouse floor 48.0 Cargo width at wheelhouse floor 48.0	Step-in height (rear)	19.2			
Angle of departure (degrees) 24.8 furning diameter (ft.) 36.7 Interior Dimensions – Inches Head room 41.7 .eg room 42.6 dip room 51.3 Shoulder room 54.1 Cargo Dimensions – Inches 122.7 EPA interior passenger volume (cu. ft.) 122.7 EPA interior passenger volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width at wheelhouse floor 48.0 Cargo width at wheelhouse floor 48.0	Cargo area liftover height	21.1	2014 EPA Fuel Economy Estimate	es s	
Angle of departure (degrees)24.8furning diameter (ft.)36.7Interior Dimensions - InchesHead room41.7.eg room42.6dip room51.3Shoulder room54.1Cargo Dimensions - InchesCargo volume (cu. ft.)122.7EPA interior passenger volume (cu. ft.)55.6Total interior volume (cu. ft.)178.3Maximum cargo length82.8Maximum cargo length82.8Maximum cargo length54.8Cargo width at wheelhouse floor48.020 in	Angle of approach (degrees)	17.3	City/highway/combined MPG	c	SV
Interior Dimensions - Inches Head room 41.7 .eg room 42.6 dip room 51.3 Shoulder room 54.1 Cargo Dimensions - Inches Interior passenger volume (cu. ft.) Cargo volume (cu. ft.) 122.7 EPA interior passenger volume (cu. ft.) 55.6 Total interior volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0	Angle of departure (degrees)	24.8		5	54
Interior Dimensions – InchesHead room41.7eg room42.6Hip room51.3Shoulder room54.1Cargo Dimensions – Inches54.1Cargo volume (cu. ft.)122.7EPA interior passenger volume (cu. ft.)55.6fotal interior volume (cu. ft.)178.3Maximum cargo length82.8Maximum cargo length with passenger seat folded down116.3Maximum cargo width54.8Cargo width at wheelhouse floor48.020 width at wheelhouse floor48.0	Turning diameter (ft.)	36.7		24/25/24	24/25/24
Head room41.7eg room42.6dip room51.3Shoulder room54.1Cargo Dimensions - InchesCargo Dimensions - InchesCargo volume (cu. ft.)122.7EPA interior passenger volume (cu. ft.)55.6Total interior volume (cu. ft.)178.3Maximum cargo length82.8Maximum cargo length with passenger seat folded down116.3Maximum cargo width54.8Cargo width at wheelhouse floor48.020.0020.00	Interior Dimonsions - Inches		Actual mileage may vary with driving conditions - use f	or comparison only.	
leg room42.6Hip room51.3Shoulder room54.1Cargo Dimensions - InchesCargo volume (cu. ft.)122.7EPA interior passenger volume (cu. ft.)55.6Total interior volume (cu. ft.)178.3Maximum cargo length82.8Maximum cargo length with passenger seat folded down116.3Maximum cargo width54.8Cargo width at wheelhouse floor48.020.0020.00		41 17			
J_{11} room 51.3 Shoulder room 54.1 Cargo Dimensions – InchesCargo Volume (cu. ft.) 122.7 EPA interior passenger volume (cu. ft.) 55.6 Fotal interior volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length 82.8 Maximum cargo vidth 54.8 Cargo width at wheelhouse floor 48.0					
Shoulder room 54.1 Cargo Dimensions - InchesCargo volume (cu. ft.)122.7EPA interior passenger volume (cu. ft.) 55.6 Total interior volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0	-				
Cargo Dimensions - Inches Cargo volume (cu. ft.) 122.7 EPA interior passenger volume (cu. ft.) 55.6 Total interior volume (cu. ft.) Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0	•		1 The second sec		
Cargo Dimensions – Inches Cargo volume (cu. ft.) 122.7 EPA interior passenger volume (cu. ft.) 55.6 Total interior volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0		04.1		10.0.0	73.7 in
EPA interior passenger volume (cu. ft.) 55.6 Fotal interior volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0	Cargo Dimensions – Inches			-	
EPA interior passenger volume (cu. ft.) 55.6 Fotal interior volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0	Cargo volume (cu. ft.)	122.7	186.3 in	⊢ 68.1 in →	
Total interior volume (cu. ft.) 178.3 Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0	EPA interior passenger volume (cu. ft.)	55.6		"'	
Maximum cargo length 82.8 Maximum cargo length with passenger seat folded down 116.3 Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0	Total interior volume (cu. ft.)	178.3			
Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0	Maximum cargo length	82.8			
Maximum cargo width 54.8 Cargo width at wheelhouse floor 48.0	Maximum cargo length with passenger seat folded down	116.3	48.0 in		
27.0 m	Maximum cargo width	54.8			
Aximum cargo height 53.0	Cargo width at wheelhouse floor	48.0	27.0 in		
	Maximum cargo height	53.0			

¹Required SiriusXM® Satellite Radio, NavTraffic® and NavWeather® subscriptions sold separately after trial period. Installation costs, one-time activation fee, other fees and D.C. Fees and programming subject to change. Subscriptions governed by Customer Agreement available in select markets. Services available in select markets. Services available in select markets. Services available only to those 18 or older in the 48 contiguous states and D.C. Fees and programming subject to change. Subscriptions governed by Customer Agreement available in select markets. Services available only to those 18 or older in the 48 contiguous states and D.C. Fees and programming subject to change. Subscriptions governed by Customer Agreement available only to those 18 or older in the 48 contiguous states and D.C. Fees and programming subject to change. Subscriptions governed by Customer Agreement available in select markets. Services available only to those 18 or older in the 48 contiguous states and D.C. Fees and taxes will apply. NavTraffic® available in select markets. Services available only to those 18 or older in the 48 contiguous states and D.C. Fees and programming subject to change. Subscriptions governed by Subscriptions governed by Subscriptions governed by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license. Google® is a registered trademark of Google Inc. iPod® is a registered trademark of Apple, Inc. All rights reserved. iPod not included. Pandora® is a registered trademark of Pandora Media.









NV[®] CARGO SPECIFICATIONS

Engines	1500 S	1500 SV	2500	2500 SV	3500	3500 SV
VQ40DE – 4.0-liter DOHC 24-valve V6 engine						
Horsepower – 261 hp @ 5,600 rpm						
Torque – 281 lb-ft @ 4,000 rpm						
VK56DE – Endurance 5.6-liter DOHC						
32-valve V8 engine						
Horsepower – 317 hp @ 5,200 rpm						
Torque – 385 lb-ft @ 3,400 rpm						
Emissions – 50-state emissions						
Continuously Variable Valve Timing Control						
System (CVTCS)						
Nissan Direct Ignition System						
Electronic drive-by-wire throttle						
Alternator (130 amps)						
HD battery						
	_					
Drivetrain		1	1	1	1	
5-speed automatic transmission						
Final gear ratio – V6 (3.36:1)						
Final gear ratio – V8 (3.54:1)						
Brakes						
14.2" Front vented disc brakes						
14.4" Rear vented disc brakes						
4-wheel Anti-lock Braking System (ABS)						
Electronic Brake force Distribution (EBD)						
Brake Assist						
Suspension/Steering						
Front independent double-wishbone suspension						
Multi-leaf rear suspension with solid axle						
Front and rear stabilizer bars						
Engine-speed-sensitive hydraulic recirculating						

Wheels/Tires	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV	C
17" x 7.5" steel wheels							Ni
17" x 7.5" styled steel wheels							
17" x 7.5" chrome-clad wheels		AP		AP		АР	В
LT245/70R17 all-season tires							Ai
LT245/75R17 all-season tires							36
Exterior Features							1
Standard Roof							_
High Roof			н	н	н	н	Te
Black grille and bumpers							
Black door handles and outside mirrors							Si
Chrome grille and bumpers		AP		AP		АР	Pr
Chrome door handles and outside mirrors		AP		AP		AP	Th
Dual power outside mirrors							Ve
Power heated extendable tow mirrors							Ha
Ten roof rack-mounting points (Standard Roof)							Int
Eight roof rack-mounting points (High Roof)		_	н	н	н	н	Re
50/50 Split rear cargo doors with opening		_					Eiv
locking feature							Re
Magnetic door locks (to secure open rear doors)							Po
243° Maximum opening range for rear cargo doors							
Sliding side door on passenger side							Po
Sliding side door window with privacy glass	SD	SD	SD	SD	SD	SD	С
2nd- and 3rd-row windows with privacy glass and							Til
left side pop-out function (High Roof)			A		A		Va
Rear window defroster	R	R	RA	R	RA	R	Μ
Halogen headlights							Fι
Two front tow hooks							
Rear Sonar System							Μ
Rear privacy glass	R	R	RA	R	RA	R	
7-pin connector and brake controller pre-wiring		_					Dr
Class IV tow hitch receiver ¹							Fr

Standard

ball steering

Full-length, fully boxed ladder frame

Optional

н High Roof

TP Part of SV Technology Package AB Part of Side and Curtain Air Bags Package AP Part of SV Appearance Package

R Part of Rear Door Glass Package SD Part of Sliding Door Glass Package A Part of All-Around Glass Package

P Part of S Power Basic Package ✓ Part of S Vinyl Seat Package

¹See Nissan Towing Guide and Owner's Manual for proper use. ²SiriusXM[®] Satellite Radio and NavTraffic[®] require subscriptions sold separately after trial period. Subscriptions governed by Customer Agreement at **siriusxm.com**. Fees and programming subject to change. Available only to those 18 or older in the 48 contiguous states and D.C. [©]2014 Sirius XM Radio Inc. Sirius,[®] XM[®] and all related marks and logos are trademarks of Sirius XM Radio Inc. The Bluetooth[®] word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

Comfort/Convenience	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV
Nissan Navigation System with 5" color touch-screen						
monitor and NavTraffic ^{®2}		ТР		TP		TP
		ТР		TP		TP
Bluetooth [®] Hands-free Phone System		IP		IP		TP
Air conditioning						
36 Integrated reinforced cargo-mounting points						
for custom shelving						
11 Integrated reinforced cargo-mounting points for bulkhead partition						
Ten integrated reinforced mounting points in ceiling for						
interior ladder rack installation						
Six floor-mounted D-rings in cargo area						
Pre-wiring for electrical upfitting						
Three cargo area work lights (1 on 1500)						
Vertical sidewall design						
Hardboard interior cargo panels						
Interior rearview mirror	R	R	RA	R	RA	R
Rear cargo floor protector (optional on High Roof S)						
Five assist grips (four on S models)						
Remote keyless entry	Р		Р		Р	
Power windows with driver's one-touch auto-down						
with auto-reverse	Р		Р		Р	
Power door locks with auto-locking feature	Р		Р		Р	
Cruise control with steering wheel-mounted controls	Р		Р		Р	
Tilt steering column						
Variable intermittent windshield wipers						
Multi-functional trip computer with maintenance intervals						
Full-length overhead cabin storage shelving with						
map lights (High Roof)			н	н	н	н
Multi-functional lockable center console with file and						
laptop computer storage with built-in clipboard holder						
Driver's under-seat slide-out storage tray						
Front-door map pockets						
Six cup holders						
Two 12-volt DC power outlets						
Two 120-volt power outlets						
Rear door storage	-					
RearView Monitor		TP		TP		TP

NV[®] CARGO SPECIFICATIONS (CONTINUED)

Seating/Appointments	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV
Gray vinyl seats	V		v		v	
Gray cloth seats with reinforced side bolster wear						
patches on inner and outer bolsters						
Water-repellent seating surfaces						
Seat armrests						
4-way manual driver's seat						
4-way manual passenger's seat						
8-way power adjustable driver's seat with manual lumbar		AP		AP		AP
Fold-down passenger's seat with seatback tray table						

Audio/Entertainmen

AM/FM/CD audio system			
Radio Data System (RDS)			
MP3/WMA CD playback capability			
Auxiliary audio input jack			
USB connection port for iPod [®] interface and other			
compatible devices ¹	TP	TP	TP
Steering wheel-mounted audio controls			
Two speakers			
Four speakers			
SiriusXM [®] Satellite Radio ²	TP	TP	TP

Safety/Security

Driver and passenger dual-stage supplemental						
front air bags with seat-belt sensors						
Driver's and passenger's seat-mounted side-impact			_			
supplemental air bags	AP	AP	AP	AP	AP	AP
Roof-mounted curtain side-impact air bags with rollover			_			
sensor for front outboard occupant head protection	AP	AP	AP	AP	AP	AP
Vehicle Dynamic Control (VDC) with						
Traction Control System (TCS)						
2-wheel Active Brake Limited Slip (ABLS)						
3-point ALR/ELR passenger seat belt system						
(ELR for driver)						
Front seat belts with pretensioners and load limiters						
Passenger-seat top tether anchor						
Zone Body construction with front and rear crumple zones						
Tire Pressure Monitoring System (TPMS) ³						
Vehicle Security System with alarm		AP		AP	_	AP
Nissan Vehicle Immobilizer System		AP		AP		AP

PACKAGES

TP SV Technology Package with RearView Monitor

- Nissan Navigation System with 5" color touch-screen monitor and NavTraffic®2
- AM/FM/CD/MP3 audio system USB connection port for iPod® interface and other compatible devices¹ • SiriusXM[®] Satellite Radio² • Bluetooth[®] Hands-free Phone System RearView Monitor

AB Side and Curtain Air Bags Package

Driver's and passenger's seat-mounted side-impact supplemental air bags

 Roof-mounted curtain side-impact air bags with rollover sensor for front outboard occupant head protection

AP SV Appearance Package

Chrome grille and bumpers . Chrome door handles and outside mirrors . 17" x 7.5" chrome-clad wheels - 8-way power adjustable driver's seat with manual lumbar Vehicle Security System with alarm
 Nissan Vehicle Immobilizer System

Rear Door Glass Package

Rear door windows with privacy glass • Interior rearview mirror • Rear window defroster

SD Sliding Door Glass Package

Sliding side door window with privacy glass on passenger side

All-Around Glass Package (2500 S High Roof, 3500 S High Roof)

2nd- and 3rd-row windows with privacy glass and left side pop-out functionality

Rear door windows with privacy glass - Interior rearview mirror - Rear window defroster

S Power Basic Package

Power windows with driver's one-touch auto-down with auto-reverse • Power door locks with auto-locking feature - Cruise control with steering wheel-mounted controls Remote keyless entry

✓ S Vinyl Seat Package

Gray vinyl seats

Head ro Leg roo Hip roo Shoulde

Cargo v EPA inte Total int Maximu Maximu console Maximu console Maximu Cargo v Maximu

¹Driving is serious business and requires your full attention. Do not operate any devices connected to the USB or auxiliary audio input jack while driving. ²SiriusXM® Satellite Radio and NavTraffic® requires ubscriptions sold separately after trial period. Subscriptions governed by Customer Agreement at **striusxm.com**. Fees and programming subject to change. Available only to those 18 or older in the 48 contiguous states and D.C. ©2014 Sirius XM Radio Inc. Sirius,[®] XM® and all related marks and logos are trademarks of Sirius XM Radio Inc. ³Tire Pressure Monitoring System is not a substitute for regular tire pressure checks. Cargo and load capacity limited by weight and distribution. Always secure all cargo. Do not place sharp objects or store objects in the front of the overhead compartment that exceed height of shelving lip. The Bluetooth[®] word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license. iPod[®] is a registered trademark of Apple, Inc. All rights reserved. iPod[®] not included.

DIMENSIONS/CAPACITIES/WEIGHTS

Exterior Dimensions – Inches

	Standard Roof	High Roof
Wheelbase	146.1	146.1
Overall length	240.6	240.6
Overall width (without mirrors)	79.9	79.9
Overall width (with mirrors)	99.5	99.5
Overall width (with tow mirrors)	102.8	102.8
Overall height	83.9 (84.9 for 3500)	105.0 (106.0 for 3500)
Track width (front)	68.7	68.7
Track width (rear)	68.9	68.9
Sliding side door width	41.7	41.7
Rear door opening width	59.8	59.8
Rear door opening height	49.8	71.5
Step-in height (front)	18.0 (18.7 for 3500)	18.0 (18.7 for 3500)
Step-in height (slide door)	19.4 (20.2 for 3500)	19.4 (20.2 for 3500)
Step-in height (rear)	19.8 (20.9 for 3500)	19.8 (20.9 for 3500)
Cargo area liftover height	28.5	28.5
Angle of approach (degrees)	17.5°	17.5°
Angle of departure (degrees)	17.4°	17.4°
Turning diameter (ft.)	45.2	45.2

Interior Dimensions – Inches

	Standard Roof	High Roof	
room	42.8	63.6	
om	42.0	42.0	
om	60.6	60.6	
ler room	65.7	65.7	

Cargo Dimensions – Inches

	Standard Roof	High Roof
volume (cu. ft.)	234.1	323.1
terior passenger volume (cu. ft.)	68.3	101.5
nterior volume (cu. ft.)	299.7	420.5
um cargo length	120.0	120.0
um cargo length behind center		
le at vehicle center	121.9	121.9
um cargo length without center		
le at vehicle center	150.4	150.4
um cargo width	70.2	70.2
width at wheelhouse floor	54.3	54.3
um cargo height	55.8	76.9

DIMENSIONS/CAPACITIES/WEIGHTS (CONTINUED)

Capacities		
	Standard Roof	High Roof
Roof load capacity (lbs.)	500	300
Seating capacity	2	2
Fuel tank (gals.)	28.0	28.0
Engine oil (qts.)	5.4 (V6) 6.5 (V8)	5.4 (V6) 6.5 (V8)

Maximum Payload¹ – Lbs.

	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV
Std. Roof (V6)	2,758	2,682	3,290	3,184	_	_
Std. Roof (V8)	_	_	3,226	3,120	4,022	3,916
High Roof (V6)	_	_	3,127	3,021	_	_
High Roof (V8)	_	_	3,054	2,948	3,850	3,744

Maximum Towing – Lbs.

With standard bumper towing	2,000 ¹
With tow hitch receiver	7.000 ²
With tow hitch receiver (V8)	9,500 ¹
	1

Weights – Lbs.						
GVWR	1500 S	1500 SV	2500 S	2500 SV	3500 S	3500 SV
	8,550	8,550	9,100	9,100	9,900	9,900

Curb V	Veights
--------	---------

Std. Roof (V6)	5,791	5,867	5,810	5,916	_	_	
Std. Roof (V8)	_	_	5,874	5,980	5,878	5,984	
High Roof (V6)	_	_	5,973	6,079	_	_	
High Roof (V8)	_	_	6,046	6,152	6,050	6,156	

High Roof





240.6 in



41.7 in

¹See Nissan Towing Guide and Owner's Manual for proper use. ²With available tow hitch accessory for V6 and V8 models. See Nissan Towing Guide and Owner's Manual for proper use. ³Roadside Assistance and Trip Interruption available during the first four years after initial new vehicle delivery. Restrictions apply. See Owner's Manual for details.

TAKE THE NEXT STEP

One of the most attractive features about NV[®] Cargo and NV200[®] Compact Cargo is their ability to fit the needs of your business. Simply click on the links below and you can design a vehicle – inside and out – that's perfect for you.



Build and price your own upfit package. Design a space that makes sense for your day-to-day business. Go to **www.nissancommercialvehicles.com**, and you can browse partitions, shelving units, and accessories and start building from the floor up.



Visualize your logo on an NV® Cargo or an NV200® Compact Cargo. Ready to put your advertising strategy on wheels? Go to www.nissancommercialvehicles.com, and see how great your new vehicle looks with your logo.

NISSAN COMMERCIAL VEHICLES AND TRUCKS





NV[®] Cargo Standard Roof



NV200[®] Compact Cargo









And follow Nissan Commercial Vehicles on:



⊢ 79.9 in —

CUSTOMER COMMITMENT



Your vehicle is more than just basic transportation, it's what makes your business run efficiently. At Nissan Commercial Vehicles, we understand our part in making your business run cost-effectively. That's why we've partnered with our commercial certified parts and service dealers to ensure we are there for you when you need us. As part of our parts and service commitment to you, you will experience the following at every certified Nissan Commercial Vehicles Dealer:

Roadside Assistance and Trip Interruption. Our commercial vehicles come with the confidence of Roadside Assistance, offering lockout support, towing services, emergency fuel delivery, tire changes and dead-battery jump-start service. Our Trip Interruption benefits offer assistance if your vehicle becomes disabled more than 100 miles from your company's location.³

Service and maintenance plans. Developed specifically for Nissan Commercial Vehicles and backed by Nissan, a wide variety of service plans are available to you, including high-mileage options. Your authorized Nissan Commercial Vehicles dealer has all the details, and will be glad to help you find the plan that best fits your business needs.

We've got you covered. Every Nissan is backed by a 36-month/36,000-mile (whichever occurs first) limited vehicle coverage and a 5-year/60,000-mile (whichever occurs first) limited powertrain coverage. (See your Nissan Commercial Vehicles dealer or reference the Nissan Owner's Manual for details). For extra protection, you can also add Security+Plus,[®] the only extended service agreement approved by Nissan.

Nissan's environmental action plan focuses on several key areas. Increasing production of Zero Emission vehicles, including the 100% electric LEAF.[®] Improving fuel efficiency through our PUREDRIVE[™] measures. And reducing the environmental impact of manufacturing, as seen at our new, energy-efficient, low-emissions paint plant in Tennessee. For more information, log on to **NissanUSA.com/green**

072
h
NISSAN
GREEN PROGRAM

At NissanUSA.com, you'll find virtual product demonstrations, a way to "build your own Nissan," a dealer locator, and more information about key Nissan support services. Or if you'd prefer, call **1-800-NISSAN-3** for answers to specific questions about NV[®] Cargo and NV200[®] or any other Nissan vehicle. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North American subsidiaries. Always wear your seat belt, and please don't drink and drive. ©2014 Nissan North America, Inc.

This brochure is intended for general descriptive and informational purposes only. It is subject to change and does not constitute an offer, representation or warranty (express or implied) by Nissan North America, Inc., Interested parties should confirm the accuracy of any information in this brochure as it relates to a vehicle directly with Nissan North America, Inc., before relying on it to make a purchase decision. Nissan North America, Inc., reserves the right to make changes, at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models and to discontinue models or equipment. Due to continuous product development and other pre- and post-production factors, actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment. See the actual vehicle for accessories, see your Nissan dealer or contact Nissan North America, Inc., Inc.