

2011 NISSAN TITAN®

HANDLE IT WITH THE TITAN OF TRUCKS. Nissan's full-size truck is powered by a standard 5.6-liter V8 churning out 317 hp and 385 lb-ft of torque, giving you the brute strength to pull up to 9,500 lbs.' of just about anything. But there's more to Titan than power. A lot more. Its available Utili-track[™] Bed Channel System includes tie-down cleats you can position where you need them most. Its rugged, fully boxed all-steel frame delivers greater load-bearing ability and improved ride quality. Not to mention its Active Brake Limited Slip (ABLS) and available switch-on-demand electronic locking rear differential for more confident traction. Titan is available as a King Cab, with revolutionary Wide Open rear doors that open a full 168°, or Crew Cab, with the longest crew cab bed in its class.² See for yourself why size matters. Ask for a test-drive today.



SHIFT_the way you move

¹King Cab SV 4x2 with Premium Utility Package. See Nissan Towing Guide and Owner's Manual for proper use. ²2011 Titan Crew Cab SV vs. 2010 full-size crew cabs (Ford F-150 Super Crew, Chevy Silverado Crew Cab, GMC Sierra Crew Cab, Dodge Ram 1500 Mega Cab and Toyota Tundra Crew Max).

MULTIPLE RUGGED NISSAN TITAN MODELS TO CHOOSE FROM.





SV KING CAB AND CREW CAB

Observe billet wills and shares sterr wills (Osserv Osh such)			PRO-4	
Chrome billet grille and chrome step rails (Crew Cab only)		HM		HM
Step rails				MU
Automatic on/off headlights		_	100	
Class IV tow hitch receiver	PE	VT		
Power heated extendable tow mirrors		P1	P2	MU
Front tow hooks (standard on SV and SL 4x4 models)		P1		MU
Body-color front bumper and grille (black grille on S)				
Chrome bumpers and grille		_		
Dual black power outside mirrors (manual on S; heated on PRO-4X)	_			
Dual chrome power folding auto-dimming heated outside mirrors with _ puddle lights and turn signals				
Utili-track [™] Bed Channel System with four tie-down cleats		U P1	P2	
Factory-applied spray-on bedliner		U P1	P2	
Lockable bedside storage		U P1		
Tailgate illumination and bed-mounted 12-volt DC power outlet		U P1	P2	
Locking dampened assist tailgate				
Body side moldings				
Sliding rear window and privacy glass (King Cab only)	PE			
Vertical drop power back window (Crew Cab only)				
Power sliding glass moonroof			т	т
Rear Sonar System' and fog lights		VT		
Nissan DVD Entertainment System with 8" monitor, DVD player with				
_remote control and two wireless headsets (Crew Cab only)			E	E
AM/FM/CD audio system				_
AM/FM/in-dash 6-CD changer audio system		_		_
Rockford Fosgate-powered audio system with AM/FM/in-dash				
6-CD changer		P1	P2	
Dual Media Playback (Crew Cab only)		P1	P2	
MP3/WMA CD playback capability				
Radio Data System (RDS)				
Auxiliary audio input ²				
Steering-wheel-mounted audio controls		VT		
Six speakers (King Cab only)				
Eight speakers, including woofer and center speaker (King Cab only)		P1	P2	
Eight speakers (Crew Cab only)				
Ten speakers, including woofer and center speaker (Crew Cab only)		P1	P2	
Satellite radio pre-wiring ³				
XM [®] Satellite Radio – includes activation and 3 months of service ³		P1	P2	
Nissan Navigation System with DVD atlas			т	т
Bluetooth [®] Hands-free Phone System		VT		
Air conditioning				
Dual Zone Automatic Temperature Control (ATC)				
Power door locks and power windows (N/A on S KC)				
Remote keyless entry with remote windows down (N/A on S KC)	PE			
HomeLink Universal Transceiver		P1	P2	
Cruise control with steering-wheel-mounted controls	PE			
J				





PRO-4X KING CAB AND CREW CAB

SL CREW CAB

				s	sv	PRO-4X	SL
ont.)	Door courtesy	lights (footwell lights on PRO-42	K and SL)				
ی ۳	Auto-dimming	rearview mirror and compass			VT		
S S	12-volt DC po						
Door courtesy lights (footwell lights on PRO-4X and SL) Auto-dimming rearview mirror and compass 12-volt DC power outlets Voltage, oil pressure and transmission temperature gauges							
Ξ	Dual 2-way su	n visors with extenders and illum	inated mirrors			_	
	Power adjusta	ble pedals			P1	P2	
	Under-seat gro	ocery bag hooks (rear cab)					
	Overhead cent			PE			
	Easy Clean [™] v	inyl flooring (King Cab only)					
10	40/00/40	for at here the sect					
SEATING/APPOINTMENTS		t front bench seat] .		VT	_	
M		chairs with lockable center cons	sole				<u></u>
Ę		adjustable driver's seat			VT		2.1
POI	• •	adjustable passenger's seat				L	2.1
AP	Heated front s					L	<u></u>
19		passenger's seat (not available o	n bench seat)		VT		
TIL		o-up/fold-down rear bench seat					
SE		m – driver's seat, outside mirrors	, and pedals (two settings)			L	
	Cloth seat trim						
	Leather-appoir					L	
		ed steering wheel			VT	_	
		ed floor-mounted transmission s	hifter		VT		
		nterior accents					
	Wood-tone ac	cents					
>	Nissan Advand	ced Air Bag System with dual-sta	age supplemental				
RIT		s with seat belt sensors and occu			10.0	100	h
SAFETY/SECURITY		t-passenger seat-mounted side-ir					
/SE		curtain supplemental air bags fo					
Σ		protection for front and rear out		÷	10.0		÷
AFE		ic Control (VDC) ⁴ with Traction (E
S		Vonitoring System (TPMS)					
		ive Head Restraints					6.0
		LR passenger seat belt system (EL B only for driver)				6 C
		s with pretensioners and load lim					67
		n (Lower Anchors and Tethers fo					G. 1
	•	nstruction with front and rear cru			12.1		<u></u>
		creases and energy-absorbing	•		12.1		<u></u>
			steering column	100	12.1		<u></u>
Pipe-style steel side-door guard beams Vehicle Security System					12.1		<u></u>
		Immobilizer System			12.1		6.7
	Nissan venicle	minoolizer Oystem					
Sta	Indard	MU Part of SL Max Utility Package	T Part of Technology Package	0		PRO-4X	Premiu
	rt of Heavy Metal	PE Part of S Popular Equipment	Part of SV Premium Utility			Package	
Edition [™] /Texas Titan Package Package		e e	0			SV Utility	
		VT Part of SV Value Truck Package	Part of Nissan DVD			PRO-4X	

¹The optional Rear Sonar System is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The Rear Sonar System may not detect every object behind you. ²Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving. ³Required XM Radio monthly subscription sold separately. Subscription governed by XM Customer Agreement at xmradio.com/service terms. For more information, see www.xmradio.com.⁴ VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely. [®] The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Bluetooth KIG, Inc., and any use of such

SPECIFICATIONS

OFF-ROAD DIMENSIONS

PRO-4X	KING CAB	CREW CAB	
Minimum ground clearance at rear axle	10.7"	10.7"	
Minimum ground clearance with skid plates	11.3"	11.4"	
Angle of approach with skid plates	28.0°	28.1°	
Angle of departure	27.7°	27.8°	
Break-over angle	21.4°	21.8°	

MAXIMUM TOWING CAPABILITIES (LBS.)

KING CAB	S	SV	PRO-4X	SL
4x2 (with Utility Package)	7,400 (N/A)	7,400 (9,500)	N/A	N/A
4x4 (with Utility Package)	7,400 (N/A)	7,400 (9,400)	9,300 (9,300)	N/A
CREW CAB				
4x2 Standard Bed (with Utility Package)	7.400 (N/A)	7,400 (9,400)	N/A	7,100 (9,200)

The standard bod (With othery r dokago)	1,100 (10/1)	7,100 (0,100)	13/73	1,100 (0,200)
4x4 Standard Bed (with Utility Package)	7,300 (N/A)	7,300 (9,300)	9,300 (9,300)	7,000 (9,100)
4x2 Long Bed (with Utility Package)	N/A	7,100 (9,300)	N/A	N/A
4x4 Long Bed (with Utility Package)	N/A	7,000 (9,100)	N/A	N/A

EXTERIOR DIMENSIONS (INCHES)

	KING CAB	CREW CAB
	STANDARD BED	STANDARD/LONG BED
Wheelbase	139.8	139.8/159.5
Overall length	224.6	224.6/244.2
Overall width	79.5	79.5/79.5
Overall height	Up to 76.1	Up to 76.9/76.6
Cargo bed length	79.1	67.3/87.0
Cargo bed width	63.8	63.8
Cargo bed depth	19.9	19.9

INTERIOR DIMENSIONS (INCHES)

	KING CAB	CREW CAB
Head room (front/rear)	41.0/38.9	41.01/40.4
Leg room (front/rear)	41.8/33.0	41.8/40.4
Hip room (front/rear)	61.3/60.3	61.3/60.5
Shoulder room (front/rear)	65.1/64.9	65.1/64.6

CAPACITIES

KING CAB	CREW CAB
STANDARD BED	STANDARD / LONG BED
112.8	125.6/125.6
28.0	28.0/28.0
2,013	2,063/1,762
1,870	1,914/1,582
	STANDARD BED 112.8 28.0 2,013

N/A Not available. ¹39.7" with moonroof. *BFGoodrich is a registered trademark of Goodrich Corporation. *Goodyear and Wrangler are registered trademarks of The Goodyear Tire & Rubber Company. *Dana is a registered trademark of Dana Corporation. *Rancho is a registered trademark of Tenneco Automotive Operating Company, Inc. *Rugged Trail T/A is a registered trademark of Uniroyal Goodrich Licensing Services, Inc.

ENGINE

VK56DE – Endurance 5.6-liter DOHC 32-valve V8 engine 317 hp @ 5,200 rpm 385 lb-ft of torque @ 3,400 rpm Alternator (130 amps) Battery (650 CCA) Optional: Heavy-duty battery (710 CCA) – standard on PRO-4X and FFV models

DRIVETRAIN

5-speed automatic transmission with Tow/Haul Mode Final gear ratio (2.94:1) Optional: Lower final gear ratio (3.36:1) – standard on PRO-4X Optional: Switch-operated 2-speed transfer case – standard on PRO-4X 2-wheel Active Brake Limited Slip (ABLS) – 4x2 models 4-wheel Active Brake Limited Slip (ABLS) – 4x4 models Electronic locking rear differential (PRO-4X)

WHEELS AND TIRES

18" x 8.0" steel wheels (S) Optional 18" x 8.0" aluminum-alloy wheels (Part of) 18" x 8.0" chrome-clad alloy wheels (Part of) 18" x 8.0" unique 6-spoke aluminum-alloy wheels (PRO-4X) 20" x 8.0" 6-spoke aluminum-alloy wheels (SL) Optional: 20" x 8.0" chrome-alloy wheels (Part of) P265/70R18 tires (S) P265/70R18 Goodyear® Wrangler® tires with raised OWL (SV) P275/70R18 BEGoodrich® Rugged Trail T/A® tires with raised OWL (PRO-4X) P275/60R20 Goodyear® Wrangler® tires (SL)

BRAKES

Front and rear vented disc brakes Anti-lock Braking System (ABS) Electronic Brake force Distribution (EBD) Brake Assist

SUSPENSION AND STEERING

Front: Independent double-wishbone with stabilizer bar (Dana® axles on 4x4 models) Rear: Multi-leaf with solid Dana® axle Rancho® off-road performance shocks (PRO-4X) Engine-speed-sensitive power-assisted rack-and-pinion steering

PACKAGES

S POPULAR EQUIPMENT PACKAGE
18" x 8.0" aluminum-alloy wheels
Cruise control with steering-wheel-mounted controls
Overhead center console
Sliding rear window (King Cab only)
Rear privacy glass (standard on Crew Cab)
Remote keyless entry (Crew Cab only)
Class IV tow hitch receiver and 7-pin wiring harness
Trailer brake controller pre-wiring under instrument panel

SV VALUE TRUCK PACKAGE

Front captain's chairs with lockable center console 8-way power adjustable driver's seat Rear air conditioning vents (Crew Cab only) Fog lights Bluetooth[®] Hands-free Phone System Class IV tow hitch receiver and 7-pin wiring harness Trailer brake controller pre-wiring under instrument panel Floor mats Leather-wrapped steering wheel and floor-mounted transmission shifter Steering-wheel-mounted audio controls

Auto-dimming rearview mirror with digital compass Rear Sonar System¹

SV UTILITY PACKAGE

Utili-track[™] Bed Channel System with four tie-down cleats Factory-applied spray-on bedliner Lockable bedside storage Bed-mounted 12-volt DC power outlet Tailgate area illumination

SV PREMIUM UTILITY PACKAGE

Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer 8 speakers, including woofer and center speaker (King Cab only) 10 speakers, including woofer and center speaker (Crew Cab only) XM[®] Satellite Radio² Power adjustable pedals HomeLink Universal Transceiver Utili-track Bed Channel System with four tie-down cleats Factory-applied spray-on bedliner Lockable bedside storage Bed-mounted 12-volt DC power outlet and tailgate area illumination Front tow hooks (4x2) Lower final gear ratio (3.36:1) and heavy-duty battery (710 CCA) Dual power heated extendable tow mirrors

PRO-4X PREMIUM UTILITY PACKAGE

Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer 8 speakers, including woofer and center speaker (King Cab only) 10 speakers, including woofer and center speaker (Crew Cab only) XM® Satellite Radio² Power adjustable pedals HomeLink Universal Transceiver Extended overhead console with rear audio controls (Crew Cab only) Utili-track Bed Channel System with four tie-down cleats Factory-applied spray-on bedliner Bed-mounted 12-volt DC power outlet Tailgate area illumination

Dual power heated extendable tow mirrors

PRO-4X LUXURY PACKAGE

4-way power adjustable passenger's seat Embroidered leather-appointed seats Heated front seats Memory System – driver's seat, pedals and outside mirrors In-cabin microfilter (Crew Cab only)

SL MAX UTILITY PACKAGE

Step rails Front tow hooks (4x2) Lower final gear ratio (3.36:1) and heavy-duty battery (710 CCA) Dual power heated extendable tow mirrors

TECHNOLOGY PACKAGE (PRO-4X AND SL CREW CAB)

Power sliding glass moonroof Nissan Navigation System with DVD atlas and 7.0" color LCD monitor

NISSAN DVD ENTERTAINMENT SYSTEM PACKAGE (PRO-4X AND LE CREW CAB)

8" Flip-down monitor, DVD player with auxiliary inputs, remote control and two wireless headsets

HEAVY METAL EDITION"/TEXAS TITAN (SV AND SL CREW CAB)

18" x 8.0" chrome-clad alloy wheels (SV), 20" x 8.0" chrome-alloy wheels (SL), chrome billet grille and chrome step rails

Chrome outside mirrors and door handles (SV only - standard on SL)

Package requirements and availability may vary. Please see your Nissan dealer for details.



A standard 317-horsepower 5.6-liter V8 churns out 385 lb-ft of torque to pull up to 9,500 lbs. of just about anything.³ Configure even the most > complex, cumbersome loads. The bed has more usable cargo space and loadcarrying versatility than the average half-ton, thanks to five C-channel rails running the length of the bed's floor and walls.



The 5-speed automatic transmission features gear ratios that can take full advantage of its massive low-end torque and optimize fuel economy in higher gears.

¹The optional Rear Sonar System is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The Rear Sonar System may not detect every object behind you. ² Required XM Radio monthly subscription sold separately. Subscription governed by XM Customer Agreement at xmradio.com/ service terms. For more information, see www.xmradio.com. ³ King Cab with Max Utility Package. See Nissan Towing Guide and Owner's Manual for proper use. Cargo and load capacity limited by weight and distribution. Properly secure cargo in bed of truck. [®] The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. Specifications, options, and accessories may differ in Hawaii, U.S. territories, and other countries. For additional information on availability, options, or accessories, see your Nissan dealer. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Morth America, Inc.

WARRANTY

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. 2003-2010 Vehicles equipped with a Continuously Variable Transmission (CVT) also have a 10-year /120,000-mile CVT limited warranty extension. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

For more warranty information or questions on 2003-2010 vehicles equipped with a Continuously Variable Transmission, please visit www.NissanAssist.com

For heavy-duty hauling and > towing, the steel-reinforced ladder frame is made with full-length box-section rails enclosed on four sides.



