

4x4 Limited shown in Silver Sky Metallic with available color-keyed rear spoiler

SURROUNDED BY SPACE, YOU'LL SUDDENLY FEEL CLOSE.

04 MODEL GRADES

Features you'll find on the SR5 include:

- 4.7-liter 240-hp DOHC i-FORCE V8
- Vehicle Stability Control (VSC)¹ + Traction Control (TRAC)
- Vehicle Stability Control (VSC)¹ + 4-wheel Traction Control (TRAC)²
- Anti-lock Brake System (ABS) with Brake Assist³
- Available 4-wheel drive
- 5-link rear suspension
- Power outside mirrors
- Power-down rear window with electric defroster
- Deluxe 3-in-1 AM/FM Cassette/CD with six speakers
- Available rear-seat DVD entertainment system

Features you'll find on the Limited include:

- Leather trim on the front captain's chairs, second- and third-row seats, doors and steering wheel
- Dual front and rear defroster-linked CFC-free digital automatic climate control⁴
- Steering wheel-mounted audio controls
- 17" aluminum alloy wheels

¹See Available Packages and Options section footnote 3 for more information on Toyota's Vehicle Stability Control (VSC).

²4-wheel-drive models only.

^{3.} See Available Packages and Options section footnote 2 for more information on Toyota's Brake Assist.

⁴Available on SR5, standard on Limited.

MODEL GRADE FEATURES

	EXTERIOR			SR5_	Limited		SR5	Limited
		headlamps with auto-off f		S	_	Color-keyed power remote-controlled heated outside mirrors with		
		headlamps with auto on/or	tt teature	_	S	auto-retract feature, door handles, fender flares, running boards,		
	Integrated fog lamps			0	S	grille surround and body side moldings with chrome insert	_	S
	130-amp alternator			S P	_	Solar tinted glass	S	S
	150-amp alternator		ald: and DOAF (70D1)		S	Washer-linked variable intermittent windshield wipers	S	S _
	tires (2WD models)	with chrome wheel arch m	oldings and PZ45//UR16	S	_	Privacy glass on rear quarter and tailgate windows	S	_ S
		with color-coordinated fen	dar flares and	3	_	Privacy glass on rear side, quarter and tailgate windows Mudguards	S	S
	P265/70R16 tires (4WD		uei iiaies aiiu	S	_	Front suspension, fuel tank and transfer case skid plates	S	S
		eels with P265/65R17 tires	•	P	S	Roof rack	0	S
		ive with locking center diffe		S	S	Towing hitch receiver and 7-pin connector	P	S
		ote-controlled outside mirro		J	0	Towing intent receiver and 7-pin connector	'	٥
		d grille surrounded with gra		S	_			
		2 8 ououou 8	.,	_				
	INTERIOR			SR5	Limited		SR5	Limited
	Leather-wranned steeri	ng wheel with mounted au	din controls	Р	S	Ten cup holders (total)	S	S
	Tilt steering wheel	ing wheel with invalited au	alo controlo	S	S	Multi-function remote keyless entry system	0	S
		log instrument cluster with	speedometer.	Ü	Ü	Illuminated entry system	S	S
		auge meters; LCD odometer				Digital quartz clock	S	S
	0	t, airbag, door-ajar, batter	. ,			Cruise control	S	S
		fuel level warning lights	,, , ,	S	S	Maplights	S	S
		onsole with front and rear o	dual cup holders,			Cargo area 12V auxiliary power outlet and grocery bag hooks	S	S
	dual 12V auxiliary powe	er outlets, covered armrest	storage compartment			Remote hood and fuel-filler door releases	S	S
	and notepad holder			S	S	Fabric-trimmed doors with integrated speakers, map pockets and		
	Multi-function accesso	ry meter with compass, out	side temperature,			courtesy lamps	S	-
		el consumption, fuel range	functions and			Fabric-trimmed multi-adjustable front captain's chairs with		
	HomeLink® ¹ universal			Р	S	adjustable headrests	S	-
	Dual zone front and rea	er defroster-linked CFC-free	digital automatic			Fabric-trimmed 60/40 split fold-down/tumble second-row bench seat		
	climate control			0	S	with adjustable headrests and center armrest	S	-
		ee automatic climate contr		S	-	Fabric-trimmed 50/50 split third-row bench seat with recline/slide/		
		assette/CD with six speake		S	_	fold-down/tumble/remove functions and adjustable outboard headrests	S	-
		N/FM Cassette/CD with 10 s		0	S	Leather-trimmed doors with integrated speakers, map pockets and	Р	,
		1/FM Cassette/6-disc in-da	sn GD cnanger	0	0	courtesy lamps	٢	S
	and 10 speakers			U	0	Leather-trimmed power-adjustable heated front captain's chairs with	D	
		or locks with driver and from	n passenger one-touch	S	S	8-way adjustable driver's seat and adjustable headrests	Р	S
	auto up/down with jam protection Power-down rear window with electric defogger and intermittent wiper Auto-dimming electrochromic rearview mirror Dual sun visors with illuminated vanity mirrors, sliding extensions and secondary visor				S S	Leather-trimmed 60/40 split fold-down/tumble second-row bench seat	Р	S
				S 0	S	with center armrest and adjustable headrests Leather-trimmed 50/50 split third-row bench seat with recline/slide/	Г	J
				U	J	fold-down/tumble/remove functions and adjustable outboard headrests	Р	S
				_	S	Metal-tone interior trim	_	S
		nity mirrors and sliding ex	tensions	S	_	modartone interior trilli	_	٠
		_		-		Clable and a sense of an antico and an		
	S = Standard	0 = Optional	— = Not Available	P = F	eature ava	ailable only as part of an option package.		



SR5 standard 16" styled steel wheel



SR5 available 16" split 3-spoke aluminum alloy wheel



SR5 available Limited standard 17" split 5spoke aluminum alloy wheel

Toyota Sequoias are designed to meet most off-road driving requirements. Abusive use may result in bodily harm or damage. Toyota encourages responsible operation to protect you, your vehicle and the environment. Some vehicles are shown with available equipment. Seatbelts should be worn at all times. Please do not allow passengers to ride in the cargo area. Towing receiver hitches/ball mount kits are not intended to provide crash protection. For details on vehicle specifications, standard features and available equipment in your area, contact your Toyota dealer. A vehicle with particular equipment may not be available at the dealership. Ask your Toyota dealer to help locate a specifically equipped vehicle.

 $^{^{\}rm 1}\,\mbox{HomeLink}\mbox{\ensuremath{\mbox{\sc B}}}$ is a registered trademark of Johnson Controls, Inc.

AVAILABLE PACKAGES AND OPTIONS

ALL MODEL OPTIONS

- Daytime Running Lights (DRL)
- Power tilt/slide moonroof with sunshade⁶
- Rear-seat DVD entertainment system with rear audio and wireless headphone capability
- Rear-seat audio system with wired headphone capability

- Driver and front passenger seat-mounted side airbags and front side curtain airbags⁵
- Rear load-leveling suspension⁷
- JBL Premium 3-in-1 AM/FM Cassette/6-disc in-dash CD changer and 10 speakers

SR5 PACKAGES

Preferred Package — includes leather-trimmed interior (seats and steering wheel) with power-adjustable front captain's chairs with adjustable headrests and steering wheel-mounted audio controls

Alloy Wheel Package #1 — includes 16" split 3-spoke aluminum alloy wheels with P265/70R16 tires, color-coordinated fender flares8 and running boards, rear door privacy glass, 150-amp alternator, towing hitch receiver and wiring harness with 7-pin converter

Alloy Wheel Package #2 — includes 17" split 5-spoke aluminum alloy wheels with P265/65R17 tires, color-coordinated fender flares8 and running boards, rear door privacy glass, 150-amp alternator, towing hitch receiver and wiring harness with 7-pin converter

Styled Steel Wheel Package — includes 16" styled steel wheels with P265/70R16 tires and color-coordinated fender flares⁸ (2WD SR5 models)

Convenience Package — includes heated dual color-keyed power remote outside mirrors, accessory meter with compass, outside temperature, current and average fuel consumption, fuel range functions and HomeLink®¹ universal transceiver

SR5 OPTIONS

- Fog lamps
- · Roof rack
- · Rear door privacy glass
- Towing hitch receiver with 4-pin connector
- Dual zone front and rear defroster-linked CFC-free digital automatic climate control
- Fabric-trimmed power-adjustable front captain's chairs with adjustable headrests
- · Remote keyless entry system
- Auto-dimming electrochromic rearview mirror with compass
- JBL Premium 3-in-1 AM/FM Cassette/CD with 10 speakers

LIMITED PACKAGES

None

LIMITED OPTIONS

· Rear spoiler

COLORS



Natural White with Charcoal or Oak interior SR5 with Warm Silver trim



Cassis Pearl with Ivory, Stone or Taupe interior



Silver Sky Metallic with Charcoal interior SR5 with Silver Sky trim



Imperial Jade Mica with Charcoal or Oak interior SR5 with Phantom Gray trim



Phantom Gray Pearl with Charcoal or Oak interior SR5 with Warm Silver trim



Blue Marlin Pearl⁴ with Charcoal or Oak interior SR5 with Phantom Gray trim



Desert Sand Mica⁴ with Oak interior SR5 with Warm Silver trim



Black with Charcoal or Oak interior SR5 with Phantom Gray trim

impact collisions. In all other accidents, the airbags will not inflate. To decrease the risk of injury from a deploying airbag, always wear seatbelts, sit upright in the middle of the seat as far back as possible from the airbag modules and do not lean against the door. Do not put objects in front of an airbag or around the seatback. Do not use rearward-facing child seats in any front passenger seat. The force of a deploying SRS airbag may cause serious injury or death. Please see your Owner's Manual for further instructions.

 $^{^1\}text{HomeLink} @$ is a registered trademark of Johnson Controls, Inc. ^4Not available on Limited models.

The Toyota driver, front passenger, front seat-mounted side airbags and side curtain airbags are Supplemental Restraint Systems (SRS). The driver and front passenger airbags are designed to deploy in severe (usually frontal) collisions where the magnitude and duration of the forward deceleration of the vehicle exceeds the design threshold level. The side airbags and side curtain airbags are designed to inflate in severe side-

⁶Requires Alloy Wheel Package #1 or #2 on SR5 models.

¹Requires dual air conditioning on SR5 models. ⁸Color-keyed with Silver Sky Metallic.

SPECIFICATIONS

	SPECIFICATIONS									
		SR5	Limited							
	Mechanical/Performance									
Engine		4.7-liter DOHC 32-valve i-FORCE V8; 240 hp @ 4,8	300 rpm; 315 lbπ. @ 3,400 rpm							
Ignition Transmiss	ion	Electronic, with Toyota Direct Ignition (TDI)	ivo (ECT)							
Body cons		4-speed electronically controlled automatic overdrive (ECT) Reinforced body-on-frame construction								
Suspension			Coil-spring independent double-wishbone front suspension with low-pressure gas-filled shock absorbers and							
	bar; 5-link coil-spring live axle rear suspension with low									
	and stabilizer bar	r pressure gas filled shock	outo 840 milea eneem							
Steering		Engine speed-sensing power-assisted rack-and-pi	nion							
	rcle diameter, curb to curb (ft.)	42.3								
Brakes		Power-assisted 4-wheel ventilated disc brakes with load-sensing proportioning valve (LSPV) and Anti-lock Brake								
System (A	BS) with Brake Assist1 and Electronic Brake-force Distri									
Rear-whe	el Traction Control (TRAC)	Standard (2WD models)	Standard (2WD models)							
	raction Control (TRAC)	Standard (4WD models) ²	Standard (4WD models) ²							
Vehicle St	ability Control (VSC) ³	Standard	Standard							
Multi-Mod	e 4-wheel drive with locking center differential	Standard (4WD models)	Standard (4WD models)							
Exterior I	limensions (in.)									
	ight, unloaded (2WD/4WD)	73.2/74.0	75.8/76.2							
	dth (2WD/4WD)	76.4/78.0	78.0/78.0							
with avai		78.0/NA	NA/NA							
Overall le		203.9	203.9							
Wheelbas		118.1	118.1							
Track (fro	nt/rear)	65.9/66.1	65.9/66.1							
Interior D	imensions front/middle/rear (in.)									
Head roor		41.1/40.6/36.8	41.1/40.6/36.8							
with moor		40.3/38.8/36.8	40.3/38.8/36.8							
Shoulder	room	62.1/62.2/60.9	62.1/62.2/60.9							
Hip room		59.7/58.3/50.3	59.7/58.3/50.3							
Leg room		41.6/38.4/29.8	41.6/38.4/29.8							
Seating c	apacity	8	8							
Off-Highv	ray									
	(departure angle (degrees)	2WD: 27/19; 4WD: 28/20	2WD: 27/19; 4WD: 28/20							
Ground cl	earance (in.) (2WD/4WD)	10.0/10.6	10.4/10.6							
Skid plate	S	On front suspension; fuel tank and transfer case sl	kid plates on all models							
Weights :	nd Capacities									
	ht (lbs.) (2WD/4WD)	5,070/5,270	5,100/5,295							
	icle Weight Rating — GVWR (lbs.) (2WD/4WD)	6,500/6,600	6,500/6,600							
	nbined Weight Rating — GCWR (lbs.)	11,800	11,800							
Payload ⁴	(lbs.) (2WD/4WD)	1,430/1,330	1,400/1,305							
Towing ca	pacity ⁵ (lbs.) (2WD/4WD)	6,500/6,200	6,500/6,200							
	ume (cu. ft.) behind front/middle/rear seats ⁶	128.1 ⁷ /65.3/27.8	128.1 ⁷ /65.3/27.8							
Fuel tank	(gal.)	26.1	26.1							
Tires										
Size — S	andard	2WD: P245/70R16; 4WD: P265/70R16	P265/65R17							
— Availa		2WD/4WD: P265/70R16; 2WD/4WD: P265/65R17	NA							
Type	nic	Mud-and-Snow-rated radial tires	Mud-and-Snow-rated radial tires							
Spare		Full-size, mounted under body	Full-size, mounted under body							
		Tun-3ize, mounted under body	r un-size, incunted under body							
	stimates (mpg city/highway) ⁸									
2WD		14/18	14/18							
4WD		14/17	14/17							
¹ See Avail:	able Packages and Options section footnote 2 for more 5Be	fore towing, confirm your vehicle and trailer are compatible,	All information presented herein is based on data available at the							
informati	on on Toyota's Brake Assist.	oked up properly and you have all necessary additional equip-	time of printing, is subject to change without notice and pertains							
	The state of the s	ent. Do not exceed any Weight Ratings and review all instruc-	specifically to mainland U.S.A. vehicles only (may differ in the state							
2WD mod	e. tio	ons and cautions from your trailer hitch manufacturer and	of Hawaii, Puerto Rico, the U.S. Virgin Islands and in other regions).							
See Avail		yota vehicle Owner's Manual. Note that the maximum amount	1-800-G0-T0Y0TA							
4 Includes		u can tow depends on the total weight of any cargo, occupants and available equipment in the vehicle.	Have you logged 100,000, 200,000 or more miles on your Toyota with the original engine, transmission and drivetrain? If you have,							
	weight distribution.	argo and load capacity limited by weight and distribution.	give us a call at 1-800-GO-TOYOTA and tell us your story.							
	12	7.9 cu. ft. with moonroof.	toyota.com							
	⁸ 20	04 preliminary mileage estimates determined by Toyota. EPA	©2002 Toyota Motor Sales, U.S.A., Inc.							
		ileage estimates not available at time of printing. Actual mileage								
	ma	ay vary.								