

VOLVO Station Wagons

240/260 SERIES





Everything you would not expect in a station wagon, plus more...

Volvo offers you a choice ... if you want value, practicality and extra space from your next station wagon without sacrificing comfort, handling and safety.

Compare the Volvo station wagon to our competition and you gain in value, safety and handling. Volvo's extensive list of standard equipment and built-in safety features represents an exceptional value that won't be found elsewhere. And the same responsiveness and superb handling that drivers associate with Volvo sedans make the Volvo station wagon the best handling wagon available.

Compare the Volvo station wagon to our sedans and you'll add extra practicality — and adding more practicality to a Volvo isn't easy to do. It offers the best features of Volvo sedans — all the best features — plus the capacity for additional cargo and passengers. It doesn't sacrifice comfort for utility, performance for payload or any

other compromise that would be best not made. Think about it. More people have bought a Volvo station wagon because *it does* offer the same qualities as our sedans.

Inside, the Volvo station wagon differs only slightly from our sedans. The cargo compartment is different, of course, but the part the driver and passengers see and use remains nearly the same: the same orthopedically designed seats with lumbar support. The same ergonomically efficient driving environment designed to keep you comfortable and safely alert. Even the same responsive and economical B21A overhead cam four-cylinder engine. And you'll also find the same quality and attention to comfort that has made the Volvo sedan famous.

Many other station wagons, in order to give you sufficient space inside, are oversized outside. Volvo engineers disagreed with this arrangement. Outside, the Volvo

wagon is compact. Inside, there's plenty of room where you need it most. It took Volvo engineering to accomplish this. Our station wagon has the same length and width dimensions as its sedan counterpart. That keeps it just as easy to park and drive as the sedan. Very few sedans — let alone station wagons — can match its 32'2"/9.8 metres turning circle. Power-assisted, rack-and-pinion steering provides quick and very precise, positive steering control. In the cargo area, the counter-balanced tailgate lifts easily with one hand to expose a cargo area that can easily accommodate a six-foot couch. Underneath the carpeted cargo deck, there's a large storage compartment that can also be used to hold the accessory third seat.

The Volvo station wagon weighs a lot less than most large wagons. Consider what you may save in fuel

"Lambda-sond" is a trademark of Volvo of America Corporation. Standard in the 265GL.

costs, while maintaining exceptional cargo capacity. It weighs only slightly more than our sedan, but not enough to seriously affect performance or handling. The suspension is tuned to compensate for the weight difference thus providing you with the safer, more comfortable and predictable ride and handling qualities you deserve.

The Volvo station wagon is available in two different models: the 245, which we have just described, and the luxurious 265GL, which is the companion to one of the industry's truly fine prestige sedans, the Volvo 264GL. The 265GL

provides a genteel combination of elegance and utility. And, with its high standards of luxury and performance, it ranks as perhaps the finest station wagon available in today's marketplace.

The 265GL offers standards of quality, performance, comfort and usefulness that are unlikely to be matched by other station wagons. From the special plush carpeting to its hand-finished leather-faced upholstery, and quick, responsive V-6 power, the 265GL offers many features that would not be standard on a great many so-called "luxury" sedans, let alone wagons. Features

such as air conditioning, power windows, electric rear view mirrors, intermittent rear window wiper and washer, automatic load leveling and more.

Whether you choose the Volvo 245 station wagon or the 265GL, you can be confident that they are a superior alternative to other wagons. Both offer all the standard Volvo safety, durability, handling, comfort and convenience features found in the sedan versions, including their high quality and value. Drive a Volvo station wagon today and you'll agree.

Inside, Volvo is pleased to offer you superior quality and comfort

How many times have you felt that most station wagons seem to waste interior space? Is this really what you want in your next station wagon? We don't think so. Volvo is pleased to offer you a superior alternative: two station wagons with interiors that are comfortable, efficient *and* spacious.

Volvo has a tradition of providing the finest in seating comfort for driver and passengers. Comfort begins with properly designed seats, and Volvo's expertise in seat design is well known. The orthopedically designed seats are not only comfortable, but also contribute to your safety on long trips. These qualities are important to the driver because fatigue and discomfort are distractions, and distractions are dangerous. The driver's seat adjusts *nine ways* to fit you comfortably and offers firm back, leg and adjustable lumbar support. The padded steering wheel and all the instruments and controls are positioned so that the driver can reach, see and operate them with ease... something that Volvo engineers insist upon. And key controls are just a fingertip away.

The front passenger seat is also fully adjustable (the seat height can



The Volvo seat adjust *nine* ways to give you a more comfortable ride.



The rear window wiper, has an intermittent cycle on the 265GL, which is available for the 245. The control is on the steering column.

be changed by resetting a few bolts). The seats are supported internally for long-lasting resiliency and comfort and are designed, statistically, to fit 95% of the North American adult population. The rear seat is supported by springs and foam padding for greater comfort. There's ample leg and headroom for five adults. And, when you need extra cargo area, the rear seat conveniently folds forward.

Upholstery is installed to Volvo's exacting standards. Leather-faced upholstery with matching vinyl trim is standard on the 265GL, while 245 seats are done in tough, durable vinyl. Both interiors offer exactly the same attention to detail and quality found in Volvo sedans.

The standard electric rear window defroster adds to your safety. And visibility is further improved with the standard rear window wiper and washer (intermittent on the 265GL) operated by the convenient lever on the steering column.

Other passenger comfort and convenience features include: tinted glass with a dark tint band in front for greater glare reduction, convenient storage compartment



located in each front door, the reliable accuracy of a quartz crystal clock, 12-outlet flow-through ventilation with separate fresh air inlet, intermittent windshield wipers, day-night rear view mirror, child-proof rear door locks, lockable illuminated glove compartment with vanity mirror, stereo speakers in each front door and full interior carpeting, including the cargo area.

Carpeting in the 265GL is a special plush-pile. There's deluxe interior trim and the cargo area is attractively upholstered with the same carpeting. Also, standard on the 265GL are air conditioning, power windows, electric rear view mirrors, metallic paint and map pockets in the front seat backs.

Volvo's occupant safety features deserve special mention. Beginning with easy-to-use three-point seat belts, Volvo's safety engineering takes step after step to protect driver and occupants. Volvo's structurally strong welded unit-body forms the foundation for occupant safety. Also, a built-in safety "cage" surrounds the passengers.

Volvo's unitized body is carefully designed to absorb and cushion impact energy instead of transmitting it to the passenger compartment. Reinforced doors, crash resistant latches and a protected gasoline tank are other important safety features.

All these features are included in Volvo station wagons because Volvo wants you to enjoy the assurance and freedom from worry that comes with knowing that Volvo builds one of the safest wagons in the industry. And that you also gain in comfort, efficient design, and quality—all of which adds up to exceptional value.

The cargo area is the single most important station wagon feature.



If you consider what you want to carry in your station wagon, then the cargo area is very important. Were this area not spacious, easy-to-use and well-designed, there would be little reason to purchase a station wagon. Volvo engineers, therefore, designed the Volvo wagon to be the most efficient possible.

Access to the spacious cargo area is made easy by the full-width rear tailgate. Hinged at the top to a steel frame, it lifts easily with one hand, aided by dual, gas cylinder mechanisms. It's mechanically simple, designed for years of trouble-free use. When lifted up, you have unhindered access to a cargo area with a low, flat floor—intended for easy loading. The loading height is only 23 inches (59 cm). The sides of the cargo area are flat to allow you maximum storage capacity—up to 76 cubic feet with the rear seat folded down (room enough for a six-foot couch), or more than 40 cubic feet with the rear seat in use (room enough for a lot of camping gear). On the left side, the spare tire is stored vertically behind a cover for convenient access. In the middle, there's a large, underfloor storage area that, when fully open, allows you extra room to stand tall objects. On the right, underneath, there's the reservoir for the rear window wiper/washer.

Along either side of the cargo area, there are tie-down rings so you can secure your cargo. The carpeted floor is edged with metal bindings to prevent wear. This was done to make your Volvo wagon last longer. The 265GL has plush carpeting on the floor and sides. There's a dome light above.

Everything about the Volvo station wagon cargo compartment is

well thought out, convenient to use and practical. Volvo engineers would not do it any other way.

In addition to the spacious cargo compartment, there are other Volvo features you should consider. The Volvo wagon weighs a little more than its sedan counterparts. So, despite big payload capacity, there's little penalty in day-to-day operating economy. Handling and ride are superb and, we feel, much better than most other sedans. A test drive will prove what we're saying. You'll be able to feel the effects of the specially selected higher-rate springs, rear stabilizer bar (on the 245), firm shock absorbers, high capacity radial tires and power-assisted steering. And you'll be very satisfied with the comfortable ride.

The 265GL comes with a fully automatic, air-activated load-leveler system. When you carry a heavy payload, this device will automatically level your station wagon. This improves handling, vehicle control

and stability for a safer ride. This system is also available for the 245 wagon.


Another feature built into all Volvo wagons is their towing capability. You don't have to order a special suspension package. A Volvo can tow up to 2,000 lbs. with no extra or heavy-duty suspension modifications. The trailer hitch, mirrors and wiring harness are all available accessories.

If you need extra cargo capacity to add to the utility of your station wagon, a permanent or removable roof/luggage rack is available. For extra seating capacity, there's an accessory third seat that folds neatly down into the underfloor storage compartment.

Finally, included in every Volvo is its rugged, unitized construction that minimizes weight with maximum strength. This is important in a station wagon, because you want it to stand up to hard work. There's a strong safety cage surrounding

you and nearly 4,000 spot welds to insure strength and minimize rattles... all to help your Volvo wagon last for years of efficient use.

The Volvo station wagon offers superior load-handling capability combined with the valued qualities of the Volvo sedan. With most cars, you give up qualities when you buy the wagon version. With Volvo you gain: value, practicality and extra space.



The cargo compartment is designed for the convenient loading of bulky objects.



The Volvo station wagon is a pleasure to drive.

Of all the qualities built into Volvo's 245 and 265GL station wagons, none offers more satisfaction than their driveability, performance and handling qualities. These qualities combine with Volvo's legendary durability to produce wagons that are enjoyable and long-lasting.

Volvo handling begins with steel-belted radial tires that deliver positive road-holding characteristics through improved traction in cornering, braking and straight-line driving. The special Volvo wagon suspension utilizes McPherson strut suspension in front and coil springs in the rear, allowing a quiet, smooth ride to be combined with responsive handling. Front and rear stabilizer bars minimize body roll during cornering and Volvo's "live" rear axle design assures constant track and wheel angles for optimum traction and road-holding. On the 265GL, the automatic load-leveler replaces the rear stabilizer bar. Four-wheel power-assisted disc brakes provide sure, minimum-fade stopping capability. For increased stopping efficiency, the 265GL is equipped with front disc brakes ventilated for optimum cooling.

Volvo's rack-and-pinion steering system delivers precise, positive response and blends with the suspension to produce Volvo's conception of proper handling. The relationship between what the driver does and how the car reacts must be uncomplicated, natural and predictable. Further, proper handling must not interfere with ride comfort. The balance between

ride and handling in Volvo wagons retains the best of both qualities.

The two engines offered in Volvo wagons are engineered specifically for the models in which they are installed. The 245 wagon is powered by the economical, carbureted B21A four-cylinder engine. This overhead cam engine is engineered for quickness, with more emphasis on low-speed torque and acceleration than on high top speeds. This attention to responsiveness gives the 245 an advantage over most quality wagons and makes driving more enjoyable.

The luxurious 265GL, Volvo's prestige wagon, is equipped with Volvo's most powerful engine, the 2.7 litre B27F engine, a V-6 with light-alloy aluminum block and cylinder heads, Continuous Flow fuel injection, chain-driven overhead camshafts, solid state ignition and our highly effective Lambda-sond™ emission control system, a combination of modern engineering elements that results in a favorable power-to-weight ratio, efficient operation and brisk performance.

On the 245DL/265GL, you can choose either of two transmissions: a four-speed manual gearbox with electrically-activated overdrive, or a three-speed automatic transmission. Both are standard to suit your particular driving style.

Also included with every Volvo wagon at no extra charge is one of the automobile industry's finest and most thorough durability pro-



B21A, in-line, four-cylinder engine.


grams. Because Volvo believes you deserve the best in durability, every Volvo body receives a comprehensive application of rust-preventive measures: zinc coating of rust-susceptible components, factory undercoating, "Slipstream" ventilated rocker panels that prevent moisture accumulation, the injection of rust-preventive fluids into closed body cavities, and a multi-layer exterior finish that keeps its good looks for years.

Further protection is added to the sheet metal below the belt line, lower half of the doors and rocker panels to minimize stone chip damage... another example of Volvo's concern for the life of your car.

All these and many other features contribute to making the Volvo station wagons, automobiles that exhibit the highest standards of quality, comfort and luxury while at the same time offering enjoyable performance, worthwhile practicality and that rarest of all automotive qualities, value for money.

™Lambda-sond™ is a trademark of Volvo of America Corporation.

B27F, V-6 engine



Volvo wagons are designed to perform when you need it. And, they can pull up to 2,000 lbs. Towing accessories are also available.



The 1979 Volvos at a glance

Engine: 262C, 264GL, 265GL

Model B27F V-6 aluminum cylinder block with wet steel liners and aluminum-alloy cylinder heads. Valves actuated by chain-driven overhead camshafts (one per cylinder bank) operating rocker arms. Induction by Continuous Flow mechanical injection spraying fuel into cast aluminum inlet manifolds. Unleaded (91 RON) fuel required. Model B27F V-6 Lambda-sond™ features a 3-way catalyst for lower emissions with excellent drivability and fuel economy. Displacement: 163 cubic inches (2673 cc). Bore x Stroke: 3.46 x 2.87 ins. (88 x 73 mm). Compression Ratio: 8.71. Horsepower (SAE-net): 127 @ 5500 rpm (95 KW @ 92 R.P.S.). Torque (SAE-net): 148 ft. lbs. @ 2750 rpm (205 NM @ 46 R.P.S. DIN).

Engine: 242D, 244D, and 245DL

Carburetor: B21A in-line 4-cylinder, cast iron block with five main bearings, aluminum-alloy cross-flow cylinder head. Valves actuated by a belt-driven, single overhead camshaft operating directly on bucket-type tappets, single slide draught carburetor. Type of fuel required: regular (93 RON). Displacement: 130 cubic inches (2127 cc). Bore x Stroke: 3.62 x 3.15 ins. (92 x 80 mm). Horsepower (SAE-net): 95 @ 5250 rpm (71 KW @ 88 R.P.S.). Torque (SAE-net): 120 ft. lbs. @ 2500 rpm (162 NM @ 42 R.P.S. DIN). Compression Ratio: 8.5:1.

Engine: 242GT and 244GL

Fuel Injection: B21F in-line 4-cylinder, cast iron block with five main bearings, aluminum-alloy cross-flow cylinder head. Valves actuated by a belt-driven, single overhead camshaft operating directly on bucket-type tappets. Induction by Continuous Flow mechanical injection. Fuel is sprayed into each branch of aluminum inlet manifold. Type of fuel required: regular (93 RON). Displacement: 130 cubic inches (2127 cc). Bore x Stroke: 3.62 x 3.15 ins. (92 x 80 mm). Horsepower (SAE-net): 111 @ 5250 rpm (83 KW @ 88 R.P.S.). Torque (SAE-net): 120 ft. lbs. @ 2500 rpm (162 NM @ 75 R.P.S. DIN). Compression Ratio: 9.3:1.

Exhaust Emission Control

All 262C, 264GL and 265GL have the three-way catalyst, Lambda-sond™ emission system.

Fuel System

13.2 Imperial gallon tank (60 litres).
240 Series—Carburetor, regular fuel with minimum rating of 93 RON.
240 Series—Fuel injection, regular fuel with minimum rating of 93 RON, electric fuel pump.
260 Series—Fuel injection, unleaded fuel with minimum rating of 91 RON (no lead), electric fuel pump.

Cooling System

Sealed "tropic" system holds 9.6 Imperial quarts (10.9 litres) in the 260 Series, 8.3 Imperial quarts (9.5 litres) in the 240 Series, anti-freeze coolant, with a translucent expansion tank.

Electrical System

12-volt system features solid-state ignition on all fuel-injected 240 and 260 Series models. A 70A rated alternator (55A on 240 Series) and 70 amp hour battery on 260 Series (60 amp on 240 Series). Starter motor output 1.1 hp.

General Data:

	Inches	cm
Wheelbase	104.0	264
With Power Steering	104.3	265
Overall Length (All models)	192.5	489
Overall Width (All models)	67.3	171
Overall Height (242/244/264GL)	56.3	143
(245 & 265GL)	57.5	146
(262C)	53.9	137
Legroom, Front (All except 262C)	40.7	103.5
(262C)	40.2	102
Legroom, Rear (All sedans)	38.6	98
(Station Wagons)	36.4	92
(262C)	35.5	85
Seating Capacity (All except 262C)	5	people
(262C)	2 + 2	Tourer

Trunk Capacity, Sedans (SAE) 13.9 cu.ft./395 DM3
(262C) 13.7 cu.ft./389 DM3
Cargo Capacity, Station Wagons (SAE)
Rear Seat up 41.1 cu.ft./1160 DM3
Rear Seat down 76.0 cu.ft./2150 DM3

Drivetrain: 260 Series

Manual: Four-speed, fully-synchronized transmission with floor-operated shift lever with leather cover. Electrically operated overdrive with a shift lever switch operates in fourth gear. Gear ratios: 1st 3.71, 2nd 2.16, 3rd 1.37, 4th 1.00-1. Overdrive 0.80:1. Final drive ratio 3.73:1.

Automatic: Three-speed with a floor-mounted shift lever and an illuminated quadrant with a PRND21 pattern. Final drive ratio 3.54:1.

Drivetrain: 240 Series

Manual: Four-speed, fully-synchronized transmission with floor-operated shift lever. Electrically operated overdrive with a shift lever switch operates in fourth gear (standard on the 242GT, 244GL and 245DL). Gear ratios: 1st 3.71, 2nd 2.16, 3rd 1.37, 4th 1.00-1. Overdrive 0.80:1. Final drive ratio 3.91:1.

Automatic: Three-speed with a floor-mounted shift lever and an illuminated quadrant with a PRND21 pattern. Final drive ratio 3.71:1.

Steering System

Rack-and-pinion gear with five-stage safety column. Variable ratio power-assist is standard on all models except the 242 and 244 with manual transmission. Turns lock to lock: 3.5 (4.3 without power-assist). Turning circle 32' 2" (9.8 metres).

Suspension

Front: McPherson strut design incorporating coil springs and telescopic shock absorbers. Firmer shock absorbers are standard and a heavier stabilizer bar further increases roll stiffness.

Rear: Rigid "live" axle is located by longitudinal control arms and torque rods. Lateral location by track rod. Coil springs and telescopic shock absorbers, gas-filled on the 264GL and 262C for better ride control. Heavier rear stabilizer bar further improves cornering on all sedans and the 245 station wagon. The 265GL has a fully automatic load-leveler.

Note: The 242GT is equipped with heavier stabilizer bars front and rear plus fast response gas-filled shock absorbers on the rear.

Wheels and Tires

Steel-belted radial tires are standard. They are fitted on wide-offset 5.5" x 14" pressed steel wheels. The 264GL and 262C have 25 spoke light-alloy wheels, 244GL with light-alloy wheels, and the 242GT has light-alloy GT wheels. A "Space Saver" spare tire with electric air compressor is standard on the 242GT and 262C.

Tire Size:

264GL & 262C	185/70-SR14
265GL	185-SR14
242, 244 & 245	DR-7H-14
242GT: Pirelli CN36	185/70-HR14
244GL	185-SR14

Brake System

Self-adjusting disc brakes on all four wheels. Tandem type 4:1 power assist. Pressure relief valves on rear brakes. Dual "triangle-split" hydraulic brake circuits with stepped-bore master cylinder to maintain near-normal pedal effort even if one circuit fails, connects both front wheels and one rear wheel on each circuit. Special ventilated front discs are standard on all 260 Series models and the 242GT. Centre handbrake operates mechanically on separate rear wheel drums.

Body

Unitized construction with energy absorbing front and rear ends with central "safety cage." Hot-dipped galvanized steel in rust susceptible areas. Zincrometal process is also used. A special anti-corrosive coating is sprayed inside the

doors, rocker panels, etc. Factory undercoating, high-impact polypropen front fender inner-liner and special stone chip resistant paint. Exhaust system is partially aluminized.

Additional Standard Equipment: 240 Series

Full adjustable front bucket seats, adjustable lumbar support, trim and glass all around, 12-circuit heating and ventilation system, fresh air inlet, intermittent windshield wipers, full interior carpeting, heated driver's seat, front door operated dome light, key and light warning buzzer, storage compartment on front doors, vanity mirror, and lockable, illuminated glove compartment, quartz crystal clock, day/night rear view mirror, dual outside mirrors, childproof rear door locks, electric rear window defroster, stereo door speakers and radio antenna, trip meter, light integrity sensor, passenger assist handles, rear seat centre armrest (sedans), four three-point, self-adjusting safety belts, and one rear lap safety belt, luggage compartment light, cloth upholstery with vinyl trim (all vinyl in station wagon), electric rear window wiper and washer on the 245, bright anodized bumpers with rubber facing, vinyl inserted molding, twin tailgate gas cylinders on the 245-242GT; Custom interior upholstery and trim, tachometer, GT steering wheel, high-speed CN-36 Pirelli radial tires, grille-mounted fog lights, engine compartment light, GT suspension/handling package, air spoiler, special exterior trim, and Mystic Silver metallic paint. Fuel injection, solid state ignition, sliding steel sunroof on 242GT and 244GL. Also on 244GL leather-faced upholstery, steel belted radial tires on light-alloy wheels, tachometer and metallic paint.

Additional Standard Equipment: 260 Series

Sliding steel sunroof, metallic paint, choice of leather-faced upholstery with matching vinyl trim, color co-ordinated interior or velour upholstery, tachometer, map pockets on front seat backs, delayed switch-off of dome light, power windows, power remote-controlled rear view mirrors, air conditioning, plush carpeting including trunk or cargo area, 25-spoke light-alloy wheels on 264GL, engine light, intermittent rear window wiper and washer on 265GL, automatic load-leveler on 265GL, wide rubber body side molding, 262C: Custom leather interior by Bertone, cruise control, heated front seats, deluxe interior map lights, black vinyl roof with Mystic Silver metallic finish, power antenna. 264GL radio antenna is an accessory.

Accessories

Volvo has a wide variety of accessories, including stereo radios and tape players, designed to tailor-make a Volvo to your individual specifications.

Warranty and Maintenance

Volvo offers a 12 month limited warranty without mileage restriction. To help you fully understand your warranties, servicing needs and maintenance schedules, Volvo has prepared a service booklet.

In addition, all 1979 Volvo passenger cars are subject to a warranty covering body section perforation from internal corrosion, under normal operating conditions for a period of 36 months from the date the vehicle was first put into service by retail purchaser, dealer, or manufacturer's fleet. (Internal corrosion perforation is defined as the perforation progressing from the interior of a body section through to the exterior of such section.)

Leasing

Leasing may be the solution to your automotive needs. Volvo has developed its own unique "Leasing Program" with participating Volvo dealers. They can discuss the advantages of leasing a Volvo. Lease plans are available from 12 months to 48 months.

Overseas Delivery

Volvo's comprehensive overseas delivery plan is designed so you can get the most out of your European vacation or business trip. All the details, even complete financing, can be arranged in advance. See your Volvo dealer to develop a plan that accommodates your itinerary and schedule.

The factory reserves the right to make changes at any time, without notice, to prices, colors, materials, standard equipment, specifications and models and also to discontinue models.

VOLVO

Cover: 245 Four-door station wagon in Carsbad Yellow with accessory roof rack and wheel trim rings.