





Engineered Roadability

Premier puts the power to perform where driving control begins: at the front wheels. Front-wheel drive provides inherent on-road advantages such as improved directional stability and all-weather traction. And a front-drive design better facilitates the use of an independent rear suspension, which minimizes unsprung vehicle weight for a smoother ride.

At the heart of Premier's engineering excellence are two advanced powertrain systems. The standard power behind Premier LX comes from a throttle-body fuel-injected 2.5 litre 4-cylinder engine with more standard horsebeaver than Ford Tourns Oldsmahile Ciens and Pantiac 0000. Teamed with a convenient 4-speed automatic transmission featuring electronic shift control and fourth gear overdrive. this powerplant delivers quiet, smooth performance with designed-in reliability and impressive fuel efficiency: 22 EPA est, city mpg. 31 EPA est, hwy mness

The aluminum after 3.0 liter Vt engine with multi-part fuel injection pats out 150 harmoure 60 S000 rpm (standard Premier ES).

You can raise this level of performance with the nowerful 3.0 litre multi-port fuelinjected overhead cam V6 engine that's standard on Premier ES (optional on LX). Its aluminumalloy design, state-of-the-art electronics, and long-life features combine to provide an exceptional capacity for quickness and long-running efficiency. Matched to the responsive 4-speed automatic overdrive transmission, this powerplant delivers impressive low-end torque for instant acceleration as well as steady highwaycruising power of 150 horsepower @ 5000

discloser draw beaker ensure smooth, productable state.

> *Correspondent based on 1991 published competitive figures. **EPA figures for comparison. Voor create mes differ

rpm. Yet this V6 can produce mileage figures of

18 EPA est, city mpg, 27 EPA est, bwy, mpg;**



Further evidence of Premier's performance credentials is its advanced fully independent suspension system. The front features Mac-Pherson struts and coil springs for optimum straight-line tracking, a linkless stabilizer bar for balanced handling and reduced body roll. and anti-dive geometry to help maintain vehicle attitude during severe broking

In the rear Premier's independent trailing arm suspension system incorporates the space efficiencies of transverse torsion bars and steeply inclined gas-filled shocks. Combined with the added control of a rear stabilizer bar this system works to promote interior roominess, while contributing to vehicle ride and handling.

Power Steering & Brakes

Premier's driving control begins with standard power rack-and-pinion steering. It provides the proper road feel at highway speeds and assists in curves and parking maneuvers with Premier's tight 36-foot curbto-curb turning circle.




Standard fell made instrumentation include techniques standardes wheater trip advantes have feel assembly light content towards wheater the advantes have feel assembly light content towards Samular per saming introduction increases takenerer, predictive, assentir, in assence, iss-per variety right, contain respectation of terror field from the Constitute and Which Maintenance Munitur (standard ES, antional LX)

At the other end of the performance spectrum is Premier's stopping ability: standard power ventilated front disc/rear drum brakes. Front calipers and ventilated front composite rotors work in concert to resist brake fade for smoother, more predictable stops. The composite-type rear drum brakes reduce noise and are designed to limit brake pressure to avoid rear lockup during hard braking.

Enthusiast Group

Premier's inherent driveability is further enhanced with performance features available in the Enthusiast Group (optional on LX). Bucket seats provide a sporty feel. A Touring Suspension System has received effective front spring stiffening for improved road feel and driver control. There are also lace-style aluminum road wheels matched to extra-wide P205/70HR!4 Goodyear Eagle® GT+4 black radial tires for added road-gripping control in all weather situations.

The same Touring Suspension System and high-performance tires, as well as 14"x5.5" polycast Eurosport wheels and Euro-style front bucket seats, are standard on Eagle Premier ES.



to making wide hamdling and emanthment

Earle Premier LX



Capacity & Convenience

The figures for Premier's interior capacity are unsurpassed—Eagle Premier has the roomiest interior of any sedan in its class.* Thanks in part

to the design efficiencies of two performance features: front-wheel drive and an independent transverse torsion bar rear suspension system that allows more rear seat room and trunk space than conventional rear suspension designs.



Six-Passenger Roominess.

Premier's interior dimensions accommodate perfectly the six-passenger seating that's standard on the LX model. Up front, a 55/45 independent reclining split bench seat, with folding armrests and cloth-covered adjustable headrests, provides firm, comfortable seating for three adults. And because the rear seats are positioned in front of the rear wheelhouses, passengers in back receive generous hip and shoulder room.

Premier ES has more of a performance orientation, with individual reclining front sport luxury bucket seats (for excellent lateral support) and European-style open headrests for both front and rear seat passengers. You can even order seating that includes genuine leather (late introduction on ES model only). And both Premier ES and LX models offer passengers more front and rear legroom than any car in their class*

Cargo Capacity.

Because Premier is a passenger car, it's designed to accommodate people and their cargo. Thanks to the space efficiencies of a rear transverse torsion bar suspension, Premier's trunk floor is lower, providing a cavernous 16.4 cubic feet of cargo space. And Premier's low-cut trunk allows cargo to be moved directly across the trunk floor for easy loading and unloading. An optional trunk lid luggage rack is available for additional carrying capacity.



A front 55/45 independent reclining split bench seat with folding armrests and adjustable headrests contributes to the comfortable six-passenger seating that's standard on Premier LX.

Designed-In Convenience.

Furthering Premier's built-in capacity to please people are its extra-wide limousine-style doors. They provide easy entry and exit for both front and rear seat passengers. The extensive use of glass on Premier, made possible through slim roof pillars and wrap-over doors, provides excellent driver visibility while giving occupants an eye-opening view of the world.

Personal convenience is ensured with standard features like a leather-wrapped steering wheel, 16-ounce cut-pile carpeting and floor mats, dual overhead map lights and rear courtesy lamps, and map pockets on seatbacks and inside front doors. A standard locking glove box secures the more important items.

Premium convenience features that are standard on ES (and optional on LX) include center console with storage bin and lighted driver and passenger visor vanity mirrors.

Sport luxury front bucket seats with Europeanstyle adjustable open headrests provide Premier ES with a performance orientation.



^{*}Based on comparison of EPA and competitors' published specifications. for standard four-door sedan models classified as Intermediate Regular Segment vehicles by Wards 1988 Automotive Yearbook. Data for competitors' 1988 models used where 1989 model information not available at time of printing.

An Enlightened Environment

Premier's ergonomically designed

instrument panel conveys information clearly and puts command of driving controls within our reach.

It is from behind the wheel that an automobile instills driving confidence. And it is from this driver's point of view that Eagle Premier can be fully appreciated for the logic of its layout and the sophistication of its technology.

Instruments & Controls

Close attention to ergonomic detail has resulted in the placement of all of Premier's instruments and controls within clear view and easy reach. The standard instrument panel

features full analog instrumentation to keep the driver apprised of vehicle speed, engine rpm, fuel level, oil pressure, engine coolant temperature, and trip miles. A low-fuel warning light and digital quartz clock are also standard on

both Premier models.

Among the items standard on ES (and optional on LX) is the Electronic Information Package. This consists of a Trip Computer. with reports on time, distance traveled, average


speed, stopwatch time, fuel range, average fuel economy, instantaneous fuel economy, and outside temperature; and a Vehicle Maintenance Monitor that alerts the driver to low fluids. brake lamp and taillamp outages, door ajar, and regular maintenance due.

Popular options available on Premier include: Convenience Group (tilt steering column and cruise control), power windows, Power Lock Group (doors, decklid, remote fuel-door release. and remote-control locks with illuminated entry), and six-way power front seats.

Climate Control & Visibility Whatever the conditions out side, Premier maintains a quiet, comfortable environment from which to conduct the serious business of driving. The standard rear window defroster with timer and side window

tinted glass helps fight glare and maintain a cool interior temperature. Standard intermittent windshield wipers clear the view. Premier's "smart heater" system delays the blower until the engine has warmed to a level sufficient to produce warm air. And an electronic automatic temperature control, included with the optional air conditioning system, lets you set the temperature automatically with convenient soft-touch controls. Sound Choices

Premier embraces new developments in car stereo design with a family of state-of-the-art audio systems. Standard for both Premier models is an AM/FM electronically tuned stereo radio including push-button control, liquid crystal display, 20-station memory, and AM stereo reception. An identical system with cassette player and Dolby® noise reduction is available as an option. Or you can opt for the ultimate: Premier's Premium Audio System with AM/FM electronically tuned stereo cassette, separate seven-band push-button equalizer, and Dolby® noise reduction, along with eight premium Accusound by Jensen® speakers (Accusound by Jensen® speakers defoggers keeps windows clear. Standard standard on ES), and a power antenna.



An optimal Prenium Audio System featuring eight Accumund by Jensenth speakers (standard ES) offers Premier's ultimate sound



PREMIER

Earle Premier LX.



Specifications & Dimensions

Technical Specifications

BRAKES Front

Ventilated composite disc, power-assisted,

265 mm rotor diameter

Rear Composite drum, power-assisted, 225 mm drum

Dual diagonal with rear wheel proportioning

Master Cylinder STEERING Type Location

Power-assisted, rack-and-pinion

Center-mounted

SUSPENSION Front

Type Independent, MacPherson struts Spring Type Coil (six different spring rates matched to vehicle weight and ride/handling package)

Stabilizer Bar

Standard, 26 mm

Rear

Independent, 4-bar with trailing arms

Type Spring Type Dampening Stabilizer Bar

Torsion bar, 26 mm Gas-filled shock absorbers

Standard, 22 mm

Transmission Type Automatic 4-speed Automatic 4-speed Mounting Direction Longitudinal Longitudinal **Engine Application** 2.5 litre 3.0 litre Controls Electronic Mechanical **Gear Ratios** 2.71:1 2.58:1 lst 2nd 1.55:1 1.41:1 3rd 1.00:1 1.00:1 4th 0.68:1 0.74-1 Reverse 2.11:1 2.88:1 Overall Axle Ratio 3.85:1 3.59:1 **Torque Converter**

Lockup Features ENGINES*

(number)

Diameter

250 mm Mechanical lockup feature in 3rd and 4th gears

260 mm Split torque (semi-lockup) feature in 3rd, mechanical lockup feature in 4th gear

Aluminum

Displacement (cu. in.)/ Configuration 2.5 litre (151)/I-4 Horsepower (Bhp) 111 @ 4750 rpm Torque (lb-ft) 142 @ 2500 rpm Bore x Stroke 98,42 mm x 80,97 mm Compression Ratio 9.2:1 Cylinder Block Material Cast iron Cylinder Head Material Cast iron Camshaft Location

In block (1) Fuel Delivery System Electronic fuel injection (single

throttle-body) Combustion Chamber

Design Double-quench Accessory Drive Belts Single serpentine

Configuration 3.0 litre (182)/V6 Horsepower (Bhp) 150 @ 5000 rpm Torque (lb-ft) 171 @ 3750 rpm Bore x Stroke 93.0 mm x 73.0 mm Compression Ratio 93-1 Cylinder Block Material Aluminum

Camshaft Location (number) Cylinder heads (2) Fuel Delivery System Electronic fuel injection (multi-port)

Combustion Chamber Design Hemispherical Accessory Drive Belts Single serpentine

Displacement (cu. in.)/

Cylinder Head Material

Front

Rear



Base Vehicle Dir

nen	sions (inc	hes unless otherwise spe	citied)
		INTERIOR Front Compartment	
	106.0	Headroom	38.5
	192.8	Legroom	43.8
		Shoulder Room	57.8
		Hiproom	54.8
	58.2	Rear Compartment	
	57.1	Headroom	37.5
	70.0	Legroom	39.4
		Shoulder Room	56.9
	53.3	Hiproom	53.9
r		Interior Volume	
	36.0	Passenger Room (cu. ft.)	104.7
	39.0	Cargo Room (cu. ft.)	16.4
		EPA Total Interior	
		Volume (cu. ft.)	121
		Curb Weight (lbs.)	
		Base Model	2851

^{*}California emissions package required at extra cost on all vehicles registered in California - not available otherwise.

	lard reatures			Suspension (cont.)	Touring Suspension System with extra- firm front coil springs (included with LX Enthusiast Group)	x	s	Carpeting	Carpeted passenger compartment and rear package tray Carpeted luggage compartment	S	S
& Op	otions			Tires	P195/70R14 black sidewall steel-belted	s		Cigarette	Located in ashtray	S	s
S Standard	Optional - Not Available				P205/70HR14 Goodyear Eagle® GT+4 "H" speed-rated, steel-belted radial tires			Lighter Console	Color-keyed with storage bin; included with 45/45 bucket seats	X	
FUNCTIONAL	Maintenance-free, 12-volt, 500 amps	LX	ES		(included with LX Enthusiast Group)	X		Defoggers	Front side windows	S	S
Battery Brakes	Power front disc/rear drum	S	S		Compact temporary spare	S	S	Defroster	Rear window, electric	S	S
Bumpers	5.0-mph impact design	S	S	Transmission	4-speed overdrive automatic with		s	Floor Mats	Color-keyed, carpeted; front and rear	S	S
Chimes	Headlamps-on and seat belt reminder	S	s		mechanical lockup feature	S		Glove Box	Locking	S	S
	Single belt engine accessory drive,			Wheels	14"x5.5" polycast Eurosport	-	S	Headliner	Formed cloth	S	S
Diffe Beit	Poly-V serpentine-type	S	S	Wheel Covers	Full luxury	S	-			0	0
Electronic Ignition	Computer-controlled	s	s	Windshield Wipers	Two-speed with intermittent wipe feature	s	s	Heater	Delayed blower feature delays heater blower motor from operating until engine has sufficiently heated up. Feature may		
Electronic Information				EXTERIOR Glass	Tinted-all windows	s	s		be overridden if desired.	S	S
Package	Includes Trip Computer and Vehicle			Graphics/	Tinted—all windows	0	0	Hood Release	Inside	S	S
	Maintenance Monitor: Trip Computer functions include time, elapsed time, trip odometer, ambient temperature, average			Appearance	Lower bodyside blackout paint with chip-resistant PVC coating	s	s	Instrument Panel	Soft-padded, color-keyed, with added storage located under the radio	S	s
	trip fuel economy, instantaneous fuel				Bodyside and trunk lid accent stripes	S	S		storage located under the radio	0	0
	economy, distance to fuel empty, average				Bodycolor bumper with black rub strips	S	-	Instrumen- tation	Full analog instrumentation including		
	speed; Vehicle Maintenance Monitor warning lights include door ajar, brake lamp out, taillamp out, low transmission				Wide bodyside protective moldings with bright insert	s	_	tation	tachometer, speedometer, odometer, trip odometer, coolant temperature gauge,	S	s
	fluid, low engine oil, low washer fluid, low engine coolant, scheduled main-				Accent-colored bumpers and rub strips, wide lower bodyside cladding with				oil pressure gauge, fuel level gauge Low-fuel warning light	S	S
Engines	tenance reminder 2.5 litre I-4 with single throttle-body electronic fuel injection	X	8	Grille/ Front End	bright insert Bright grille insert with Eagle logo	s	s	Light Group	Includes dual map, trunk, underhood, and dual rear courtesy lights, delayed headlamp-off feature	S	s
	3.0 litre V6 overhead camshaft with	0	-	Front End	Bright headlamp surround	S	S	***		S	S
	electronic multi-port fuel injection and			Weedlesses.	Integrated quad aero-style with replace-	0	0	Mirrors	Day/night rearview Right-hand visor vanity	S	
	aluminum-alloy design	X	S	Headlamps	able halogen bulbs and wraparound					X	s
Front-Wheel	West 101 1 1 6 1	1			front turn signals	S	S	-	Illuminated, dual visor vanity	X	8
Drive	With solid-axle shafts and permanently lubricated constant velocity joints	S	S	Mirrors	Dual remote-control, black	S	S	Seats	Luxury cloth 55/45 split bench seats (3-passenger) with driver and passenger		
Fuel Tank	17.0-gallon capacity	S	S	Moldings	Bright-side window surround	S	S		seatback recliners; cloth adjustable head-		
Hood	Counter-balanced opening hood with				Bright-beltline accent	S	S		rests, seatback and front-door map		
	gas struts	S	S	Paint	Acrylic clearcoat	S	S		pockets, front and rear seat center folding armrests, pinstripe velour seat inserts		
	Extra-quiet sound insulation	S	S	Stop Lamp	Center high-mounted	S	S		with luxury velour seat-side bolsters	S	_
Safety Features	Rear door childproof locks	S	S	Taillamps	Wraparound style	S	S		Sport luxury cloth 45/45 reclining bucket		
	Rear seat courtesy and underhood	s	0	INTERIOR					seats with front and rear see-through		
	lighting Child seat restraint anchors	S	S	Ashtrays	Front and rear	S	S		adjustable headrests, seatback map pockets, rear seat center folding armrest,		
	Dual hood latches	S	S	Audio System	AM/FM electronically tuned stereo radio	S	S		diagonal velour inserts with ES velour		
Steering	Power rack-and-pinion, center-mounted	S	S		Four full-range speakers	S	-		seat-side bolsters	-	S
	Four-wheel independent suspension with	1	"		Eight premium Accusound by Jensen®			Seat Belts	Three-point seat belts with tension		
Suspension.	gas-filled rear shock absorbers	S	S		speakers	X	S		eliminators; standard with 55/45 split		1



A. Standard dual remote-control mirrors. B. Optional remote-control lecking system swith illuminated entry (included with optional Power Lock Group), C. Standard overhead courtery and map lights. D. Optional Premium Audio System with Al H. Standard retractable coat hooks. J. Optional Automatic Temperature Control with soft-touch hoating and cooling controls (included with optional air conditioning system), K. Standard LX luxury wheel cover with stamped Eagle badge (late

Seat Belts	bench seat, color-keved	s	1_1	Seats (cont.)	center folding armrest, pinstripe velour	1	1
(cont.)	Automatic seat belts included with 45/45 bucket seats; consists of two front two-point motorized automatic shoulder	0			seat inserts with luxury velour seat-side bolsters; includes center console and motorized automatic front seat belts	x	_
	belts with manual lap belts (45/45 seats optional on LX), color-keyed	x	s		Leather with vinyl trim seats, front buckets and rear bench (late introduction)		x
	Leather-wrapped, sport	S	S		Six-way power seats, driver and passenger	x	x
OPTIONAL EQUIPMENT* Air	•			Tires	P205/70HR14 Goodyear Eagle® GT+4 black raised letter, steel-belted radials	^	^
	Automatic temperature control feature	X	X		(4) (available on LX only with Enthusiast Group)	x	s
Audio Systems	AM/FM electronically tuned stereo radio with premium cassette tape player	x	x		Conventional spare tire	X	X
	Premium Audio System—AM/FM electronically tuned stereo cassette/radio with graphic equalizer, eight premium			Wheels	14"x6" lace-style aluminum alloy (4) (also included in LX Enthusiast Group)	x	x
	Accusound by Jensen* speakers (standard ES) and power antenna	x	x	salesperson for	equipment is available only as part of an option gro more information. al engine cooling requirements for field-installed a		Sec
Convenience Group	Includes cruise control and six-position tilt steering column	x	x	conditioning. F	ailure to follow requirements may invalidate warra	nty.	See
Electronic			1 1	Certain model	s, packages, and options are subject to s	pec	ific
Information Package	(see Standard Features)	x	s		equirements, or late availability. See you	r de	ale
Emission	(see summary reasons)			for details.			
Testing	California emission factory testing (man- datory in state of California)	x	x	C1	1 (14		
Engine	3.0 litre V6, with electronic multi-port fuel injection and an aluminum-alloy design (182 CID)	x	s	Chry	sler Credit		
Enthusiast Group	Includes 14"x6" lace-style aluminum road wheels, P205/70HR14 Goodyear			Finar	ncing		
	Eagle® GT+4 black radial tires, bucket seats, Touring Suspension System	x	-		er Credit offers a variety of finan nat will help make your new Eag		
License Plate Bracket	Front (standard in states required)	x	x		more affordable. They include		old
Luggage Rack		X	x		America's Choice Payment Plan		,,,,
Mirrors	Dual electric remote-control	X	x				
Power Lock	Illuminated, dual visor vanity	X	S		duate Plans, Retail Financing, a our salesperson for details.	HIC	
Group	Includes power door locks, rear trunk lid			4			

XX

XX

release, remote fuel-door release, remote-

control locking system with illuminated

Luxury cloth 45/45 reclining bucket

seats: cloth adjustable headrests, seatback

Power Windows Power windows with driver's window

Seats

single-touch down feature

Every new 1989 Eagle Premier is backed by Chrysler Corporation's 7/70 Protection Plan. Upon expiration of the basic 12-month/12,000-mile new vehicle limited warranty, limited warranty coverage is extended to 7 years or 70,000 miles on powertrain components and to 7 years or 100,000 miles on outerbody rust-through. A deductible may be required. See warranty at your dealer for details.



Optional Service Contract.

> Additional peace-of-mind protection for Eagle Premier owners is available through Chrysler Service Contracts. The Added Coverage Contract is available in a variety of time and mileage combinations to meet your needs. Added Coverage Contracts extend coverage up to 70,000 miles after the basic 12-month/12,000-mile warranty expires on steering, brakes, air conditioning, electrical, and front suspension components. Towing and car rental allowances are included. A deductible applies. An optional High-Tech Package increasing component coverage is also available. All Added Coverage Contracts reduce any factory warranty deductibles. See your dealer for details.

> All product illustrations and specifications are based upon current information at the time of publication approval. Although descriptions are believed correct, accuracy cannot be guaranteed. Chrysler Motors Corporation reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors, and materials, and to change or discontinue models. See your dealer for details.

Litho in USA 8/88

Item No. 32552

Buckle up for safety.



FM electronically tuned stereo castette, separate seven-band graphic equalizer, and power antenna. E. Standard rear windows defroster. E Optional rear deck luggage rack. G. Recessed door lock controls (included with optional Power Lock Group). traduction), L. Seven-function trip computer (included with Electronic Information Package; standard ES, optional L.X.). M. Floor-mounted remote release for hood and fuel door (fuel door release included with optional Power Lock Group).

Color & Ir	ım
------------	----

PREMIER LX

PREMIER ES

	SPORT VELOUR FABRIC						
Charcoal	Navy	Cordovan	Brownstone	Charcoal	Navy	Cordovan	Brownstone
		•					
•							
			•				
			and the second second	Charcoal	Charcoal	Charcoal	Brownstone
	Charcoal	Charcoal Navy	Charcoal Navy Cordovan		Charcoal Navy Cordovan Brownstone Charcoal	Charcoal Navy Cordovan Brownstone Charcoal Navy	Charcoal Navy Cordovan Brownstone Charcoal Navy Cordovan

Note: All paints are clearcoat finish and offered as standard equipment at no extra cost.





Eagle Premier LX.







