










RANGE ROVER
County

Exceptional Ruggedness, Supreme Elegance.

NEW RANGE ROVER COUNTY brilliantly reconciles two seemingly incompatible concepts. On the one hand, the unrivalled four-wheel-drive capability of its legendary Land Rover stablemate; on the other, the uncompromising luxury of a thoroughbred European sedan. • FORTY YEARS OF Land Rover heritage are expressed in its immensely strong chassis, permanent four-wheeldrive system and lightweight aluminum body - while nearly two decades of Range Rover refinement are reflected in a powerful 3.9 litre engine, four-wheel disc brakes, resilient coil-sprung suspen-



WHEREVER YOU LOOK. THE VIEW IS ONE OF HAND-CRAFTED LUXURY, RESTRAINED OPULENCE ... AND CONSUMMATE PRACTICALITY.



EVEN WHEN YOU'RE CONOUERING THE CHALLENGE OF SOME FAR, HIGH PLACE, YOU'LL REALISE WHY THIS PARAGON OF VERSATILITY IS SO MUCH AT EASE IN GENTLER SETTINGS.





POOLE HARBOUR, DORSET, ENGLAND - THE WORLD'S SECOND LARGEST NATURAL HARBOUR... POOLE HARBOUK, DORSON, THE HOME OF BESPOKE TAILORNON.
TWO VERY CONTRASTING, YET UTTERLY NATURAL SETTINGS FOR THE RANGE ROVER COUNTY.

Crafted in the Savile Row Tradition

s THE MOST finely appointed Range Rover ever built, the County is a rare blend of high technology and old world crafts manship. • THERE LINQUE COLOURS — Belaga Black Clear Coat, Cairngorm Brown Micatallie and Trocadero Red Micatallie – are complemented by 16' colour-matched alloy wheels, shod with all-purpose radials. A hand-rendered coachline, chrome bumpers and distinctive County badging further enhance the vehicle's already elegant mien. • NOW STEP INSIDE You will not be disappointed. • POLISHED BERR WALNUT graces door panels, instrument panel and centre console.

• DEEP PILE CHRYT floor mats coset your feed. • THE ORTHOPAGEICALLY-DESURAD Front seats have eight-way power adjustment – and all the seats are upholstered in finest

CONNOLLY HIDE MEETS HIGH TECHNOLOGY; A FITTING MARRIAGE OF SUPREME CRAFTSMANSHIP AND PROVEN INNOVATION.

Connolly Hide - a theme continued through the leather-clad arm rests, steering wheel, grab handle, transfer gearbox lever and hand brake gaiters.

• INSTITABLY, THERE REE some strictly functional luxuries in the standard County specification: not least, a power slide-and-tilt sunroof and an auto-dim electrochromatic rearview mirror.

• EVEN THE INSPIRED audio system - infra-red remote control, six-disc CD player, tape cassette, AM/FM stereo, six acoustically-positioned speakers and subwoofer - demonstrates an intent to soothe and enthral, under any conditions.

• AND THE, EPRIMATS is the core of the Range Rover mystique. For what other vehicle combines such rugged versatility with such grace and insouciance?

• PERIMATS HATTS WHAT makes the Range Rover County so much more than a car—so much more a way of life.



TAKE THE FINEST
BURR WALNUT. THEN
SHAPE IT, CRAFT IT POLISH IT, UNTIL THE
GRAIN IS REVEALED IN
ALL ITS LUSTROUS
SPLENDOUS.





TO TRAVEL BANGE ROVER IS TO EXPERIENCE A SENSATION OF WELL-BEING -COUPLED WITH THE SATISFACTION OF KNOWING THAT VIRTUALLY NO OBSTACLE CAN HINDER YOUR SERENE

A Unique Specification

As the following specification demonstrates, Range Rover luxury is based on attributes far more fundamental than a high level of equipment. It also provides objective testament to Range Rover's extraordinary value.

Engine

Cast aluminum V8, with five main bearing crankshaft, self-adjusting hydraulic tappets and Multi-point Flactronic Fuel Injection

DISPLACEMENT	3.9 litres
MAX. POWER	178 bhp at 4750 rpm
MAX. TORQUE	220 lb. ft. at 3250 rpm
BORE 3.7 ins.	STROKE 2.8 ins.
COMPRESSION RATIO	8.13:1

Transmission


Four-speed automatic. Epicyclic gearbox with fluid torque converter and fourth gear lock up. Kickdown and manual override feature.

Transfer Gearbox

Permanent four-wheel drive, with 2-speed reduction on gearbox output.

HIGH RATIO: 1.206:1. LOW RATIO: 3.243:1.

Front and rear drive permanently engaged via centre (inter-axle) differential, providing on-road 4WD for extra security. Upon sensing loss of traction, the viscosity of the fluid in the integral viscous coupling unit (VCU) increases - and the resultant locking effect provides equal power distribution (50/50 torque split) to both drive shafts. Once traction is regained, VCU locking effect is automatically reduced.



Suspension System

Beam axles front and rear, incorporating spiral bevel type differentials with fully floating axle shafts. Front ayle incorporates fully enclosed constant velocity joints. AVLE DIFFERENTIAL RATIO: 3.54:1

Long travel coil springs, dual rate at rear. Axle location by radius arms with panhard rod at front, trailing links and central "A" frame at rear. Long-stroke hydraulic

telescopic dampers. VEHICLE WHEEL TRAVEL.

Rear Iline

SPRING RATES Front: 133lh/in Front: 8 ins.

Rear: 127 and 180lb/in. Maintenance-free, self energizing ride-levelling device on rear axle assists in maintaining normal vehicle attitude when loaded.


Wheels and Tyres

Colour-matched cast aluminum alloy; 7x16in, 5 stud. All-purpose 205 R16 XM+S 244 radial tyres. Identical spare wheel and tyre.

Steering and Braking System

Power-assisted steering with damper. Worm and roller type. Turns lock to lock-3.375. Front and rear powerassisted disc brakes. Parking drum brake operating on transfer case output shaft.





Construction (Chassis and Body)

Electrophoretically treated, 14 gauge welded boxsection "ladder" chassis. Pressed steel inner body cage. Outer body panels (except tailgate area and bonnet) in lightweight, rustproof aluminum alloy. Integral Class III towing hitch receiver.



Exterior Colours

Unique County colours, with colour-matched wheels:

BELLICA BLACK (CLEAR COAT)

CAIRNGORM BROWN (MICATALLIC) TROCADERO RED (MICATALLIC).

Warranty

3-Year/36,000 Mile Limited Warranty on the vehicle and 6-Year/Unlimited Mileage Corrosion Perforation Limited Warranty is provided. Owners are also covered by the Range Rover Road Recovery Program.

RANGE ROVER

R OVERALL WIDTH

COVERALL DESCRIP

D WHEELBASE

BOAD BECOMBEN A OVERALL LENGTH

Technical Data - Dimensions*

175 0 in

71.4 in


70.8 in

100.0 in

36.2 cu ft

70.6 cu ft

20 U.S. gal



Towing		
TRAILERS WITHOUT BRAKES:	MAXIMU: WEIGHT	
Off-road	16501	
On-road	16501	
TRAILERS WITH BRAKES		
Off-road	2200I	
On-road (low range)	7700I	
On-road (high range)	55001	
Tongue weight: 5% to 10% of tra weight, but not to exceed 550lbs.		

road (low range)	7700IB	No. M. Company and Williams	
road (high range)	5500lb	Note: Maximum Axle Weights are non- additive. When loading vehicle care must	
igue weight: 5% to 10% of trailer		be taken to ensure that neither the individual axle loadings nor the permitted	
ght, but not to exceed 550lbs. Consult			
er's manual for towing information		Cross Vahiola Waight are avouaded	

E GROUND CLEARANCE 8 0 in E ERONT AND REAR TRACK 58 5 in TURNING CIRCLE 39.4 ft FRONT HIP ROOM 58.3 in Weights REAR HIP ROOM 59 0 in FRONT REAR FRONT LEC ROOM 41 0 in AXLE AXLE TOTAL IR IR IR REAR LEG ROOM (MINIMUM) 32.7 in CURB WEIGHT 2196 2176 4372 FRONT HEAD ROOM 38.4 in GROSS VEHICLE WEIGHT-REAR HEAD ROOM 37.3 in MAXIMUM AXLE LOAD 2535 3572 -LOADING HEIGHT 29.3 in LOAD SPACE:

Seats up

Sente folded

FUEL CAPACITY

*To U.S. Standard SAE II100

All specifications are based on the latest information available at time of printing. Vehicles pictured in this brochure may vary slightly from actual production models. Manufacturer reserves the right to make changes at any time, without prior notice, to price, colours, materials, equipment, specifications and models.

Details and specifications are further subject to change due to local conditions and regulations and not all models of Range Rovers are available in every market. Consult your dealer for advice on correct specifications.

Range Rover Road Recovery is a registered service mark of Range Rover of North America, Inc.

Copyright Range Royer of North America, Inc. 1989.

Appointments

- · Cruise control.
- Air conditioning, heating and ventilation system.
- Power operated tinted windows.
- Central door locking (includes fuel filler cover and tailgate)
- Child looks on room doors
- Electrically adjustable, heated side mirrors.
- Heated front windscreen.
- Heated front windscreen washer jets Powerwash to front headlamps.
- Heated rear window.
- Variable intermittent front windscreen wipers.
- Rear window wash/wipe.
- Puddle lamps under front doors. Removable woven carpeting over floor mats.
- Center console hov
- Removable rear parcel cover. 8-way adjustable power front seats with armrest.
- Folding 60/40 split rear seat with centre and side armrests

Unique County Features

- Connolly leather upholstery with leather trim. details in Sorrell Brown.
- Polished burr walnut trim.
- Premium Audio system with remote control. 6-disc programmable, auto change CD player/ tape cassette/AM-FM stereo. 6 speakers plus subwoofer and crossover circuit, Dolby B+C noise reduction. Theft deterrent device.
 - Rear window antenna
- Power slide and tilt sunroof.
- Automatic dimming day/night interior mirror. Silver painted coachline.
- Chrome bumpers.
- Distinctive "County" identification.
- 32 oz. deep-pile carpet floor mats.
- Front and rear mud guards.

Respect for nature
With the freedom afforded by four-wheel-drive comes
the responsibility to protect the environment. Keep four
wheeling a positive, safe recreational pursuit.
BUCKLE UP FOR SECURITY

Range Rover vehicles are built in Solihull, West Midlands, England by Land Rover U.K. Limited, the only dedicated 4 x 4 manufacturer in the world.



Range Rover of North America, Inc., 4390 Parliament Place, PO Box 1503, Lanham, Maryland 20706.

RRNA 89/033

Printed in the United Kingdom.