

CUTLASS SUPREME

BY OLDSMOBILE

WHAT CAN YOU EXPECT


FROM A FAMILY CAR? HOW ABOUT A LOT

MORE THAN BASIC TRANSPORTATION.




Expect the unexpected. With Cutlass Supreme coupe or sedan, you'll get more than a solid, roomy vehicle to get you from here to there. For starters, you'll get contemporary styling

that will get you there fashionably. And to put some fun in your trip, a level of equipment some manufacturers reserve
strictly for the options list — like a potent VG engine, a smooth 4-speed electronic-shift automatic transmission, 4-wheel
anti-lock disc brakes and aluminum wheels (coupe wheel shown above). Inside, front bucket seats, air conditioning,
power windows, locks and mirrors, and more, make comfort a standard feature. Choose the ultimate Cutlass Supreme
to enjoy extrat like leather-trimmed seating areas, dual-zone automatic climate control and steering wheel touch
controls. If this sounds like far more than basic transportation, you're basically right.



The salesman at the other desteribip was telling me how his vehicles were "value-packed." I listened for a while, and then I asked how they compared to a Cutlass Supreme on a feature-for-dollar basis. His fading smile was the only answer I needed. I thanked him for his time and headed right back to the Oldsmobile resailer.



ONE OF THE BEST BUYS SINCE THE ALASKA PURCHASE.

It's about getting the most for your money. And feeling you've made a smart decision. Call it value.

Call it bang-for-the-buck. We call it Cutlass

Supreme coupe and sedan. These solid performers do a lot more than make your money go a long



The Cutlass Supreme sedan is a finely balanced blend of practical sophistication and spirited performance.

way. They deliver responsive driving that takes the kinks out of the curves on your ride home. And the kind of style that makes a statement.

All the while, providing a comfortable interior that respects your need



With its wrap-around rear glass design, pillar-mounted door handles, mini-quad headlamps, rear aero wing, 5-spoke aluminum-alloy wheels and aerodynamic sleekness, the Cutlass Supreme coupe looks like nothing else on the road.

for space. Cutlass Supreme:
The kind of car you'll
consider part of the family.

dealership was telling me how his vehicles were "valuepacked." I listened for a while and then I asked how they compared to a Cuslass Supreme on a feature-for-dolle basis. His fading smile

time and headed right back to

the Oldsmobile retailer

Then it was my turn to smi



Cutlass Supreme's spacious interior, with reclining front bucket seats, provides comfort even after many hours behind the wheel. Series III is shown with standard leather-trimmed seating areas.

AN INTERIOR THAT LOOKS AS GOOD AS IT FEELS.

It's nice if a car's interior looks great. But it's imperative that it feels just as good. Cutlass Supreme's does both.

The controls, for instance, are presented

in an elegant arc so you can see them and reach them. (After all, it's your cockpit.) How's it feel? Slide behind the wheel. It's like wearing your favorite cotton sweater. Reclining front bucket seats, contoured to fit your contours, are standard. Surrounded by style, leg-stretching

spaciousness, and all the comfort of a hug from mom, you'll find Cutlass Supreme a wonderful place from which to take on the world.




A power trunk release opens to a roomy 15.5 cu ft of cargo space. There's 14.9 cu ft in the coupe. Series III models have a split-folding rear seat back to expand your capacity for long or oddly shaped items.










Other features that contribute to Cutlass Supreme's comfort and convenience include power windows, power mirrors and automatic programmable power door locks, center storage console with cupholders, cruise control, TILT-Wheel adjustable steering column, illuminated entry system, dual reading lamps, and an AM/FM stereo with cassette player or an available CD/cassette combination



Engineering

PERFORMANCE LIKE MUSCLE AND SILK.




Offering plenty of torque, lively throttle response, smooth, quiet operation, and remarkable efficiency, the 3100 SFI V6 offers power that out-performs many competitive cars.

Okay, so you're not a drag racer, and you're not ashamed to admit it. Still, when you step on the pedal, you want to know it'll go.

Like the Cutlass Supreme. Its proven 3100 V6 makes the kind of confidence-inspiring power

that sucks up the highway like a vacuum cleaner while being quietly unobtrusive. And with 100,000-mile scheduled spark plug replacement, and long-life coolant and transmission fluid, this engine's so easy to maintain, you may not know it's there. Just like the standard 4-speed automatic electronically controlled transmission, which shifts as smoothly as a samba at sunset.



Cutlass Supreme performance features also include 4-wheel independent suspension, power 4-wheel disc brakes, power tack-and-pinion steering, 16-inch performance radial tires and aluminum wheels. "Maintenance nead any uith use and driving conditions." to drive like an exo
sports car As the tame
t refuse to be out-cort
or out-accelerated by a
home. Thanks to its
independent suspensio,
responsive steering, my

passing ability in the straights.

with the legs of a miler.

ADVANCED TECHNOLOGY FOR YOUR PEACE OF MIND.

Steering wheel touch controls, standard on Series III models, allow you to operate the climate control and sound systems without removing your hands from the steering wheel or taking your eyes off the road.

Real comfort starts with knowing that you can get to your destination safely. That's why the Cutlass Supreme's fully independent suspension deals with pavement as sure-footedly as a gazelle covers a prairie. Its brakes are big, 4-wheel discs with an anti-lock system to help you maintain

steering control. And its standard foglamps can help enhance its excellent overall visibility. Cutlass

Supreme also features a rigid unibody that resists torsional and bending

loads and helps protect occupants during an impact. And, of course, dual frontal air bags' are standard. Because we want you to reach your destination safely, no matter how many surprises come your way.



It was raining fairly hard.

my path. Talk about white


maintaining directional control.

around the obstacle. It's like

All Cutlass Supremes feature standard anti-lock brakes which prevent wheel-lockup, thereby helping the driver maintain steering control under maximum braking conditions, even on wet or other slippery surfaces.



The remote-control keyless entry system (standard on Series II and III models) will unlock the doors and trunk, and illuminate the interior, from up to 30 feet away.



Like the time I locked my keys

client's office. Out of town.

Other features that contribute to Cutlass Supreme's safety and security include the PASS-Key vehicle security system, side and electric-rear window defoggers. pulse wipers, brake/transmission shift interlock, and 3-point safety belts for front and rear outboard occupants. *Always wear your safety belts, even with air bags.

SIMPLE ENOUGH TO MAKE ORDERING EASY,

BUT WITH ENOUGH CHOICES TO REALLY PERSONALIZE

YOUR CUTLASS SUPREME.

Color Combinations

a few hundred feet away.

INTERIOR	EXTERIOR
Graphite, Medium Beige, Blue	Bright White (16)
Gruphite, Medium Beige, Blue	Medium Blue Metallic (30)
Graphite, Medium Beige	Dark Teal Metallie (35)
Graphite, Medium Beige, Blue	Black (41)
Graphite, Medium Beige	Medium Green Metallic (42)
Graphire, Medium Beige	Medium Green Gray Metallic (47
Graphite, Medium Beige	Medium Beige Metallic (49)
Graphite, Medium Beige	Bright Red (81)

The paint color samples shown above may vary dightly from actual schicle color due to the printing process.

STANDARD FEATURES

SAFETY AND SECURITY	4-wheel anti-lock disc brakes
	Dual frontal air bags
	3-point front and rear outboard safety belts
	(with front height adjustment on sedans), and front and
	rear center lap belts (front with beach seat only)
	Automatic programmable power door locks
	PASS-Key vehicle security system
	Brake/transmission shift interlock
	Illuminated entry system
	Halogen headlamps plus foglamps
	Side and electric-rear window defoggers
	Dual power outside mirrors
EXTERIOR	
	 16-inch 5-spoke aluminum wheels (coupes)
	 16-inch "starfish" aluminum wheels (sedans)
	 P215/60R16 performance radial tires
	Rear aero wing (coupes)
	Soft-Ray tinted glass
	 Pulse wipers with wet-arm washers
COMFORT AND CONVEN	Air conditioning with CFC-free refrigerant
	TILT-Wheel adjustable steering column
	Cruise control
	Power windows with driver's-side auto-down
	Analog gauge cluster with tachometer
	Center console with storage armrest, shifter
	and dual cupholders
	 Lighting package (includes courtes), glove box.
	underhood and trunk (amps)
	 Inside day/night mirror with dual reading lamps
	Dual visor vanity mirrors (lighted on Series II and III)
	Headlamp and turn signal reminder chimes
	Power trunk lock release
AUDIO SYSTEM	Delco ETR AM/FM stereo with cassette player,
	automatic tone control, seek/scan and digital clock
SEATING AND TRIM	
SEATING AND IKIM	Reclining contour front bucket seats
	Front and rear carpeted floor mats
	Deluxe trunk trim
MECHANICAL	
MECHANICAL	3100 SFI V6 engine 4-speed electronic-shift automatic transmission
MECHANICAL	 4-speed electronic-shift automatic transmission
MECHANICAL	4-speed electronic-shift automatic transmission Front-wheel drive
MECHANICAL	4-speed electronic-shift automatic transmission Front-wheel drive Power rack-and-pinion steering
MECHANICAL	4-speed electronic-shift automatic transmission Front-wheel drive

· Maintenance-free battery

SERIES-SPECIFIC AND AVAILABLE FEATURES

EXTERIOR			
Power sunroof with sliding glass panel	-	-	0
Remote-control keyless entry system	0	S	5
COMFORT AND CONVENIENCE			
Dual-zone automatic climate control system		-	S
Steering wheel touch controls	-	-	5
AUDIO SYSTEM			
Delco ETR AM/FM stereo with CD and	0	0	0
casserre players, automatic tone control.	U	0	0
casserre piayers, automatic tone control. seek/scan and digital clock			
4-speaker extended-range sound system	S		
6-speaker Dimensional Sound system		S	S
Power antenna		S	S
		3	
SEATING AND TRIM			
55/45 divided bench front seat with dual	O.	O.	
recliners, center storage armrest			
with cupholder, and column shifter			
4-way manually adjustable driver's seat	S ¹	-	-
6-way power driver's seat	-	5	S
Split-folding rear seat back			S
Cloth interior trim	S	S	0'
Leather-trimmed seating areas (Graphite, Medium Beige)	-	-	S
Leather-wrapped steering wheel	-	S	S
MECHANICAL			
	-	_	S
Variable-effort power steering Engine block heater 8 Standard O Optional	- 0	- O - No	0
Variable-effort power steering Engine block heater 8 Standard O Optional SPECIFICATIONS AND DIMENSIONS	0		0
Variable-effort power steering Engine block heater 8 Standard O Optional			O ri availabš
Variable-effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 1300 5F1 VE EMBINE	3.1 liter	- No	O availabl
Variable-effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 2200 STIVE ENGINE Displacement Horsepower	3.1 liter 160 @	- <i>Ne</i>	O et available u in) m
Variable-effort power steering Engine block heater Stendard O Optional SPECIFICATIONS AND DIMENSIONS 1300 SFI VE GEMORE DISPLACEMENT	3.1 liter 160 @ 185 @	- No	O et available u in) m
Variable-effort power steering Engine block heater Stendard O Optional SPECIFICATIONS AND DIMENSIONS 21005 BY OF SEMBLE DUSPLACEMENT HOSSEQOWER Torque	3.1 liter 160 @ 185 @	- No ex (191 e 5200 rp 4000 rp tial por	O et available u in) m
Variable -ffort power astering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 1000 671 WE GRANK Displacement Horse power floreque Fuel delivery	3.1 litter 160 @ 185 @ Sequen fuel inj	- No ex (191 e 5200 rp 4000 rp tial por	O or availabs u in) m
Variable-effort power steering Engine block heater Stendard O Optional SPECIFICATIONS AND DIMENSIONS 1309 STY RESMIT. Displacement Horsepower Torque Fuel delivery FPA ESTIMATED FUEL ECONOMY	3.1 liter 160 @ 185 @ - Sequen	- No ex (191 e 5200 rp 4000 rp tial por	O et available u in) m
Variable offort power ascering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 300 55 14 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	3.1 litter 160 @ 185 @ Sequent fuel inj	- No ex (191 e 5200 rp 4000 rp tial por	() of available u in) on son
Variable-effort power steering Engine block heater Stendard O Optional SPECIFICATIONS AND DIMENSIONS 1300 ST V6 KRONE Displacement Horsepower Iorque Fact globery Fact globery 1500 STI V6 (opg. ipilony) Externol doublesions	3.1 lices 160 @ 185 @ Sequent fuel inj COUPE 20/29	- No ex (191 e 5200 rp 4000 rp tial por	O available u in) m ssepan 20/29
Variable -ffort power ascering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 300 587 WESSION DISPLACEMENT HORSEPOWER	3.1 lices 160 @ 185 @ - Sequentruel inj COUPE 20/29	- No ex (191 e 5200 rp 4000 rp tial por	O available u in) m ssepan 20/29
Variable effort power steering Engine block heater Stendard O Optional SPECIFICATIONS AND DIMENSIONS 1300 STI V6 EMBNE Displacement Horsepower Indruge Finel delivery 1944 STIMATER FULL ECONOMY 3300 STI V6 (ongg. inpliney) EXTERNOR DIMPRISONS Wheelblasse (in) Length (in)	3.1 lices 160 @ 185 @ Sequent fuel inj COUPE 20/29	- No ex (191 e 5200 rp 4000 rp tial por	O available u in) en sen 20/29 1075 193.7
Variable -ffort power ascering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 300 691 vie 80000. Displacement Horsepower Torque Frei delivery EFM ESTIMATED FULL ECONOMY 3100 SFT VO (100g. airplings) EXTERNOR DOMMSSIONS Length (air) With riad	3.1 lices 160 @ 185 @ - Sequented inj coupe 20/29 1075 193.9 71.0	- No ex (191 e 5200 rp 4000 rp tial por	() n available u in) m t SEDAN 20/29 1075 193.7 71.0
Variable -ffort power steering Engine block heater Stendard O Optional SPECIFICATIONS AND DIMENSIONS 1300 ST WE KEMME Displacement Horsepower Indruge Fired delivery 1500 ST IV 6 (ong. girpling) EXTERNOR DAMPSIONS Wheelbasse (no) Length (n) Width (n) Width (n)	3.1 lices 160 @ 185 @ - Sequen fuel inj COUPE 20/29 1075 193.9 71.0 53.3	- No ex (191 e 5200 rp 4000 rp tial por	On available u in) m t SEDAN 20/29 1075 193.7 71.0 54.8
Variable effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS AND SPIN CENTRAL STAND DIMENSIONS Displacement Horspeer Forgue Forgue Forgue Forgue Forgue Extracor outflictions Extracor outflictions Extracor outflictions Extracor outflictions Extracor outflictions Wheelbase (no) Length (no) Withth (no) Height (no) Carb weight (fib)	3.1 lices 160 ⊕ 185 ⊕ - Sequential inj COUPE 20/29 1075 193.9 71.0 53.3 328.3	- Ne ex (191 c 5200 rp 4000 rp tial por ection	O available u in) m m 20/29 1075 193.7 71.0 54.8 3388
Variable effort power steering Engine block heater Standard O Optimal SPECIFICATIONS AND DIMENSIONS 2005 874 8 5 6 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3.1 lices 160 @ 185 @ Sequented inj COUPE 20/29 1075 193.9 71.0 53.3 3283 59.5/58	- Ne ex (191 c 5200 rp 4000 rp tial por ection	On available u in) m SEDAN 20/29 1075 193.7 71.0 54.8 3388 595/58.6
Variable effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS AND SPIN CENTRAL STAND DIMENSIONS Displacement Horspeer Forgue Forgue Forgue Forgue Forgue Extracor outflictions Extracor outflictions Extracor outflictions Extracor outflictions Extracor outflictions Wheelbase (no) Length (no) Withth (no) Height (no) Carb weight (fib)	3.1 lices 160 ⊕ 185 ⊕ - Sequential inj COUPE 20/29 1075 193.9 71.0 53.3 328.3	- Ne ex (191 c 5200 rp 4000 rp tial por ection	O available u in) m m 20/29 1075 193.7 71.0 54.8 3388
Variable effort power steering Engine block heater Standard O Optimal SPECIFICATIONS AND DIMENSIONS 2005 874 8 5 6 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3.1 lices 160 @ 185 @ Sequented inj COUPE 20/29 1075 193.9 71.0 53.3 3283 59.5/58	- Ne ex (191 c 5200 rp 4000 rp tial por ection	On available u in) m SEDAN 20/29 1075 193.7 71.0 54.8 3388 595/58.6
Variable effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 300 65 14 8 6 8 6 10 10 10 10 10 10 10 10 10 10 10 10 10	3.1 lices 160 @ 185 @ Sequented inj COUPE 20/29 1075 193.9 71.0 53.3 3283 59.5/58	- Ne (191 e c (191 e c)))))))))))))))))))))))))))))	SEDAN 20/29 1075 193.7 71.0 54.8 3388 595/58.6 39.0 38.7/38.
Variable effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 200 STI VE KEMNE DISPIACEMENT HORSEPOWER Incrue For Extended O Optional SPECIFICATIONS AND DIMENSIONS 200 STI VE GOOD ENGINEER SPECIFICATIONS OF OPTIONS SPECIFICATIONS SPECIFICATIONS SPECIFICATION SPECIFICA	3.1 lice 160 @ 185 @ Sequen fuel injuing coupe 20/29 1075 1075 53.3 3283 59.5/58 39.0 37.8/37.4 42.3/34	- New (191 ce sx (191	SEDAN 20/29 1075 193.7 71.0 5388 595/58.6 39.0 38.7/38.2 42.4/36.2
Variable effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 100 59 14 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.1 lice 160 @ Sequent fuel inj course 1929 1025 1939 71.0 53.3 3283 595/58 39.0 37.8/37.8	- New (191 ce sx (191	SEDAN 20/29 1075 193.7 71.0 5388 595/58.6 39.0 38.7/38.2 42.4/36.2
Variable effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 2006 874 9 ESBORD Displacement Horsepower Torque Fiel delivery FER STIMATER FULL ECONOMY 3100 SFI V6 (apg. singlines) ETTERIOR BOMBOINS Wheelibase into Length ros Windth ros Length ros Curle weight file Texal width Front/rear fine Lengton, Front/rear fine	3.1 lice 160 @ 185 @ Sequen fuel injuing coupe 20/29 1075 1075 53.3 3283 59.5/58 39.0 37.8/37.4 42.3/34	- New (191 ce sx (191	SEDAN 20/29 1075 193.7 71.0 5388 595/58.6 39.0 38.7/38.2 42.4/36.2
Variable effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS SING FIVE GENERAL Displacement Horse-power Inforque Fire Latination Full Economy SHOW Tong the Company SPECIFICATIONS AND DIMENSIONS SHOW THE COMPANY SPECIFICATIONS AND DIMENSIONS SPECIFICATIONS AND DIMENSIONS EXTERIOR DUBLE CONOMY SHOW THE COMPANY WHICH TO SHOW THE CONOMY WHICH TO SHOW THE CONOMY SHOW THE COMPANY SHOW THE COMPANY SHOW THE COMPANY SHOW THE COMPANY STEEROR DIMENSIONS HEADOWN, FORTIFICATE (III) EXTEROR DIMENSIONS HEADOWN, FORTIFICATE (III) EXTEROR DIMENSIONS SHOULD FROM THE COMPANY SHOW THE COMP	3.1 lice 160 @ 185 @ Sequen fuel injuing coupe 20/29 1075 1075 53.3 3283 59.5/58 39.0 37.8/37.4 42.3/34	- New (191 ce sx (191	SEDAN 20/29 1075 193.7 71.0 5388 595/58.6 39.0 38.7/38.2 42.4/36.2
Variable effort power steering Engine block heater Standard O Optional SPECIFICATIONS AND DIMENSIONS 2006 874 9 ESBORD Displacement Horsepower Torque Fiel delivery FER STIMATER FULL ECONOMY 3100 SFI V6 (apg. singlines) ETTERIOR BOMBOINS Wheelibase into Length ros Windth ros Length ros Curle weight file Texal width Front/rear fine Lengton, Front/rear fine	3.1 lice ⊕ 160 ⊕ 185 ⊕ Sequen fuel inj Coupe 20/29 1075 193.9 71.0 3283 3283 39.0 1328/373 42.3/3/42.3/3/526/57.	- New (191 ce sx (191	O available u ii ii) sean available u ii ii) sean u 1075 193.7 71.0 54.8 3388 39.0 38.7/38.6 574/36.6

Not available with divide Sedan only.

No-charge option in place of standard leather trim.

Six passengers with available divided bench from seat.

A WORD ABOUT OLDSMOBILE

	THE GM CARD Don't forget to use your GM Card. When you use The GM MasterCard, you
ı	earn 5% on every purchase, which you can apply toward the purchase or lease of a new GN
l	car or truck of your dreams. You could save hundreds, even thousands of dollars, over an
	above any other discount or incentive GM may be offering. To apply for your GM Card, cal
	1-800-8GM-CARD any time, day or night.

ACCELERATED EARNINGS NETWORK Visit participating GM retailers for up to 10% in GM Card carnings on eligible parts and service transactions. Call 1-800-947-1000 for more information.

SMANTLASES BY ORME STATEL Lase lets qualified customers pay for the portion of the which they expect on use, rather than paying for the entire which as you would with radiational financing. You'll also enjoy lower up-front costs and lower monthly payments. Plus, you'll be able to drive a new which more often or drive a higher-prixed model. Ask your Oldsmobile retailer for more information. ""Memory and provide the provided provided the provided provided to the provided provided the provided provide

FOR DECONAT PROTECTION : Driver and right from passenger Supplemental Influsional Recordina : Manual lapshoulder safety belts, driver and right from passenger : Manual lapshoulder safety belts, one-hour reas-east positions : Manual laps safety belts, control reas-east positions : Manual laps safety belts, control reas-east positions : Manual laps safety belts, control safety personal reas-east positions : Manual laps safety belts, control safety reasonable passenger safety and reasonable control (couples) : Energy-absorbing instrument passed calminated widowlided glass, metrathe noneold : Tempered safety gas, safet and reast passed to Interdes : Safet done hours : Possenger-guard inside from local laps and universe : Rends around in the safety attention of the passenger safety attention of the passenger safety attention of the safety

FOR CRAIN AMORDANCE * Side rusker lumps and selection * Polking lumps - drowp bazzed warring flathers * Beskela plumps * Genere high-mounted stophing * Directional signal councid * Windshield defroses, washer and multi-speed wipers * Inskie dayding his carrives mirror * Onaide exercise mirror * Onaide exercise mirror * Daniel exercise housed lach from origing * Lone-giften finish (main kimisheld molifolos, priega arm and blades) * General * Daniel * General * G

FOR THEFT DETERRENCE • PASS Key vehicle security system • Theft-deterrent steering column lock • Theft-deterrent key locking system • Ignition key removal audible reminder • Remote inside hood release • Visible vehicle identification number • Laser-etched VIN plate

IMPORTATY WORDS ABOUT THIS CRAZIAGE WE have tried to make this cardigs as comprehensive and ficural as possible. All liburations photographs and preficiations are based on the lases product information. We reserve the right to make changes at any time, without protice, in price, colors, metallia, equipment, superficiations, models and availability. Since no construction may have been updated since the time of printing, please check with your Oklomobile resulter for complete details.

A MODE ADDIT ASSERBAY AND EXEMBES All whiches and components are produced and/or assembled by different operating units of GAI and its subdistines/suppliers worklew. When it is necessary, whiches may be ball with different or differently sourced components than originally scheduled or outlerd. Heave weify that your vehicle includes the equipment hat you outlered, and if there have been changes, that they are acceptable to you. Oldamobiles are equipped with engines produced by different operating units of General Motors, is subdistinction or suppliers of GN worldowle.

A WORE ABOUT UPDATES SERVICE INFORMATION COMMODILE retailers receive useful services bulletins is boated (chlumobile products.) You can order three Josefillers (1800/1824).

BUMPERTO BUMPER LIMITER WARRANT For three years or 36,000 miles, whichever comes first, every part of your new Cardian Superme is warranted for repairs to correct any wholic defect related to materials or wordmarship, including tires. With his limited warranty, then odeductified, which means well pure for any repairs beyond routine maintenance. All board was the condense of the service of the servic

OWNER AFFERCARE In addition to our 3-year/36,000-mile (whichever comes first) Bumper-to-Bumper Limited Warranty, we also offer courtesy transportation, free trip routing and 24-hour readside assistance by calling 1-800-442-OLDS. At Oldsmobile, we're committed to your satisfaction long after the purchase of your cat.

Visit us at www.oklsmobile.com or call 1-800-255-6537 for information on any Oldsmobile product.

a

sometimes seems like a close
friend — roady to
help me out when I need it.
Which is usually at the
most inopportune moments.
Like the time I locked my keys
in my car at a prospective
client's office. Out of town.
I dialed 1 800-442-OLDS
and help was on the way,
saving me from embarasiment.

y smarr. 1 gos soc com

appreciates the fact th

lways prepared.

